

Jagiellonian University in Krakow

Faculty of Physics, Astronomy and Applied Computer Science

Department of Physics of Nanostructures and Nanotechnology

**Nanomechanics of individual structures in endothelial
cells studied by multiparameter AFM-based
experimental methods**

Grzegorz Brzezinka

WARNING – IT IS A DRAFT

generated 26 maja 2014

PhD dissertation
supervised by
prof. dr. hab. Marek Szymoński

Kraków 2014

Acknowledgements here

Spis treści

I	Wstęp	4
II	Wprowadzenie	5
1.	Biomateriały	5
1.1.	Ogólna charakterystyka	5
	Literatura	6
	List of figures	10
	List of tables	11
	Appendix	12
A.	Topografia badanych powierzchni	13

Część I

Wstęp

Część II

Wprowadzenie

1. Biomateriały

1.1. Ogólna charakterystyka

Fig. 1.1. Komórki linii komórkowej embrionalnych mysich fibroblastów 3T3 [1]

Literatura

- [1] Olympus Microscopy Resource Center. <http://www.olympusmicro.com/galleries/abramowitz/pages/3t3cells1small1.html>.
- [2] Stanisława Stokłosowa. *Hodowla komórek i tkanek*. Wydawnictwo Naukowe PWN, Warszawa, 2004.
- [3] Harry Eagle. The specific amino acid requirements and mammalian cells in tissue culture. *J. Biol. Chem.*, 214:839–845, 1955.
- [4] Anna Wójcicka. Reakcje fibroblastów i osteoblastów z polikaprolaktonem modyfikowanym zmiennym pH, Kraków 2007. Praca magisterska pod opieką dr Barbary Czajkowskiej.
- [5] Bicompare.com DPBS. <http://www.biocompare.com/ProductDetails/346915/Dulbeccos-Phosphate-Buffered-Saline-DPBS.html>.
- [6] Carlroth. http://www.carlroth.pl/media/_pl-pl/Graphics/00001914_0.jpg.
- [7] Wydział Chemiczny Politechniki Gdańskiej Katedra Technologii Leków i Biochemii. Zamrażanie i rozmrażanie komórek eukariotycznych, Gdańsk 2008.
- [8] Garcia LT. Hobo S., Ichida E. Osseointegration and occlusal rehabilitation. *Chicago: Quintessence*, 3:104, 1989.
- [9] University of Illinois at Urbana-Champaign College of Medicine at Urbana-Champaign. Histology atlas. online. <https://histo.life.illinois.edu/histo/atlas>.
- [10] NTMDT: NTEGRA platform NTEGRA Spectra. Information brochure. online. http://www.ntmdt.com/data/media/files/products/ntegra/ntegra_spectra_datasheet.pdf.
- [11] Park Systems Inc. Park xe-120 system - information details. online. http://www.parkafm.com/product/product_view.php?gubun=R&id=61.
- [12] A.F. Stalder, G. Kulik, D. Sage, L. Barbieri, and P. Hoffmann. A snake-based approach to accurate determination of both contact points and contact angles. *Colloids And Surfaces A: Physicochemical And Engineering Aspects*, 286(1-3): 92–103, September 2006.
- [13] Silver FH et al. Viscoelastic properties of young and old human dermis: A proposed molecular mechanism for elastic energy storage in collagen and elastin. *J Applied Polymer Science*, 86:1978–1985, 2002.

- [14] Benjamin Loret and Jacques M. Huyghe. *Chemo-Mechanical Couplings in Porous Media Geomechanics and Biomechanics*. CISM International Centre for Mechanical Sciences, 2004.
- [15] Smith et al. Human orbital fibroblasts in culture bind and respond to endothelin, 1997.
- [16] D. F. Williams. *Definitions in Biomaterials. Progres in Biomedical Engineering*. Elsevier, New York, 1987.
- [17] Elena P. Ivanova et al. Impact of nanoscale roughness of titanium thin film surfaces on bacterial retention. *Langmuir*, 26(3):1973–1982, 2010.
- [18] Kalal Derhami et al. Quantifying the adherence of fibroblasts to titanium and its enhancement by substrate-attached material. *John Wiley&Sons*, pages 315–322, 2000.
- [19] D. Osian Meredith et al. Human fibroblast reactions to standard and electropolished titanium and ti-6al7nb, and electropolished stainless stell. *Wiley Periodicals*, pages 541–555, 2005.
- [20] J. Martin et al. Effect on titanium surface roughness on proliferation, differentiation and protein synthesis of human osteoblast-like cells mg-63. *J Biomed Meter Res*, 29:389–401, 1995.
- [21] S. Affrossman et al. Surface topography and composition of deuterated polystyrene-poly(bromostyrene) belnds. *Macromolecules* 29, 29:5010–5016, 1996.
- [22] M. J. Dalby et al. Rapid fibroblast adhesion to 27nm high polymer demixed nano-topography. *Biomaterials* 25, 25:77–83, 2004.
- [23] M. F. Semlitsch et al. Joint replacement components made of hot-forged and surface-treated ti-6al-7nb alloy. *Biomater*, 13(11):781–8, 1992.
- [24] K. H. Borowy et al. On the properties of a new titanium alloy (tia15fe2.5) as implant material. *Titanium’84 Science and Technology*, 2:1381–6, 1995.
- [25] M. Long and H.J. Rack. Titanium alloys in total joint replacement – a materials science perspective. *Biomaterials*, 19:1621–1639, 1998.
- [26] SG. Steinemann. Corrosion of titanium and titanium alloys for surgical implants. *Titanium 84’ Science ane Technology*, 2:1373–9, 1985.
- [27] I. Horcas, R. Fernandez, J.M. Gomez-Rodriguez, J. Colchero asn J. Gomez-Herrero, and A. M. Baro. *Rev. Sci. Instrum.*, 013705, 2007.

- [28] G. Binnig, C. F. Quate, and Ch. Gerber. Atomic force microscope. *Physical Review Letters*, 56(9):930–933, 1986.
- [29] E. Evans and K. Ritchie. Dynamic strength of molecular adhesion bonds. *Biophysical Journal*, 72(4):1541 – 1555, 1997. ISSN 0006-3495. doi: DOI:10.1016/S0006-3495(97)78802-7. URL <http://www.sciencedirect.com/science/article/B94RW-4V8X9MJ-3/2/35c90145d392d138aa0b77fc2f13a362>.
- [30] I.N. Sneddon. The relation between load and penetration in the axisymmetric boussinesq problem for a punch of arbitrary profile. *Int. Journal of Engineering Science*, 47(3), 1965.
- [31] Y. Oshikane et al. Observation of nanostructure by scanning near-field optical microscope with small sphere probe. *Sci. Technol. Adv. Mater.*, 8(181), 2007.
- [32] M. Fleischmann, P.J. Hendra, and A.J. McQuillan. Raman spectra of pyridine adsorbed at a silver electrode. *Chemical Physics Letters*, 26(2):163 – 166, 1974. ISSN 0009-2614.
- [33] Martin Fleischmann and Stanley Pons. Electrochemically induced nuclear fusion of deuterium. *Journal of Electroanalytical Chemistry*, 261(2, Part 1):301 – 308, 1989. ISSN 0022-0728.
- [34] R. M. Stöckle, Y. D. Suh, V. Deckerd, and R. Zenobi. Nanoscale chemical analysis by tip-enhanced raman spectroscopy. *Chemical Physics Letters*, 318 (1-3):131–136, 2000.
- [35] P.E. Hillner, D.A. Walters, R. Lal, H.G. Hansma, and R.K. Hansma. Combined atomic force and confocal laser scanning microscope. *Microscopy and Microanalysis*, 1(03):127–130, 1995. doi: 10.1017/S1431927695111277. URL <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=167711&fulltextType=RA&fileId=S1431927695111277>.
- [36] S. Akamine and H. Yamada. *US Patent*, (5,489,774), 1996.
- [37] T. Schmid et al. Towards chemical analysis of nanostructures in biofilms i: imaging of biological nanostructures. *Anal Bioanal Chem*, (391):1899–1905, 2008.
- [38] T. Schmid et al. Towards chemical analysis of nanostructures in biofilms ii: tip-enhanced raman spectroscopy of alginates. *Anal Bioanal Chem*, (391):1907–1916, 2008.
- [39] T. Deckert-Gaudig, E. Bailo, and V. Deckert. Perspectives for spatially resolved molecular spectroscopy – raman on the nanometer scale. *J. Biophoton*, 1(5): 377–389, 2008.

- [40] U. U. Neugebauer, P. Rösch, M. Schmitt, J. Popp, C. Julien, A. A. Rasmussen, C. Budich, and V. Deckert. On the way to nanometer-sized information of the bacterial surface by tip-enhanced raman spectroscopy. *ChemPhysChem*, 7(7): 1428–1430, 2006.
- [41] D.F. Kallmes et al. In vitro proliferation and adhesion of basic fibroblast growth factor-producing fibroblasts on platinum coils. *Radiology*, 206(1):237–43, 1998.

Spis rysunków

- 1.1. Komórki linii komórkowej embrionalnych mysich fibroblastów 3T3 [1] 5

Spis tablic

Załączniki

A. Topografia badanych powierzchni