

Homework 3: Lines, Orthogonality, and Projections in $\mathbb{R}^2$

Math 124, Fall 2026 at the University of Michigan

due Monday, September 21st at 11:59PM

Write your solutions to the following problems either by writing them on a piece of paper or on a tablet and scanning your answers as a PDF. Note that you are not allowed to use LaTeX, Google Docs, or any other digital document creation software to type your answers. Homeworks are due to Pensive by 11:59PM on the due date. See the [syllabus](#) for details on the slip day policy.

Homework will be evaluated not only on the correctness of your answers, but on your ability to present your ideas clearly and logically. You should always explain and justify your conclusions, using sound reasoning. Your goal should be to convince the reader of your assertions. If a question does not require explanation, it will be explicitly stated.

Before proceeding, make sure you're familiar with the [collaboration policy](#).

Total Points: $5 + 15 + 12 + 24 + 17 + 12 + 15 = 100$

Problem 1: Feedback (5 pts)

We'd like to get your feedback on how the course has been going so far!


You will find a survey [at this link](#). It is **not anonymous** — we need to know your identity to give you homework credit for it, and so that you can give us feedback that we can reply to (if you'd like).

Please fill out the survey AFTER you've finished the rest of Homework 3. When submitting to Pensive, it does not matter which page of your submission you assign to Problem 1; we will enter survey completion credit in manually.


Thank you for your feedback — it's helping shape our brand-new course.

Problem 2: Line Dancing (15 pts)

- a) (5 pts) The line ℓ shown below passes through the origin. Find a nonzero vector $\vec{v}$ lying on ℓ . Use this vector to express ℓ in parametric form, as we did in [Chapter 2.1](#).



- b) (10 pts) The affine line ℓ' shown below is parallel to ℓ .



- (5 pts) Find a vector $\vec{v}_0$ whose endpoint lies on ℓ' . Use $\vec{v}_0$ and your vector $\vec{v}$ from part (a) to express ℓ' in parametric form.
- (5 pts) Give a different choice of $\vec{v}_0$ and $\vec{v}$ that also works. Use these vectors to express ℓ' in parametric form.

Problem 3: Perfectly Normal (12 pts)

Let ℓ and ℓ' be the lines from Problem 2.

- a) (6 pts) First, let's work with ℓ , the line through the origin.
- (i) Find a nonzero vector $\vec{w}$ that is normal to ℓ ; that is, $\vec{w}$ lies on $\ell^\perp$ (the line through the origin that is perpendicular to ℓ).
 - (ii) Use $\vec{w}$ to express ℓ as an equation in dot-product form.
 - (iii) Finally, express ℓ as a linear equation in terms of x and y (with no vectors).
- b) (6 pts) Now, let's work with ℓ' , the affine line.
- (i) Use $\vec{w}$ and $\vec{v}_0$ to express ℓ' as an equation in dot-product form.
 - (ii) Express ℓ' as a linear equation in terms of x and y (with no vectors).

Problem 4: Covering All the Bases (24 pts)

For each pair of vectors $\vec{u}$ and $\vec{v}$ below,

- (i) Determine whether it is an orthonormal basis of $\mathbb{R}^2$, and explain why or why not.
- (ii) If it is an orthonormal basis, write

$$\vec{w} = \begin{bmatrix} 7 \\ -4 \end{bmatrix}$$

as a linear combination of $\vec{u}$ and $\vec{v}$, i.e. find scalars a and b such that

$$a\vec{u} + b\vec{v} = \vec{w}.$$

a) (6 pts) $\vec{u} = \begin{bmatrix} \frac{3}{5} \\ \frac{4}{5} \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} \frac{4}{5} \\ \frac{3}{5} \end{bmatrix}$

b) (6 pts) $\vec{u} = \begin{bmatrix} 1 \\ -2 \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} 2 \\ 1 \end{bmatrix}$

c) (6 pts) $\vec{u} = \begin{bmatrix} \frac{5}{13} \\ \frac{12}{13} \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} -\frac{12}{13} \\ \frac{5}{13} \end{bmatrix}$

d) (6 pts) $\vec{u} = \begin{bmatrix} \frac{3}{\sqrt{13}} \\ \frac{2}{\sqrt{13}} \end{bmatrix}, \quad \vec{v} = \begin{bmatrix} -\frac{2}{\sqrt{13}} \\ \frac{3}{\sqrt{13}} \end{bmatrix}$

Problem 5: Projecting Confidence (17 pts)

Let

$$\vec{w} = \begin{bmatrix} 5 \\ 7 \end{bmatrix},$$

and let

$$\ell = \text{span} \left(\begin{bmatrix} 2 \\ -1 \end{bmatrix} \right).$$


a) (7 pts) Find the orthogonal projection of $\vec{w}$ onto ℓ .

b) (10 pts) Let $\vec{p}$ be your answer to part (a). Let

$$\vec{r} = \vec{w} - \vec{p}.$$

This means $\vec{r}$ is the difference between $\vec{w}$ and its projection onto ℓ .

i. (5 pts) Draw $\vec{w}$, ℓ , and $\vec{r}$ on axes like the one below. Make sure to label each one.




ii. (5 pts) Using a dot product, verify that $\vec{r}$ is perpendicular to ℓ .

Problem 6: May the Force Be with Blue (12 pts)

A heavy equipment cart with a weight of 500 Newtons (N) rests on a frictionless inclined ramp. For every 7 meters of horizontal distance, the ramp rises 6 meters.

Team Maize stands uphill from the cart and pulls it up the ramp with a force of 900 N. Team Blue stands downhill from the cart and pulls it down the ramp. Both teams pull in directions parallel to the ramp.



- a) (8 pts) Find the component of the cart's weight that acts parallel to the ramp. Give both its magnitude and its direction.
- b) (4 pts) How hard must Team Blue pull to keep the cart stationary? Give your answer in Newtons.

Problem 7: Programming Activity (15 pts)

The Jupyter Notebook for Problem 7 will be posted by Wednesday. Refresh this page (or re-download the PDF) right before lab section to see it.