

MINISTRY OF HEALTH - NIGERIA
Daily Implementation Work plan (DIP) for the Integrated Campaign Services

Measles	Vitamin A	RI
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Integrated campaign ☐

TICK ALL THAT APPLY

State: KARO

Name of Ward Focal Person: GAMBO ABDULLAH IBRAHIM

LGA: ATIJA

Ward: ANUGUWA

Name of Health Facility/ Take-off Point: ANUGUWA MPH

Name of the Vaccinator 1/Team Supervisor: _____ Address: _____

Name of the Vaccinator 2: _____ GSM: _____

Name of the Vaccinator 3: _____ GSM: _____

Name of the Recorder 1: _____ GSM: _____

Name of Crowd controller 1/Screener: _____ GSM: _____

Total Population 14,895

Target Population 2532

GSM: _____

Team Code: 001

Name of the Recorder 2: _____ GSM: _____

Name of the Recorder 3: _____ GSM: _____

Town Announcer/House to House Mobilizer: _____

GSM: _____

Crowd controller 2: _____ GSM: _____

		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Vaccination Post Code/ Location		<u>DAN GUSGUS MPHC</u>	<u>K/MAIWA</u>	<u>GUDU MPHC</u>	<u>K/MAIWA</u>	<u>MAIWA HOUSE</u>	<u>MAIWA HOUSE</u>	<u>MAIWA HOUSE</u>
Name of the Settlement(s)		<u>DAN GUSGUS</u>	<u>K/MAIWA</u>	<u>GUDU</u>	<u>K/MAIWA</u>	<u>MAIWA</u>	<u>MAIWA</u>	<u>MAIWA</u>
Distance between take-off point (HF) and VP		<u>1 KM</u>	<u>2 KM</u>	<u>3 KM</u>	<u>1 KM</u>	<u>2 KM</u>	<u>4 KM</u>	<u>4 KM</u>
Distance/time between VPs		<u>1 KM</u>	<u>2 KM</u>	<u>3 KM</u>	<u>1 KM</u>	<u>2 KM</u>	<u>4 KM</u>	<u>4 KM</u>
*Type of Transport Required		<u>WALK</u>	<u>MOTOR CYCLE</u>	<u>MOTOR CYCLE</u>	<u>MOTOR CYCLE</u>	<u>MOTOR CYCLE</u>	<u>MOTOR CYCLE</u>	<u>MOTOR CYCLE</u>
Settlement Profile - Indicate profile of the settlement from the type suggested below		<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>
*List of schools /other places to be covered in a day and target population		<u>PRIMARY SCH</u>	<u>ISLAMIC</u>	<u>PRIMARY SCH</u>	<u>0</u>	<u>0</u>	<u>PRIMARY SCH</u>	<u>0</u>
Social Events		<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Measles	Measles Target Population to be covered (17% Total Population 9 - 59 months)	<u>493</u>	<u>321</u>	<u>346</u>	<u>268</u>	<u>224</u>	<u>481</u>	<u>498</u>
	Measles Vaccine Doses required	<u>520</u>	<u>340</u>	<u>360</u>	<u>180</u>	<u>220</u>	<u>510</u>	<u>520</u>
	Measles Vials required	<u>52</u>	<u>34</u>	<u>36</u>	<u>18</u>	<u>22</u>	<u>51</u>	<u>52</u>
	Measles Reconstitution syringes (5ml) required	<u>52</u>	<u>34</u>	<u>36</u>	<u>18</u>	<u>22</u>	<u>51</u>	<u>52</u>
	Measle AD (0.5ml) syringes required	<u>550</u>	<u>350</u>	<u>370</u>	<u>190</u>	<u>230</u>	<u>520</u>	<u>540</u>
Vitamin A Supplementation	Safety boxes (AD syringes + reconstitution required)	<u>6</u>	<u>4</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>6</u>	<u>6</u>
	Vitamin A Target Population 6-59 months (18% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Blue capsule (100,000 IU)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Red capsule (200,000 IU)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Number of scissors	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Routine Immunization	RI Target Population 0-23 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	IPV Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	IPV Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Penta Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Penta Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	PCV Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	PCV Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	RI Reconstitution syringes (5ml) required (X 3 RI vaccines)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	AD (0.5ml) syringes required (X 3 RI vaccines)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Safety boxes (AD syringes + reconstitution required) X 3 RI vaccines	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	MenA Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	RI Reconstitution syringes (5ml) required (X 5 RI vaccines)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	AD (0.5ml) syringes required (X 5 RI vaccines)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
	Safety boxes (AD syringes + reconstitution required) X 5 RI vaccines	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Profile the settlements as urban, rural, scattered, Border Settlement, Nomadic, Fulani, Riverine/desert		<u>22</u>	<u>25</u>	<u>24</u>	<u>27</u>	<u>26</u>	<u>23</u>	<u>21</u>
List of schools/other places to include Quaranic, Islamic, Nursery, Primary, market/Mosque/Church/Motor park/ Playground/Water Point/Private & Government Clinic/ Farms								
*Type of Transport Required - Walk, Motorcycle, Keke NAPEP, Jeep, Boat								



FEDERAL MINISTRY OF HEALTH - NIGERIA
NATIONAL PRIMARY HEALTH CARE DEVELOPMENT AGENCY
Daily Implementation Work plan (DIP) for the Integrated Campaign Services

Don Fulani

Measles	Vitamin A	RI
---------	-----------	----

Integrated campaign
TICK ALL THAT APPLY
State: KANO

LGA:

Ward:

Name of Health Facility/ Take-off Point:

Name of the Vaccinator 1/Screening: _____
Name of the Vaccinator 2: _____
Name of the Vaccinator 3: _____
Name of the Recorder 1: _____
Name of the Recorder 2: _____
Name of the Recorder 3: _____
Name of Crowd controller 1/Screening: _____
Total Population: 8466

GSM: _____
Team Code: 003
Name of the Recorder 2: _____
Name of the Recorder 3: _____
Team Ammunition/House to House Mobilizer: _____
GSM: _____

Crowd controller 2: _____
GSM: _____

Target Population: 14391

Day 1: 1012

Day 2: 1823

Day 3: 2063

Day 4: 1852

Day 5: 1600

Day 6: 873

Day 7: 833

Vaccination Post Code/ Location	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Name of the Settlement(s)	<u>BARAKASA FACILITY</u>	<u>GUINAGUIN FACILITY</u>	<u>GATAMATA FACILITY</u>	<u>RINTE/MAMUNA MAY UNDO</u>	<u>GUINAGUIN MAY UNDO</u>	<u>UNGUINTE BAKING MAY UNDO</u>	<u>SURAT FULANI MAY UNDO</u>
Distance between take-off point (HP) and VP	<u>5KM</u>	<u>5KM</u>	<u>5KM</u>	<u>6KM</u>	<u>6KM</u>	<u>7KM</u>	<u>6KM</u>
Distance between VPs	<u>5KM</u>	<u>5KM</u>	<u>5KM</u>	<u>6KM</u>	<u>6KM</u>	<u>7KM</u>	<u>6KM</u>
Type of Transport Required	<u>Motor cycle</u>	<u>Motor cycle</u>	<u>Motor cycle</u>	<u>Motor cycle</u>	<u>Motor cycle</u>	<u>Motor cycle</u>	<u>Motor cycle</u>
Settlement Profile - Indicate profile of the settlement from the type suggested below	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>	<u>RURAL</u>
List of schools/ other places to be covered in a day and target population	<u>PRIMARY SCH. 3-55 SCH.</u>	<u>154M/TH SCH.</u>	<u>0</u>	<u>154M/TH SCH.</u>	<u>0</u>	<u>0</u>	<u>0</u>

Measles Target Population to be covered (75% Total Population 9 - 59 months)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Measles Vaccine Doses required	<u>172</u>	<u>140</u>	<u>351</u>	<u>315</u>	<u>170</u>	<u>1148</u>	<u>142</u>
Measles Vaccine Vials required	<u>180</u>	<u>150</u>	<u>370</u>	<u>330</u>	<u>180</u>	<u>160</u>	<u>150</u>
Measles Recombination syringes (5ml) required	<u>18</u>	<u>15</u>	<u>37</u>	<u>33</u>	<u>18</u>	<u>16</u>	<u>15</u>
Measles AD (0.5ml) syringes required	<u>18</u>	<u>15</u>	<u>37</u>	<u>33</u>	<u>18</u>	<u>16</u>	<u>15</u>
Safety boxes (AD syringes + reconstitution required)	<u>2</u>	<u>2</u>	<u>4</u>	<u>4</u>	<u>2</u>	<u>2</u>	<u>2</u>

Vitamin A Target Population 6-59 months (11% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Vitamin A capsules (100,000 IU)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Red capsules (200,000 IU)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Number of schools	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 0-23 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 24-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-59 months (7.5% of Total Population)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Doses Required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Vaccine Vials required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI Recombination syringes (5ml) required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
RI AD (0.5ml) syringes required	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
Safety boxes (AD syringes + reconstitution required)	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

RI Target Population 60-
