Last name	
First name	

LARSON—MATH 550—CLASSROOM WORKSHEET 33 Inversion & Derangements.

Concepts & Notation

- Sec. 5.1: Binomial coefficients, the Binomial Theorem, key formulas, the polynomial argument, Vandermonde's convolution.
- Sec. 5.2: the Sorting example.
- Sec. 5.3: Duplication formula, inversion, derangements.
- Sec. 5.4: Convolutions, generating functions.

Inversion

Let f(n) be a function defined on $\mathbb{Z}^{\geq 0}$, and define:

$$g(n) = \sum_{k} \binom{n}{k} (-1)^k f(k).$$

We **proved**:

$$f(n) = \sum_{k} \binom{n}{k} (-1)^k g(k).$$

Derangements

A derangement of n objects is an ordering (listing, or permutation) of those objects so that none is in its original place; or, more formally, it is a bijection $\phi : [n] \to [n]$ such that $\phi(i) \neq i$, for every $i \in [n]$.

Let jn be the number of derangements of n objects.

Let h(n, k) be the number of permutations of n objects where exactly k are fixed.

1. Find h(4,0), h(4,1), h(4,2), h(4,3), and h(4,4).

2. Why does

$$n! = \sum_{k} h(n, k)?$$

3. Why does

$$\sum_{k} h(n,k) = \sum_{k} \binom{n}{k} \ \mathrm{j}(n-k)?$$

4. Why does

$$\sum_{k} \binom{n}{k} \, \mathbf{j}(n-k) = \sum_{k} \binom{n}{k} \, \mathbf{j}(k)?$$

- 5. Use the Inversion Theorem to get a formula for *in*.
- 6. Can this sum be simplified?

7. What is $\frac{1}{e}$?

8. KGP claim that n converges to $\frac{n!}{e}$. What is their argument?