

# A relationship between Linear Algebra and Machine Learning

---

Yong Hoon Do, Sojung Kim

March 26, 2017

## 1 WHAT IS MACHINE LEARNING

Machine learning is defined as a type of artificial intelligence (AI) that provides computers with the ability to learn without being explicitly programmed. The term, Machine Learning may sound strange, but it is not an exaggeration to say that we have been taking advantage of it for our entire Google searching experience and also the experience purchasing items on Amazon, or selecting movies in Netflix. Machine learning is used at almost every part of the stack at major search engines, and anything that requires some sort of intelligence is often solved using machine learning. Spelling suggestion/correction and also search ranking system are great examples that can be solved by Machine Learning.

A recommender system is one of the successful field that the concept of Machine Learning is deeply engaged with. An algorithm called, **Collaborative Filtering** is one that commonly used nowadays, and it works by building a database of preferences for items by a group of users. Fo example, a new user, Guerrero, is matched against the database to discover neighbors, which are other users who have historically had similar taste to Guerero. In this specific example, the solution may be defined as providing a list of the best items to the user, so that the user, Guerrero could highly consider buying the items that recommended by the system. We all agree that increasing a probability of purchasing items should give a benefit to the company, and we can achieve this goal by using Machine Learning.

Since Machine learning is deeply relating with numerous properties of Linear Algebra, we can also say that recommending the best items can be accomplished by utilizing many concepts of Linear Algebra.

In this paper, we would not address how the algorithm really works in detail, but will discover how the basic concepts of Linear Algebra are applied to one of the hottest software, a recommender system that is derived from Machine Learning.

## 2 A RELATIONSHIP BETWEEN LINEAR ALGEBRA AND MOVIE RECOMMENDER SYSTEM

Now, we want to show that Linear Algebra is highly engaging in Machine Learning by showing many properties of Linear Algebra are really applied to a movie recommender system as a foundation concepts. Before we do jump into the specific properties of Linear Algebra how it is used in a recommender system, let us consider a problem what we really want to achieve from doing it.

## 2.1 WHAT DOES A MOVIE RECOMMENDER SYSTEM DO FOR USERS?

Netflix completely relies on Machine Learning to build a movie recommender system, and the recommendations that come out from this system as an output drive 60% of Netflix's DVD rentals. We can think of improving the accuracy of predictions how much someone is going to love a movie based on their movie preferences. Now, Netflix uses a well-known algorithm, called **Collaborative Filtering** to discover patterns in observed preference behavior (e.g. purchase history, item ratings and click counts) across community users, and to predict new preferences based on those patterns.

We can concretize this problem using tools that we have learned in class. Before we do analyze how the basic concepts of *Linear Algebra* are used in this application, let us define the problem in terms of mathematical tools that we should have seen in class.

Let us denote

1.  $X$  is a set of users
2.  $S$  is a set of movies
3.  $R$  is a set of ratings, that should be  $r_{ui}$  for some user-movie pairs such that  $(u, i)$ .
4.  $U$  is a linear transformation that takes two vectors spaces  $X$  and  $S$  as an input, and generates a set of ratings  $R$ .

Our primary goal is that building a brand new set of predicted ratings for each user such that

$$U: X \times S \rightarrow R$$

As users give more ratings on movies, more accurated ratings will be offered to users by the Collaborative Filtering Algorithm.

## 3 A RELATIONSHIP BETWEEN LINEAR ALGEBRA AND COLLABORATIVE FILTERING

As we have already introduced an idea that basic concepts of Linear Algebra are indispensable foundation to have Collaborative Filtering Algorithm, we would like to analyze how these concepts are really used in the algorithm. We are going to look at a few key concepts of Linear Algebra to realize how they are deeply connected:

1. Linear Transformation
2. Linear Combination
3. Basis and Dimension
4. Nonsingularity

The other fundamental concepts like a set, a matrix, a vector space and other tools like a matrix multiplication and matrix transpose are also significant to discover the deep engagement with the algorithm, but we find that these concepts are so natural when it comes to prove the relationship between Linear Algebra and the Collaborative Filtering Algorithm. They will be frequently appearing all over the section.

### 3.1 LINEAR TRANSFORMATION

The first essential idea that makes a relationship between the algorithm and Linear Algebra should be Linear Transformation since it defines a function. To give predicted ratings for community users as an output, we need an input!

As you may have already noticed, it is defined as

$$U: X \times S \rightarrow R$$

$U$  is a linear transformation that takes  $X \times S$  as an input, which includes two vector spaces; one is a set of users and another one is a set of movies. Multiplying these two vectors allows

to find out the third vector space, namely a set of ratings belonging to each user in a set of users.

The type of ratings that we are using in this paper would be divided into two; one is a rating that a user granted in person, and another rating should be a predicted rating that granted by the Collaborative Filtering Algorithm. This brief definition may bring us to realize that we may have a matrix with unknown ratings, which are eventually known as a natural number like  $[0,5]$ , but they are up on the same matrix. We can look this matrix so that we can understand what the algorithm is really trying to accomplish.

$$\mathbf{M} = \begin{bmatrix} ? & ? & 1 & \dots & 4 \\ 3 & ? & ? & \dots & ? \\ ? & 5 & ? & \dots & 5 \end{bmatrix}$$

Each row indicates a user, each column indicates a movie and each entry in the matrix indicates a rating that the user directly granted. Then, the entries filled in a question mark are the ratings that eventually the algorithm would find out, and it will be offered to users such that

$$r_{\mathbf{x}} = \{5, 5, 5, 4, 3, 1, \dots, 1\}$$

where  $r_{\mathbf{x}}$  is the vector of the user  $\mathbf{x}$ 's predicted ratings. This notion defines the problem simpler as all we have to do is that filling numbers in unknown entries of sparse matrix, and emitting the matrix as an output.

### 3.2 LINEAR COMBINATION

You might have a question how we come up with a pretty good predicted rating based on the ratings that users granted. Based on the ratings of users, the algorithm predicts each sparse entry in the matrix by firstly finding similar users to the user, and predicting the rating with their feature sets. Let's clarify each step and eventually let us discover how Linear Combination is applied to.

Let us denote

1.  $r_{\mathbf{x}}$  is the vector of user  $\mathbf{x}$ 's ratings
2.  $N$  is the set of  $k$  users most similar to  $\mathbf{x}$  who have rated movie  $\mathbf{i}$

Then we can define  $r_{xi}$  as

$$r_{xi} = \frac{1}{k} \sum_{y \in N} r_{yi}$$

$$r_{xi} = \frac{\sum_{y \in N} S_{xy} r_{yi}}{\sum_{u \in N} S_{xu}}$$

Also, the similarity can be shown as

$$S_{xy} = \text{sim}(x, y)$$

Based on this function, we can find the user group that has a similar preference to the target user and we can predict some ratings.

$$\begin{pmatrix} 3 & 5 & 3 & ? & 4 \\ 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 1 & 2 & 5 \\ 0 & 0 & 0 & 5 & 2 \\ 0 & 0 & 0 & 3 & 2 \end{pmatrix} \begin{matrix} \text{sim}(1, m) = 1 \\ \text{sim}(1, m) = -0.18 \\ \text{sim}(1, m) = \mathbf{0.41} \\ \text{sim}(1, m) = -0.31 \\ \text{sim}(1, m) = \mathbf{0.59} \end{matrix}$$

If we would like to know the rating,  $r_{14} = ?$ , and we know the similarities. Then, we can say that  $r_{14}$  can be found by a linear combination of two vectors such that

$$r_{14} = \alpha_1 r_{34} + \alpha_2 r_{54}$$

$$r_{14} = \frac{(0.41)(2) + (0.59)(3)}{(0.41 + 0.59)}$$

$$r_{14} = 2.6$$

We can predict the rating by taking weighted average.

## 4 CONCLUSION

Why Linear Algebra is a fundamental element in Machine Learning? How concepts of Linear Algebra are used for Recommender system? Basis, Linear Transformation, a set, a matrix?