```
<?php
$hostname = "localhost";
 $usuario = "root";
 $senha = "root";
 $bancodedados = "gastos";
 $conexao = mysqli connect($hostname,$usuario,$senha) or die("Não foi
possivel conectar");
 // print_r($_SESSION);
 if(!empty($ GET['search']))
    $data = $ GET['search'];
    $sql = "SELECT * FROM conta WHERE id LIKE '%$data%' or `data` LIKE
'%$data%' or cliente LIKE '%$data%' or categoria LIKE '%$data%' or tipo LIKE
'%$data%' or valor LIKE '%$data%' or banco LIKE '%$data%' or periodoinicial LIKE
'%$data%' or periodofinal LIKE '%$data%' ORDER BY id DESC";
  else
    $sql = "SELECT * FROM conta ORDER BY id DESC";
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Costalis</title>
  <style>
    body{
      background: linear-gradient(to right, rgb(20, 147, 220), rgb(17, 54, 71));
```

```
color: white;
  text-align: center;
.table-bg{
  border-radius: 15px 15px 0 0;
.box-search{
  display: flex;
  justify-content: center;
.divcen{
  position: relative;
  margin: 0 auto;
  position: relative;
  transform: translate(-50%,-50%);
td:hover{
  background-color: #FFAA98;
.color{
  background-color: red;
.central{
  position:relative;
  display: flex;
  justify-content: center;
```

```
</style>
</head>
<body>
<!--Programa de pesquisa-->
  <nav>
    <div>
      <h1>Sistema de Pesquisa</h1>
    </div>
  </nav>
  <br>
 <div class="box-search">
    <input type="search" class="form-control w-25" placeholder="Pesquisar"</pre>
id="pesquisar">
    <button onclick="searchData()" class="btn btn-primary">
      <svg xmlns="http://www.w3.org/2000/svg" width="16" height="16"
fill="currentColor" class="bi bi-search" viewBox="0 0 16 16">
        <path d="M11.742 10.344a6.5 6.5 0 1 0-1.397 1.398h-</p>
.001c.03.04.062.078.098.115|3.85 3.85a1 1 0 0 0 1.415-1.414|-3.85-3.85a1.007
1.007 0 0 0-.115-.1zM12 6.5a5.5 5.5 0 1 1-11 0 5.5 5.5 0 0 1 11 0z"/>
      </svg>
    </button>
  </div>
  <!--Upload de arquivo-->
  <?php
 if(isset($ FILES['arquivo'])){
    $arquivo = $_FILES['arquivo'];
    $nomedoarquivo = $arquivo['name'];
    if($extensao != "csv")
    die("Tipo de arquivo não aceito");
    $path =$nomedoarquivo . "." . $extensao;
```

```
$deu certo = move uploaded file($arquivo ["tmp name"],$nomedoarquivo
. "." . $extensao);
   if($deu certo){
     $mysqli=("INSERT INTO conta
(id, `data`, cliente, categoria, tipo, valor, banco, periodoinicial, periodofinal) VALUES
('$nomedoarquivo', $path");
     echo"Arquivo enviado com sucesso";
   }else
     echo"Falha ao enviar arquivo";
 ?>
   <form method="post" enctype="multipart/form-data" action="">
     <label for="">Selecione o arugivo</label>
     <input name="arquivo" type="file">
     <button type="submit"><svg xmlns="http://www.w3.org/2000/svg"
width="16" height="16" fill="currentColor" class="bi bi-search" viewBox="0 0 16
16">
       <path d="M11.742 10.344a6.5 6.5 0 1 0-1.397 1.398h-</p>
.001c.03.04.062.078.098.115|3.85 3.85a1 1 0 0 0 1.415-1.414|-3.85-3.85a1.007
1.007 0 0 0-.115-.1zM12 6.5a5.5 5.5 0 1 1-11 0 5.5 5.5 0 0 1 11 0z"/>
     </svg></button>
   </form>
 <!--Final do programa de upload-->
 <!--Continuação do programa de pesquisa-->
 <div class="central">
 <div class="divcen">
   <thead>
       id
        data
        cliente
        categoria
        tipo
        valor
        banco
```

```
periodoinicial
        periodofinal
      </thead>
     <?php
        while($user data = mysqli fetch assoc($result)) {
          echo "";
          echo "".$user data['id']."";
          echo "".$user_data['data']."";
          echo "".$user data['cliente']."";
          echo "".$user data['categoria']."";
          echo "".$user_data['tipo']."";
          echo "".$user_data['valor']."";
          echo "".$user data['banco']."";
          echo "".$user data['periodoinicial']."";
          echo "".$user_data['periodofinal']."";
          echo "";
        ?>
     </div>
 </div>
</body>
<script>
 var search = document.getElementById('pesquisar');
 search.addEventListener("keydown", function(event) {
   if (event.key === "Enter")
 function searchData()
```

```
{
    window.location = 'pagina.php?search='+search.value;
}
</script>
</html>
```