

Research on AI for autism brain scan diagnosis has a pathologization problem

Matheo A. P. Dantas¹, Leo S. F. Ribeiro¹

¹Instituto de Ciências Matemáticas e de Computação – Universidade de São Paulo (USP)
Caixa Postal 668 – 13560.970 – São Carlos – SP – Brazil

matheoangelo@usp.br, leo.ribeiro@icmc.usp.br

Abstract. *Substantial efforts in recent research are directed to the development of Artificial Intelligence (AI) models to support autism diagnosis and biomarker discovery. However, this calls for an important question: does the ongoing research respect the ethical demands of autistic stakeholders themselves? Within that context, this paper examines a strange and alarming phenomenon: the use of the word "disease" to refer to autism. In a scientometric analysis over peer-reviewed machine learning papers in the citation network of the popular neuroimaging dataset ABIDE I, more than half of all papers openly call autism a disease, raising concerns around the values embedded in that research and potential harmful uses of these technologies in the future.*

1. Introduction

Autism is a complex and heterogeneous neurodevelopmental disability characterized by restricted and repetitive behavior patterns and difficulties with social interaction, where there are no widely accepted biomarkers and diagnosis currently relies only on clinical assessment [American Psychiatric Association 2013]. That motivates substantial effort within the scientific community towards the discovery of such biomarkers. A commonly studied approach is to train Machine Learning (ML) models to diagnose autism from biological data, such as Functional Magnetic Resonance Imaging (fMRI), an exam that films the neural activity of each region of the brain over time [Di Martino et al. 2014]. However, that body of research has an important ethical problem that needs to be more discussed: it frequently treats autism as a "disease". In this paper, we conduct a scientometric analysis in an attempt to better comprehend the nature and scale of this problem.

2. Background

Using [Pellicano and den Houting 2022] as reference, we introduce the following important concepts, that will be discussed in the paper:

- **Medical model of disability:** under the medical model, disability is a pathological problem within the individual, where the desired outcomes are either cure, prevention, or treatment of "symptoms".
- **Neurodiversity paradigm:** the neurodiversity paradigm, inspired by the social model of disability, rejects the medical model and, instead, accepts autism as part of the diversity of human neurology. As such, rather than a cure, autistic people need accessibility, inclusion, and support.
- **Participatory research:** this kind of research is coproduced with the autistic community, where they may participate in all stages of the research process. This approach usually favors the neurodiversity paradigm and helps ensure that the priorities and outcomes of research align with the demands of autistic stakeholders.

3. Methodology

We conducted a scientometric analysis on the citation network of the Autism Brain Imaging Data Exchange I (ABIDE I) fMRI dataset [Di Martino et al. 2014], one of the most popular open neuroimaging datasets in machine learning for autism biomarker discovery. For reproducibility, the data collected in the analysis and the code are available in a GitHub repository¹.

The inclusion criteria were: **1)** the paper is written in English; **2)** The paper cites the ABIDE I paper; **3)** The title explicitly mentions autism, either with "autism" or "ASD" (Autism Spectrum Disorder); **4)** The paper includes the terms "artificial intelligence", "machine learning", "deep learning" or "neural network" in either the title or the abstract, indicating that Machine Learning is likely to be meaningfully discussed in the paper; and **5)** The paper was published before 2026, to assure consistency and reproducibility in our search. On May 5th, 2026, we searched for the following query on Scopus:

```
( REF ( 2-s2.0-84901284227 ) ) AND TITLE ( "ASD" OR "autism" ) AND TITLE-ABS ( ( "artificial intelligence" OR "machine learning" OR "deep learning" OR "neural network" ) ) AND PUBYEAR < 2026
```

Use of the word "disease" in AI/ML papers citing ABIDE I




Figure 1. Distribution of pathologization categories in our literature review.

That search produced 304 results. Afterwards, we started searching specifically for papers that mention the word "disease". First, we added AND "disease" to the end of our query to select a subset of the previous results, and the new query (on the same day) yielded 266 results. Later, we looked at where and how the term was used in each paper. Among these, 21 papers could not be consulted due to paywalls; hence, we have no data for pathologizing language in them. 28 used the term "disease" in contexts not directly related to purposeful pathologization of autism, such as discussion about Alzheimer's disease, citing another paper that contains the word "disease", or otherwise not having any mention of the term that we could find. 57 did not refer to autism as a disease in

¹<https://anonymous.4open.science/r/Pathologization-in-AI-for-fMRI-autism-diagnosis-5D8B/README.md>

the text of the paper, but used terms such as “brain diseases” as keywords within the Scopus database, which may or may not be intended by the authors. Lastly, 160 refer to autism as a disease. The word was used in many different forms throughout the papers, ranging from (comparably) more subtle forms such as “deep learning is a promising tool to diagnose brain diseases” — implicitly including autism as a disease, given that all papers had “autism” or “ASD” in their title — to more direct uses such as “ASD is a neurodevelopmental disease [...]”. We provide a visualization of this analysis in Figure 1.

After that, we analyzed statistics on the papers labeled as using the word “disease” to refer to autism. In Figure 2, we include visualizations for the Top 10 most frequent categories in **a)** funding agencies and their country of origin; **b)** publication source (e.g. journals or conference proceedings where the papers were published) and their respective publishers; and **c)** country of origin, where, for each country, we counted how many papers had at least one author affiliated with an institution from said country.



Figure 2. Statistics on papers that referred to autism as a disease.

4. Discussion

Our analysis reveals that much of the research on machine learning for neuroimaging autism diagnosis uses deeply pathologizing vocabulary to refer to autism. Biomedical research is historically tied to the medical model of disability and has a less developed participatory engagement culture compared to other areas in autism research [Heraty et al. 2023]; these problems seem to be amplified in biomedical ML research: while the papers retrieved in our search evidently reflect the perspective of the medical model, the literature review in [Maye and Hansen 2025] did not find any projects on diagnostic machine learning models following participatory methodologies, despite it being a

very active area of research. Another important factor is that much of the research was developed in Asia, especially China. This is partly due to the high volume of scientific production in those countries in comparison with the rest of the world, but it is also influenced by cultural differences: while current discussions on neurodiversity paradigms are usually centered in the western context, they have emerged and been adapted only more recently in Asia; also, misunderstandings can happen due to translation [Hirota et al. 2024]. We recommend caution in the interpretation of this aspect of our results, to avoid essentialist generalizations of non-western cultures.

The use of pathologizing vocabulary, besides promoting ableism in public discourse, can actually shape the purposes for which diagnostic models are meant to be used in the future. Although this was not exhaustively explored in our quantitative analysis, these papers often justify the social relevance of their research with the potential to enable early diagnosis and intervention. We do not claim that such interventions are always harmful or unethical; however, under the assumption that autism is a “disease”, early intervention aims to exploit the plasticity of early neurodevelopment to, at the highest degree possible, “cure” or “prevent” autism and its “symptoms”, as endorsed in [Dawson 2008]. There is evidence in the literature suggesting that autistic people are generally not supportive of these outcomes [Kapp et al. 2013, Fletcher-Watson et al. 2017].

5. Limitations and future work

Our analysis focuses on reporting a phenomenon observed in a relatively specific context, rather than deriving broad and rigorously supported conclusions about the current state of the research in the field as a whole; therefore, future work should evaluate the issue with more systematic literature review methodologies and expand the scope of the analysis beyond a particular dataset or data modality (for example, by also including genetic data). We also focused specifically on the word “disease” due to it being a more explicit example of pathological framing – and a sufficient one, as it appeared in more than half of all papers in our experiment — but future work could explore other forms of medicalized language (e. g., the words “disorder” and “symptom”). Moreover, a deeper investigation of the causes and possible consequences of the problem we observed remains necessary.

In addition, more research should investigate the courses of action necessary to mitigate the problem and the risks associated with it. We believe that it is necessary to discuss the adoption of stricter ethical regulations over the main aspects that enable the development of that research, especially funding, publication criteria, and access to training data. Furthermore, novel technical methods for Responsible AI, in fields such as explainability and privacy, must be designed with that problem in mind. Lastly, we encourage the development of participatory frameworks for research, algorithm design, and regulatory decision-making in the context of diagnostic AI for autism.

6. Conclusions

In this paper, we conducted a scientometric analysis on the ABIDE I citation network and revealed that a large, influential and well funded body of research on machine learning for neuroimaging diagnosis calls autism a “disease”. The problem, that was seemingly unnoticed in previous research, poses significant risks to the future use of these models, and motivates more efforts towards better understanding the phenomenon and preventing its subsequent harms.

7. Ethical considerations

7.1. Ethical Considerations Statement

Although our study uses only publicly available data (curated with a commercial search engine), it manages a relatively delicate discussion where we raised ethical concerns and criticism of prior scientific work. As such, we do not mean to promote or encourage targeted personal attacks against the authors of the papers we criticized or any other involved parties.

7.2. Generative AI Usage Statement

We did not use Generative AI to prepare this manuscript.

7.3. Author contributions and positionality

Based on the CRediT role taxonomy², the author contributions are as follows:

- **Matheo A. P. Dantas:** Conceptualization, Data curation, Investigation, Methodology, Visualization, Writing (original draft, review and editing).
- **Leo S. F. Ribeiro:** Supervision, Writing (review and editing).

Both authors are brazilian autistic academics.

8. Acknowledgements

This study was financed in part by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior – Brasil (CAPES) – Finance Code 0001.

References

- American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders: DSM-5*. Autor, Washington, DC, 5th ed. edition.
- Dawson, G. (2008). Early behavioral intervention, brain plasticity, and the prevention of autism spectrum disorder. *Development and psychopathology*, 20(3):775–803.
- Di Martino, A., Yan, C.-G., Li, Q., Denio, E., Castellanos, F. X., Alaerts, K., Anderson, J. S., Assaf, M., Bookheimer, S. Y., Dapretto, M., et al. (2014). The autism brain imaging data exchange: towards a large-scale evaluation of the intrinsic brain architecture in autism. *Molecular psychiatry*, 19(6):659–667.
- Fletcher-Watson, S., Apicella, F., Auyeung, B., Beranova, S., Bonnet-Brilhault, F., Canal-Bedia, R., Charman, T., Chericoni, N., Conceição, I. C., Davies, K., et al. (2017). Attitudes of the autism community to early autism research. *Autism*, 21(1):61–74.
- Heraty, S., Lautarescu, A., Belton, D., Boyle, A., Cirrincione, P., Doherty, M., Douglas, S., Plas, J. R. D., Van Den Bosch, K., Violland, P., et al. (2023). Bridge-building between communities: Imagining the future of biomedical autism research. *Cell*, 186(18):3747–3752.
- Hirota, T., Cheon, K.-A., and Lai, M.-C. (2024). Neurodiversity paradigms and their development across cultures: Some reflections in east asian contexts.

²<https://credit.niso.org/>

- Kapp, S. K., Gillespie-Lynch, K., Sherman, L. E., and Hutman, T. (2013). Deficit, difference, or both? autism and neurodiversity. *Developmental psychology*, 49(1):59.
- Maye, L. and Hansen, N. B. (2025). Involvement of autistic adults in the participatory design of technology: a scoping review. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems*, pages 1–17.
- Pellicano, E. and den Houting, J. (2022). Annual research review: Shifting from ‘normal science’ to neurodiversity in autism science. *Journal of child psychology and psychiatry*, 63(4):381–396.