SCRIPT-CONTROLLED ACL – RESTRICT RECORD ACCESS BASED ON FIELD VALUE

PERFORMANCE TESTING

Date	30 September 2026
Team ID	6ab3e94b6603573ccfb3c558
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Performance Testing

Performance testing evaluates how the Script-Controlled ACL configuration behaves under expected access-validation conditions. The testing focus is on the record-level read ACL, Branch-based condition, required role, and server-side script logic. The supplied project evidence documents configuration and access-validation setup; numerical performance results were not supplied.

Step 1: Testing Overview

Testing Tool Used	ServiceNow application / ACL configuration and record-access validation
Type of Testing	Functional access validation with performance-observation scope
Target Module / API	Access Control List (ACL) – record-level Read operation
Test Environment	ServiceNow development / configuration environment
Test Date	30 September 2026
Target Condition	Branch-based restriction with required role bb1; Branch = EEE

Step 2: Test Scenarios

S.No	Test Scenario / Description	No. of Virtual Users	Duration (sec)	Expected Outcome
1	Verify ACL Conditions and required role bb1	N/A	N/A	Configured role condition is available before access evaluation
2	Verify Branch condition and advanced script logic	N/A	N/A	Branch = EEE and allow/deny script structure are present
3	Review Access Controls list and security_admin context	N/A	N/A	ACL is available and required security privilege is shown
4	Validate Institution Details records with EEE, ECE and CSE branches	N/A	N/A	Target records are available for Branch-based access validation

Step 3: Performance Test Results

S.No	Metric	Target Value	Actual Value	Status (Pass / Fail)	Remarks
1	Response Time (Avg)	< 2 seconds	Not measured	Not recorded	No numerical response-time result supplied
2	Response Time (Max)	< 5 seconds	Not measured	Not recorded	No numerical response-time result supplied
3	Throughput (Req/sec)	Project-specific target	Not measured	Not recorded	No load-test throughput data supplied
4	Error Rate	< 1%	Not measured	Not recorded	No performance error-rate data supplied
5	CPU Utilization	< 80%	Not measured	Not recorded	No server resource data supplied
6	Memory Utilization	< 80%	Not measured	Not recorded	No server resource data supplied

Step 4: Observations & Analysis

Key Findings The supplied screenshots verify the ACL configuration elements: record/read operation, required role bb1, Branch = EEE, advanced allow/deny script logic, Access Controls list, security_admin context, and Institution Details records.
Bottlenecks Identified No performance bottleneck can be concluded from the supplied evidence because response-time, throughput, CPU, and memory measurements were not provided.
Optimization Steps Taken The ACL configuration was structured with a Branch condition and server-side role check. Further optimization should be based on measured load-test results if performance testing is executed.

Step 5: Screenshots / Evidence

The following screenshots are project evidence extracted from the supplied Project Testing Phase document. They are included to support the ACL testing workflow; they are not presented as numerical performance-test measurements.




Fig. 1 – ACL Conditions screen showing required role "bb1" and security attribute condition




Fig. 2 – Advanced ACL configuration showing Branch = EEE and script-controlled allow/deny logic




Fig. 3 – ServiceNow Access Controls list showing configured ACL records




Fig. 4 – Elevate role dialog showing security_admin privilege for ACL configuration




Fig. 5 – Institution Details records showing Branch values EEE, ECE and CSE

Script-Controlled ACL – Restrict Record Access Based on Field Value | ServiceNow