EventDeck — Credentials & Role QA Reference

Role-Based Test Account Inventory & Authorization Boundaries

SANDBOX / TEST MODE

Verified: October 2026

> **Security & Environment Rule:** All accounts below are pre-configured for **Local Development, Staging, and Test environments**. Password equals `SEED_DEMO_PASSWORD` defined in `.env.local`. Never enter real banking credentials or live production passwords.

👥 1. Role-Based Test Account Inventory

ROLE	TEST EMAIL	PASSWORD SOURCE	AFFILIATION / CATEGORY	KEY PORTAL
SYSTEM ADMIN	`admin@eventdeck.test`	`SEED_DEMO_PASSWORD`	Staff (SRM IST KTR Staff)	`/admin`
ROOT ADMIN	`eventdeck88@gmail.com`	Configured in Supabase	Staff (Permanent Root Admin)	`/admin` (Protected)
ORGANIZER	`organizer@eventdeck.test`	`SEED_DEMO_PASSWORD`	Faculty (Dept. Computing Tech)	`/organizer`
ORGANIZER	`cultural@eventdeck.test`	`SEED_DEMO_PASSWORD`	Student (Directorate Student Affairs)	`/organizer`
MODERATOR	`participant@eventdeck.test`	`SEED_DEMO_PASSWORD`	Assigned to *Orientation Mixer*	`/moderate`
PARTICIPANT	`participant@eventdeck.test`	`SEED_DEMO_PASSWORD`	SRM Student (Host Student, CSE)	`/my/bookings`
PARTICIPANT	`guest@eventdeck.test`	`SEED_DEMO_PASSWORD`	External Student (Loyola College)	`/my/bookings`
PARTICIPANT	`aditi@eventdeck.test`	`SEED_DEMO_PASSWORD`	SRM Student (Holds active reservation)	`/my/bookings`
APPLICANT	`applicant@eventdeck.test`	`SEED_DEMO_PASSWORD`	SRM Student (Organizer applicant)	`/my/profile`

🛡️ 2. Role Provisioning & Authorization Rules

⚡ Admin CLI Bootstrap Command

Administrative rights cannot be obtained via the web app. Run from a secure shell with database access:

```
ADMIN_EMAIL=you@domain.edu ADMIN_PASSWORD=Pass123!
npm run admin:create
```

- Creates user in Supabase Auth with `email_confirm: true`.
- Promotes `profiles.role` to `admin` and logs action.
- If password is omitted, generates a 16-char secure string.

🎯 Event-Scoped Check-in Moderator

Moderator is **not** a global platform enum in `profiles.role`:

- Organizer delegates any active user at `/organizer/events/[id]/team`.
- Delegated user receives **Check-in** navbar link and scanner at `/moderate/[id]`.
- Max **10 active moderators** per event. Immediate revocation.
- Restricted from all organizer edits, pass reviews, and financial modules.

🔒 Root Admin Permanent Guarantee

`eventdeck88@gmail.com` is hardcoded in `src/lib/constants.ts` and `src/lib/auth.ts`. It is unconditionally active and an administrator. UI actions attempting to demote or deactivate this account are rejected with an explicit security error.

🎓 SRM Domain Validation Rule

Students claiming SRM affiliation must provide an official email matching `@srmist.edu.in` or `@srmuniv.ac.in` (or test domain `@eventdeck.test`). Non-SRM domains claiming student status are rejected by server validation (`drizzle/0003`).

💳 3. Official Razorpay Test Cards (Indian & Domestic)

Verified against official Razorpay Test Mode documentation (`razorpay.com/docs`). No real funds ever move.

CARD NETWORK / SCENARIO	TYPE	TEST CARD NUMBER	EXPIRY	CVV	MOCK BANK ACTION
Visa Domestic (India)	Credit	**4100 2800 0000 1007**	Future (12/28)	123	Success (OTP 4-10)
Visa Domestic (Alternative)	Credit	**4718 6091 0820 4366**	Future (11/29)	456	Success (OTP 4-10)
Mastercard Domestic	Credit	**5555 5100 0008 1006**	Future (10/28)	789	Success (OTP 4-10)
Mastercard Prepaid	Prepaid	**5180 2872 0009 1001**	Future (08/29)	111	Success (OTP 4-10)
RuPay Domestic	Credit	**6527 6589 0000 1005**	Future (07/28)	321	Success (OTP 4-10)
American Express (Amex)	Credit	**3402 560004 01007**	Future (05/29)	**1234**	Success (4-digit CVV)
Diners Club Domestic	Credit	**3608 280009 1007**	Future (09/28)	555	Success (OTP 4-10)
Mastercard International	Credit	**5104 0155 5555 5558**	Future (12/28)	999	Success (OTP 4-10)
Mastercard Debit Int'l	Debit	**5104 0600 0000 0008**	Future (12/28)	888	Success (OTP 4-10)

⚠️ 4. Error Simulation Cards & Decline Scenarios

FAILURE SCENARIO	TEST CARD NUMBER	MOCK BANK ACTION	RESULT & SYSTEM BEHAVIOR
Insufficient Balance	**4100 2800 0008 0001**	Click **Failure** button	Triggers `insufficient_fund`. Toast error shown; seats held.
Alt Insufficient Funds	**5305 6200 0005 0001**	Click **Failure** button	Triggers `insufficient_fund`. Status remains `awaiting_payment`.
OTP / Auth Failure	Any standard card above	Enter OTP **< 4 digits** (e.g. `12`)	Triggers `authentication_failed`. Decline captured; seats preserved.
Bank / Issuer Decline	Any standard card above	Click **Failure** on bank screen	Triggers `card_declined`. Booking payment status = `failed`.
Modal Interruption	Click 'X' / Dismiss modal	`modal.ondismiss` fires	Toast: *Seats stay held until timer ends* (10-min hold active).

🏦 5. Netbanking, UPI & Local Simulator Procedures

🏛️ Indian Netbanking Simulation

1. On `/my/bookings/[id]`, click **Pay ₹....**
2. Select **Netbanking** in Razorpay checkout.
3. Choose any bank: **SBI, HDFC, ICICI, Axis, Kotak**.
4. Opens simulated mock bank page with **Success** & **Failure**.
5. Click **Success** to approve (tickets issued immediately).
6. Click **Failure** to simulate decline (retry enabled).

> **No Bank Logins:** Never enter real Netbanking credentials. Simulation runs entirely via interactive mock buttons.

📱 UPI Simulation (VPA)

- **`success@razorpay`** : Simulates approved UPI payment. Confirms order and generates QR tickets.
- **`failure@razorpay`** : Simulates declined UPI request. Displays error; seats remain held.

🧪 Local Simulator Mode

When `ALLOW_MOCK_PAYMENTS=true` without Razorpay keys, EventDeck displays a dialog with **Simulate Success** and **Simulate Decline** exercising identical backend confirmation logic.