# Ruby on Rails 5.x

Do início ao fim!

# Estatísticas do Usuário

#### Estatísticas do Usuário

Totalizando questões respondidas, certas e erradas

user_id	total_questions	right_questions	wrong_questions
1	30	20	10
2	10	7	3

	id	email	
	_ 1	user@user.com	
_	- 2	joao@joao.com	

#### Estatísticas do Usuário

rails g model UserStatistic user:references right\_questions:integer
wrong questions:integer

rails db:migrate

user_id	total_questions (virtual)	right_questions	wrong_questions
1	30	20	10
2	10	7	3

Ajuste a migração...

db/migrate/\*\*\*\*\_create\_user\_statistics.rb

```
t.integer :right_questions , default: 0
t.integer :wrong_questions , default: 0
```

Ajuste o model... app/models/user\_statistic.rb

```
def total_questions
   self.right_questions + self.wrong_questions
end
```

Ajuste o controller...

### app/controllers/site/answer\_controller.rb

```
def question
 @answer = Answer.find(params[:answer id])
  set user statistic(@answer)
end
private
def set user statistic(answer)
 if user signed in?
   user statistic = UserStatistic.find or create by(user: current user)
    answer.correct? ? user statistic.right questions += 1 : user statistic.wrong questions += 1
    user statistic.save
 end
end
```

Ajuste o controller...

app/controllers/users\_backoffice/welcome\_controller.rb

```
def index
  @user_statistic = UserStatistic.find_or_create_by(user: current_user)
end
```

Ajuste a view...

app/views/users\_backoffice/welcome/index.html.erb