

Ruby on Rails 5.x

Do início ao fim!

Criando as views (index e delete) para as Questões

Criando as views (index e delete) para as Questões

- Adicione o resource questions para as rotas **app/config/routes.rb**

```
namespace :admins_backoffice do
  get 'welcome/index' # Dashboard
  resources :admins   # Administradores
  resources :subjects # Assuntos/Áreas
  resources :questions # Questões
end
```

Criando as views (index e delete) para as Questões

- Altere o menu, adicionando mais um item em **app/views/layouts/admins_backoffice.html.erb**

```
<li>
  <%= link_to admins_backoffice_questions_path do %>
    <i class="fa fa-th-list fa-fw"></i> Questões
  <% end %>
</li>
```

Criando as views (index e delete) para as Questões

- Comece copiando todas as views de admins para **views/admins_backoffice/subjects**

```
cp -r app/views/admins_backoffice/subjects/*  
app/views/admins_backoffice/questions/
```

Criando as views (index e delete) para as Questões

- Agora altere **views/admins_backoffice/subjects/index.html.erb**

```
<div class="row">
  <div class="col-lg-12">
    <h1 class="page-header">Listando Questões</h1>
  </div>
  <!-- /.col-lg-12 -->
</div>
```

Criando as views (index e delete) para as Questões

```
<div class="table-responsive">
  <table class="table table-striped table-bordered table-hover">
    <thead>
      <tr>
        <th>#</th>
        <th>Descrição</th>
        <th>Assunto </th>
        <th>
          <%= link_to new_admins_backoffice_question_path,
class:"btn btn-success btn-circle" do %>
            <i class="fa fa-plus"></i>
          <% end %>
        </th>
      </tr>
    </thead>
```

Criando as views (index e delete) para as Questões

```
<tbody>
  <% @questions.each do |question| %>
  <tr>
    <td><%= question.id %></td>
    <td><%= question.description.truncate(50) %></td>
    <td><%= question.subject.description.truncate(30)
%></td>

    <td style="width: 100px">

      <%= link_to
edit_admins_backoffice_question_path(question), class:"btn
btn-primary btn-circle" do %>
        <i class="fa fa-edit"></i>
      <% end %>
```


Criando as views (index e delete) para as Questões

```
<%= link_to admins_backoffice_question_path(question), method:
:delete, class:"btn btn-danger btn-circle", data: { confirm: "Deseja
realmente excluir essa questão?" } do %>
    <i class="fa fa-minus"></i>
  <% end %>
</td>
</tr>
<% end %>
</tbody>
</table>

<div class="text-center">
  <%= paginate @questions %>
</div>
</div>
```