

# Ruby on Rails 5.x

*Do início ao fim!*

The background features a light gray world map centered on the Atlantic Ocean. Overlaid on the map are several large, semi-transparent geometric shapes in shades of gray and white, including triangles and polygons, creating a modern, abstract design.

**Ativando as respostas  
das perguntas**

# Ativando as respostas das perguntas

- Links usados...

[https://api.rubyonrails.org/v5.1/classes/ActionView/Helpers/FormTagHelper.html#method-i-radio\\_button\\_tag](https://api.rubyonrails.org/v5.1/classes/ActionView/Helpers/FormTagHelper.html#method-i-radio_button_tag)

<https://getbootstrap.com/docs/3.3/css/#checkboxes-and-radios>

# Ativando as respostas das perguntas

- Comece criando um controller para as respostas...

```
rails g controller site::answer
```

# Ativando as respostas das perguntas

- Adicione uma rota... **time\_to\_answer/config/routes.rb**

```
namespace :site do
  get  'welcome/index'
  get  'search', to: 'search#questions'
  post 'answer', to: 'answer#question'
end
```

# Ativando as respostas das perguntas

- Altere e adicione ao controller

app/controllers/site/answer\_controller.rb

[illegible]

# Ativando as respostas das perguntas

- Crie a view

**app/views/site/answer/question.html.erb**

```
<h1>Você selecionou a resposta de ID: <%= params[:answer]
%></h1>
```

# Ativando as respostas das perguntas

- Remova o trecho abaixo do layout "site" e adicione na partial **app/views/site/shared/\_questions.html.erb**

```
<div class="jumbotron">
  <% unless params[:term] %>
    <h3>Últimas perguntas cadastradas...</h3>
  <% else %>
    <h3><%= "Resultados para \"#{params[:term]}\"...\"%></h3>
  <% end %>
</div>

<% @questions.each do |question| %>
...

```



# Ativando as respostas das perguntas

- Altere a partial...

**app/views/site/shared/\_questions.html.erb**

```
<% @questions.each do |question| %>
  <%= form_with url: site_answer_path, local: true do |form|%>
    <div class="panel panel-default">
      <div class="panel-heading">
        <h3 class="panel-title"><%= question.description %></h3>
      </div>
      <div class="panel-body">
        <ul>
          <% question.answers.each do |answer| %>
```

...

# Ativando as respostas das perguntas

- Altere a partial...

**app/views/site/shared/\_questions.html.erb**

...

```
<li style="list-style:none;">
  <div class="radio">
    <label>
      <%= radio_button_tag 'answer', answer.id %>
      <%= answer.description %>
    </label>
  </div>
</li>
<% end %>
```

...

# Ativando as respostas das perguntas

- Altere a partial...

**app/views/site/shared/\_questions.html.erb**

```
...  
    <li style="list-style:none;">  
      <%= form.submit "Responder", class:"btn btn-default" %>  
    </li>  
  </ul>  
</div>  
<% end %>  
<% end %>
```