Ruby on Rails 5.x

Do início ao fim!

Total de usuários e questões no sistema

id	event	value
1	total_users	103
2	total_questions	2089

Total de usuários e questões no sistema

rails g model AdminStatistic event:string value:integer

id	event	value
1	total_users	103
2	total_questions	2089

Altere a migration...

db/migrate/***_create_admin_statistics.rb

```
create_table :admin_statistics do |t|
    t.string :event
    t.integer :value, default: 0

    t.timestamps
end
```

Altere o model... app/models/admin_statistic.rb

```
EVENTS = {
  total_users: "TOTAL_USERS",
  total_questions: "TOTAL_QUESTIONS"
}

def self.set_event(event)
  admin_statistic = AdminStatistic.find_or_create_by(event: event)
  admin_statistic.value += 1
  admin_statistic.save
end
```

Active Record Callbacks...

https://guides.rubyonrails.org/active_record_callbacks.html

Altere o model... app/models/question.rb

```
after_create :set_statistic

private

def set_statistic
   AdminStatistic.set_event(AdminStatistic::EVENTS[:total_users])
end
```

• Altere o model... app/models/user.rb

```
after_create :set_statistic

private

def set_statistic
   AdminStatistic.set_event(AdminStatistic::EVENTS[:total_questions])
end
```

Altere o controller...

app/controllers/admins_backoffice/welcome_controller.rb

```
def index
     @total_questions =
AdminStatistic.find_by_event(AdminStatistic::EVENTS[:total_questions]).value
     @total_users =
AdminStatistic.find_by_event(AdminStatistic::EVENTS[:total_users]).value
     end
```

Altere a view...

app/views/admins_backoffice/welcome/index.html .erb

```
<div class="row">
  <div class="col-lg-3 col-md-6">
    <div class="panel panel-primary">
        <div class="panel-heading">
            <div class="row">
                <div class="col-xs-3">
                    <i class="fa fa-users fa-5x"></i>
                </div>
                <div class="col-xs-9 text-right">
                    <div class="huge"><%= @total users %></div>
                    <div>Total de Usuários</div>
                </div>
            </div>
        </div>
    </div>
  </div>
```

```
<div class="col-lg-3 col-md-6">
    <div class="panel panel-green">
        <div class="panel-heading">
            <div class="row">
                <div class="col-xs-3">
                    <i class="fa fa-comments fa-5x"></i></i>
                </div>
                <div class="col-xs-9 text-right">
                    <div class="huge"><%= @total questions %></div>
                    <div>Total de questões</div>
                </div>
            </div>
        </div>
    </div>
  </div>
 /div>
```