```
1 package br.com.padon.application.security;
2
3 import org.springframework.beans.factory.annotation.
   Autowired;
4 import org.springframework.context.annotation.Bean;
 5 import org.springframework.context.annotation.
   Configuration;
6 import org.springframework.http.HttpMethod;
7 import org.springframework.security.authentication.
   AuthenticationManager;
8 import org.springframework.security.config.annotation.
   authentication.configuration.AuthenticationConfiguration;
9 import org.springframework.security.config.annotation.web.
   builders.HttpSecurity;
10 import org.springframework.security.config.annotation.web.
   configuration. EnableWebSecurity;
11 import org.springframework.security.config.annotation.web.
   configurers.AbstractHttpConfigurer;
12 import org.springframework.security.config.http.
   SessionCreationPolicy;
13 import org.springframework.security.crypto.bcrypt.
   BCryptPasswordEncoder;
14 import org.springframework.security.crypto.password.
   PasswordEncoder;
15 import org.springframework.security.web.
   SecurityFilterChain;
16 import org.springframework.security.web.authentication.
   UsernamePasswordAuthenticationFilter;
17 import org.springframework.web.cors.CorsUtils;
18
19
20 @Configuration
21 @EnableWebSecurity
22 public class SecurityService {
23
24
       @Autowired
25
       private SecurityFilter securityFilter;
26
27
       @Bean
28
       public SecurityFilterChain securityFilterChain(
   HttpSecurity httpSecurity) throws Exception {
29
           return httpSecurity
30
                   .csrf(AbstractHttpConfigurer::disable)
31
                   .sessionManagement(s -> s.
```

```
31 sessionCreationPolicy(SessionCreationPolicy.STATELESS))
32
                    .authorizeHttpRequests(a -> a
33
                            .requestMatchers(CorsUtils::
   isPreFlightRequest).permitAll()
34
                            .requestMatchers(HttpMethod.POST,
   "/login").permitAll()
35
                            .requestMatchers(HttpMethod.POST,
   "/funcionario/create").permitAll()
36
                            .requestMatchers(HttpMethod.GET,
   "/loja/get").permitAll()
37
                            .anyRequest().authenticated()
38
39
                   .addFilterBefore(securityFilter,
   UsernamePasswordAuthenticationFilter.class)
40
                    .build();
41
       }
42
43
       @Bean
44
       public AuthenticationManager authenticationManager(
   AuthenticationConfiguration auth) throws Exception {
           return auth.getAuthenticationManager();
45
       }
46
47
48
       @Bean
49
       public PasswordEncoder passwordEncoder() {
50
           return new BCryptPasswordEncoder();
       }
51
52 }
53
```