


TT-752IQ Product Model

Newline Plus Interactive Smartboard



TT-7521Q







Anti-dazzling toughened glass



Ultra-thin metal design



High-precision infrared touch



Comprehensive connectivity



- Built-in smart features




Durable backlight technology




Optimized sound design

Product **Description**

The Newline Plus TT-7521Q is a UHD display that blends sleek design with smart functionality. Its ultra-thin metal frame and anti-glare toughened glass ensure durability and clear visibility. With high-precision infrared touch, it offers smooth interaction for classrooms or offices. Built-in smart features, dual OS support, and modular connectivity make it a flexible, future-ready solution for modern collaboration.





Back View



DISPLAY		SPEAKER	16W x 2
Panel Size:	75"	TOP CAMERA PLATE	Yes
Panel Type:	TFT LCD Module with DLED Backlight. IPS	EMBEDDED OS	
Display Area (mm):	1649.664(H) x 927.936(V) (74.6" diagonal)	BUNDLE SOFTWARE	
Aspect Ratio:		Basic Annotation Software:	myViewBoard Whiteboard
Resolution (px):	UHD 3840x2160		myViewBoard for
Colors:	1.07 billion colors	Pro Annotation Software:	Windows (Embedded
Brightness:	400 nits		in optional Windows Slot-in PC)
Contrast Ratio:	5000:1 (max. with DCR enabled)	Wireless Presentation:	•
Response Time:	8ms		
Viewing Angle:	H=178, V=178	Wireless Presentation withFeedback:	viewBoard
Backlight Life:		Cast:	Yes
Surface Treatment:	Hardness:9H anti- glare coating	SPECIAL FEATURES	
Orientation:	Landscape	All-in-one USB Port:	(combine slot-in
PLATFORM			USB port) Front *SmartPort USB* to
Processor:	V100		all channels
RAM:	8GB DDR4	Simple LAN sharing between	10/100M for Android
Storage:	128GB	IFP and slot-in device:	& 310t-111 PC
TOUCH		Light Sensor:	Yes
	Ultra fine Touch POWER		
Type/Tech:	Technology	Voltage:	100-240V. 50/60Hz
Touch Point:	40 points touch	Consumption:	
INPUT		OPERATING CONDITION	
HDMI:	HDMI-IN 2.0 X 3 (3840X2160 @60Hz)	Temperature:	_
RGB/VGA:	X]	Humidity:	
Audio:	X		
RS232:		DIMENSIONS (WxHxD)	
OPS:	x1 (Optional Intel Standard OPS)	Packaging (inch/mm):	1900 x 235 x 1160
	x1 (Optional VB-WIFI-	WEIGHT	
WiFi:	002/VB-WIFI- 004/VSB-050)	Net (lb/kg):	40kg
OUTPUT	LAN	REGULATIONS	
HDMI: HDMI 2.0 x 1	RJ45: x1	FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BM &RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE, BSMI, BIS	
Audio:x1			
SPDIF:x1		PACKAGE CONTENT	
USB			
Type A:	USB 3.0x4 (Front x2, Rear x2), USB 2.0x1	Free: Wall Bracket, Touch Pane, Teaching Pointer, Remote Control, Warranty Card, Certificate, Manual	
Туре В:		WARRANTY	

Front x1 (PD65W +

DP1.2 + Data USB2.0 + 10M/100M sharing)

Type C:

2 yrs on parts & services

