



Table of Contents

- 1) Table of Contents (You are Here)
- 2) Power Supplies
- 3) Board to Board and Housekeeping MCU
- 4) User Interfaces, OLED and LEDs
- 5) Debug
- 6) OSM Module Connections
 - 7)OSM Size 0 Connections
 - 8)OSM Size S Connections
 - 9)OSM Size M Connections
 - 10)OSM Size L Connections
- 11) USB Hub and Ports
- 12) USB Side Port
- 13) Ethernet Interfaces
- 14) CAN Transceiver
- 15) M2 Expansion
- 16) Ethernet Switch Power
- 17) Ethernet Switch IC
- 18) Ethernet Switch RJ45 Ports

Power Tree



BLOCK DIAGRAM



 GLOBAL PRODUCTS Controls MILWAUKEE, WI U.S.A.	DRAWN BY: E. Imes / N. Van Derven		TITLE: Gen 5 Upper Board PROD					
	DATE: APR-16-2026		PCBA - Gen 5 Engine Upper Board					
	STATE: CONCEPT		Cover Sheet					
	SCALE: N.T.S. SIZE: ANSI-D		DRW NO.: A1638338AG_SCH					
IN CONSIDERATION OF THE RECEIPT OF THIS DOCUMENT, THE RECIPIENT AGREES NOT TO REPRODUCE, COPY, USE OR TRANSMIT THIS DOCUMENT AND / OR THE INFORMATION THEREIN CONTAINED, IN WHOLE OR IN PART, TO ANY OTHER PARTY WITHOUT THE WRITTEN PERMISSION OF JOHNSON CONTROLS INTERNATIONAL PLC (JC), AND FURTHER AGREES TO SURRENDER SAME TO JC UPON DEMAND.								
UNITS: US CUSTOMARY INCH[MM]								
ALL APPROVALS ELECTRONICALLY STORED INSIDE PLM		DRAWING STANDARD: ASME Y14.5-2009		LAST ECH: N/A		REV: R2	SH NO: 1	OF 18

D

C

B

A



5V_BACKUP


+3V3 LOGIC




+1V8 LOGIC

0V9 LOGIC

5V USB







D

C

B



A

D


C

B



A




HOUSEKEEPING DEBUG



OSM DEBUG





D

C

B






A

D









C

B








A







OSM - Small Pins







OSM - Medium Pins



OSM - Large Pins



SEE PLM FOR REVISION HISTORY



D

C

B









A

D

C

B

A



D

C

B



A

D


C

B


A



CAN Transceiver



T1S Phy



D

C

B


A

D

C

B

A



D

C

B


A

D


C

B


A




1V0 Decoupling



1V8 Decoupling



3V3 Decoupling



D

C

B

A

D

C

B

A

