

Settings | Recent Deliveries

We'll send a POST request to the URL below with details of any subscribed events. You can also specify which data format you'd like to receive (JSON, `x-www-form-urlencoded`, *etc*). More information can be found in our developer documentation.

Payload URL *

http://13.233.34.58:8080/github-webhook/

Content type *

application/json

Secret

SSL verification

By default, we verify SSL certificates when delivering payloads.

- (●) **Enable SSL verification**
- ( ) Disable (not recommended)

Which events would you like to trigger this webhook?

- (●) Just the `push` event.

```
[ec2-user@ip-172-31-40-12 ~]$ sudo yum install java-17-amazon-corretto -y   # Am
azon Linux
Amazon Linux 2023 Kernel Livepatch repository   251 kB/s |  31 kB     00:00
Last metadata expiration check: 0:00:01 ago on Wed Apr  1 05:30:04 2026.
Dependencies resolved.
================================================================================
 Package                      Arch   Version                   Repository   Size
================================================================================
Installing:
 java-17-amazon-corretto      x86_64 1:17.0.18+9-1.amzn2023.1  amazonlinux 219 k
Installing dependencies:
 alsa-lib                     x86_64 1.2.7.2-1.amzn2023.0.3    amazonlinux 503 k
 cairo                        x86_64 1.18.0-4.amzn2023.0.3     amazonlinux 717 k
 dejavu-sans-fonts            noarch 2.37-16.amzn2023.0.2      amazonlinux 1.3 M
 dejavu-sans-mono-fonts       noarch 2.37-16.amzn2023.0.2      amazonlinux 467 k
 dejavu-serif-fonts           noarch 2.37-16.amzn2023.0.2      amazonlinux 1.0 M
 fontconfig                   x86_64 2.13.94-2.amzn2023.0.2    amazonlinux 273 k
 fonts-filesystem             noarch 1:2.0.5-12.amzn2023.0.2   amazonlinux 9.5 k
 freetype                     x86_64 2.13.2-5.amzn2023.0.2     amazonlinux 422 k
 giflib                       x86_64 5.2.1-9.amzn2023.0.2      amazonlinux  48 k
 google-noto-fonts-common     noarch 20240401-1.amzn2023.0.2   amazonlinux  17 k
 google-noto-sans-vf-fonts    noarch 20240401-1.amzn2023.0.2   amazonlinux 593 k
 graphite2                    x86_64 1.3.14-7.amzn2023.0.2     amazonlinux  97 k
 harfbuzz                     x86_64 7.0.0-2.amzn2023.0.2      amazonlinux 873 k
 java-17-amazon-corretto-headless
                              x86_64 1:17.0.18+9-1.amzn2023.1  amazonlinux  91 M
 javapackages-filesystem      noarch 6.0.0-7.amzn2023.0.6      amazonlinux  12 k
 langpacks-core-font-en       noarch 3.0-21.amzn2023.0.4       amazonlinux  10 k
 libICE                       x86_64 1.1.1-3.amzn2023.0.1      amazonlinux  76 k
 libSM                        x86_64 1.2.4-3.amzn2023.0.1      amazonlinux  45 k
 libX11                       x86_64 1.8.10-2.amzn2023.0.1     amazonlinux 659 k
 libX11-common                noarch 1.8.10-2.amzn2023.0.1     amazonlinux 147 k
 libXau                       x86_64 1.0.11-6.amzn2023.0.1     amazonlinux  33 k
 libXext                      x86_64 1.3.6-1.amzn2023.0.1      amazonlinux  42 k
 libXi                        x86_64 1.8.2-1.amzn2023.0.1      amazonlinux  42 k
 libXinerama                  x86_64 1.1.5-6.amzn2023.0.1      amazonlinux  16 k
 libXrandr                    x86_64 1.5.4-3.amzn2023.0.1      amazonlinux  29 k
```

```
  Verifying        : xml-common-0.6.3-56.amzn2023.0.2.noarch              35/35

Installed:
  alsa-lib-1.2.7.2-1.amzn2023.0.3.x86_64
  cairo-1.18.0-4.amzn2023.0.3.x86_64
  dejavu-sans-fonts-2.37-16.amzn2023.0.2.noarch
  dejavu-sans-mono-fonts-2.37-16.amzn2023.0.2.noarch
  dejavu-serif-fonts-2.37-16.amzn2023.0.2.noarch
  fontconfig-2.13.94-2.amzn2023.0.2.x86_64
  fonts-filesystem-1:2.0.5-12.amzn2023.0.2.noarch
  freetype-2.13.2-5.amzn2023.0.2.x86_64
  giflib-5.2.1-9.amzn2023.0.2.x86_64
  google-noto-fonts-common-20240401-1.amzn2023.0.2.noarch
  google-noto-sans-vf-fonts-20240401-1.amzn2023.0.2.noarch
  graphite2-1.3.14-7.amzn2023.0.2.x86_64
  harfbuzz-7.0.0-2.amzn2023.0.2.x86_64
  java-17-amazon-corretto-1:17.0.18+9-1.amzn2023.1.x86_64
  java-17-amazon-corretto-headless-1:17.0.18+9-1.amzn2023.1.x86_64
  javapackages-filesystem-6.0.0-7.amzn2023.0.6.noarch
  langpacks-core-font-en-3.0-21.amzn2023.0.4.noarch
  libICE-1.1.1-3.amzn2023.0.1.x86_64
  libSM-1.2.4-3.amzn2023.0.1.x86_64
  libX11-1.8.10-2.amzn2023.0.1.x86_64
  libX11-common-1.8.10-2.amzn2023.0.1.noarch
  libXau-1.0.11-6.amzn2023.0.1.x86_64
  libXext-1.3.6-1.amzn2023.0.1.x86_64
  libXi-1.8.2-1.amzn2023.0.1.x86_64
  libXinerama-1.1.5-6.amzn2023.0.1.x86_64
  libXrandr-1.5.4-3.amzn2023.0.1.x86_64
  libXrender-0.9.11-6.amzn2023.0.1.x86_64
  libXt-1.3.0-3.amzn2023.0.1.x86_64
  libXtst-1.2.5-1.amzn2023.0.1.x86_64
  libbrotli-1.0.9-4.amzn2023.0.2.x86_64
  libjpeg-turbo-2.1.4-2.amzn2023.0.5.x86_64
  libpng-2:1.6.37-10.amzn2023.0.11.x86_64
  libxcb-1.17.0-1.amzn2023.0.1.x86_64
  pixman-0.43.4-1.amzn2023.0.4.x86_64
  xml-common-0.6.3-56.amzn2023.0.2.noarch

Complete!
[ec2-user@ip-172-31-40-12 ~]$
```

```
[ec2-user@ip-172-31-40-12 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-st
able/jenkins.io-2023.key
[ec2-user@ip-172-31-40-12 ~]$ sudo yum install jenkins -y
Jenkins-stable                                   12 kB/s | 833  B     00:00
Jenkins-stable                                  115 kB/s | 1.6 kB     00:00
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Jenkins-stable                                   25 kB/s | 1.7 kB     00:00
Dependencies resolved.
================================================================================
 Package           Architecture     Version             Repository         Size
================================================================================
Installing:
 jenkins           noarch           2.541.3-1           jenkins            92 M

Transaction Summary
================================================================================
Install  1 Package

Total download size: 92 M
Installed size: 92 M
Downloading Packages:
jenkins-2.541.3-1.noarch.rpm
--------------------------------------------------------------------------------------------------------------
Total
Jenkins-stable
Importing GPG key 0x14ABFC68:
 Userid     : "Jenkins Project <jenkinsci-board@googlegroups.com>"
 Fingerprint: 5E38 6EAD B55F 0150 4CAE 8BCF 7198 F4B7 14AB FC68
 From       : https://pkg.jenkins.io/rpm-stable/repodata/repomd.xml.key
Key imported successfully
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :
  Running scriptlet: jenkins-2.541.3-1.noarch
  Installing       : jenkins-2.541.3-1.noarch
  Running scriptlet: jenkins-2.541.3-1.noarch
  Verifying        : jenkins-2.541.3-1.noarch

Installed:
  jenkins-2.541.3-1.noarch

Complete!
```

Not secure 13.233.34.58:8080/login?from=%2F

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password

Continue

ec2-user@ip-172-31-40-12:~

```
#!/bin/bash
echo "Hello, Jenkins Build Triggered!"
date
```

Jenkins / New Item

New Item

Enter an item name

first-project

Select an item type

Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

```
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 3 insertions(+)
 create mode 100644 hello.sh
[ec2-user@ip-172-31-40-12 jenkins-demo]$ git push origin main
Username for 'https://github.com': mathinithu
Password for 'https://mathinithu@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 360 bytes | 360.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/mathinithu/jenkins-demo.git
   b7bb792..e93749d  main -> main
[ec2-user@ip-172-31-40-12 jenkins-demo]$
```

- [ ] Add timestamps to the Console Output
- [ ] Inspect build log for published build scans
- [ ] Terminate a build if it's stuck
- [ ] With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute shell ?

Command

See the list of available environment variables

```
chmod +x hello.sh
./hello.sh
```

Advanced

Actions | Projects | Wiki | Security and quality | Insights | Settings

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our Webhooks Guide.

Preview




```
Started by user Inthu
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/first-project
The recommended git tool is: NONE
No credentials specified
 > git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/first-project/.git # timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/mathinithu/jenkins-demo.git # timeout=10
Fetching upstream changes from https://github.com/mathinithu/jenkins-demo.git
 > git --version # timeout=10
 > git --version # 'git version 2.50.1'
 > git fetch --tags --force --progress -- https://github.com/mathinithu/jenkins-demo.git +refs/heads/*:refs/remotes/origin/*
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision e93749d989c90dd482dffd95d341cb4be38e106a (refs/remotes/origin/main)
 > git config core.sparsecheckout # timeout=10
 > git checkout -f e93749d989c90dd482dffd95d341cb4be38e106a # timeout=10
Commit message: "Initial commit"
First time build. Skipping changelog.
[first-project] $ /bin/sh -xe /tmp/jenkins7328553975033680065.sh
+ chmod +x hello.sh
+ ./hello.sh
Hello, Jenkins Build Triggered!
Wed Apr  1 07:50:21 UTC 2026
Finished: SUCCESS
```

Test email #6 Inbox ×

inthumathimca@gmail.com
to me

This is test email #6 sent from Jenkins

Reply Forward