


```
Using username "ec2-user".
Authenticating with public key "git"
  ,     #_
  ~\_  ####_        Amazon Linux 2023
 ~~  \_#####\
 ~~     \###|
 ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
  ~~       V~' '->
   ~~~         /
     ~~._.   _/
        _/ _/
      _/m/'
[ec2-user@ip-172-31-34-47 ~]$ sudo yum update -y
Amazon Linux 2023 Kernel Livepatch repository              259 kB/s |  31 kB     00:00
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-34-47 ~]$ sudo yum install git -y
Last metadata expiration check: 1:57:53 ago on Thu Mar  5 07:37:08 2026.
Dependencies resolved.
================================================================================
 Package                 Architecture   Version                        Repository          Size
================================================================================
Installing:
 git                     x86_64         2.50.1-1.amzn2023.0.1          amazonlinux         53 k
Installing dependencies:
 git-core                x86_64         2.50.1-1.amzn2023.0.1          amazonlinux        4.9 M
 git-core-doc            noarch         2.50.1-1.amzn2023.0.1          amazonlinux        2.8 M
 perl-Error              noarch         1:0.17029-5.amzn2023.0.2       amazonlinux         41 k
 perl-File-Find          noarch         1.37-477.amzn2023.0.7          amazonlinux         25 k
 perl-Git                noarch         2.50.1-1.amzn2023.0.1          amazonlinux         41 k
 perl-TermReadKey        x86_64         2.38-9.amzn2023.0.2            amazonlinux         36 k
 perl-lib                x86_64         0.65-477.amzn2023.0.7          amazonlinux         15 k

Transaction Summary
================================================================================
git config --global user.email "your@email.com"
```

```
Running transaction
  Preparing        :                                                        1/1
  Installing       : git-core-2.50.1-1.amzn2023.0.1.x86_64                  1/8
  Installing       : git-core-doc-2.50.1-1.amzn2023.0.1.noarch              2/8
  Installing       : perl-lib-0.65-477.amzn2023.0.7.x86_64                  3/8
  Installing       : perl-TermReadKey-2.38-9.amzn2023.0.2.x86_64            4/8
  Installing       : perl-File-Find-1.37-477.amzn2023.0.7.noarch            5/8
  Installing       : perl-Error-1:0.17029-5.amzn2023.0.2.noarch             6/8
  Installing       : perl-Git-2.50.1-1.amzn2023.0.1.noarch                  7/8
  Installing       : git-2.50.1-1.amzn2023.0.1.x86_64                       8/8
  Running scriptlet: git-2.50.1-1.amzn2023.0.1.x86_64                       8/8
  Verifying        : git-2.50.1-1.amzn2023.0.1.x86_64                       1/8
  Verifying        : git-core-2.50.1-1.amzn2023.0.1.x86_64                  2/8
  Verifying        : git-core-doc-2.50.1-1.amzn2023.0.1.noarch              3/8
  Verifying        : perl-Error-1:0.17029-5.amzn2023.0.2.noarch             4/8
  Verifying        : perl-File-Find-1.37-477.amzn2023.0.7.noarch            5/8
  Verifying        : perl-Git-2.50.1-1.amzn2023.0.1.noarch                  6/8
  Verifying        : perl-TermReadKey-2.38-9.amzn2023.0.2.x86_64            7/8
  Verifying        : perl-lib-0.65-477.amzn2023.0.7.x86_64                  8/8

Installed:
  git-2.50.1-1.amzn2023.0.1.x86_64                git-core-2.50.1-1.amzn2023.0.1.x86_64
  git-core-doc-2.50.1-1.amzn2023.0.1.noarch       perl-Error-1:0.17029-5.amzn2023.0.2.noarch
  perl-File-Find-1.37-477.amzn2023.0.7.noarch     perl-Git-2.50.1-1.amzn2023.0.1.noarch
  perl-TermReadKey-2.38-9.amzn2023.0.2.x86_64     perl-lib-0.65-477.amzn2023.0.7.x86_64

Complete!
[ec2-user@ip-172-31-34-47 ~]$ git config --global user.name "mathinithu"
[ec2-user@ip-172-31-34-47 ~]$ git config --global user.email "inthumathimca@gmail.com"
[ec2-user@ip-172-31-34-47 ~]$ git config -list
error: did you mean `--list` (with two dashes)?
[ec2-user@ip-172-31-34-47 ~]$ git config --list
user.name=mathinithu
user.email=inthumathimca@gmail.com
```

```
  GNU nano 8.3                                app.py
print("Hello DevOps Project")

                                    [ Read 1 line ]
```

New repository

Type / to search

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.
Required fields are marked with an asterisk (*).

1 **General**

Owner * mathinithu / Repository name * git task

Your new repository will be created as git-task.
The repository name can only contain ASCII letters, digits, and the characters ., -, and _.

Great repository names are short and memorable. How about congenial-lamp?

Description

0 / 350 characters

2 **Configuration**

Choose visibility *
Choose who can see and commit to this repository — Public

Add README
READMEs can be used as longer descriptions. About READMEs — Off

Add .gitignore
.gitignore tells git which files not to track. About ignoring files — No .gitignore

```
echo "Shell script running"
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
~
:wq
```

```
[ec2-user@ip-172-31-34-47 ~]$ cd git-demo
[ec2-user@ip-172-31-34-47 git-demo]$ touch app.py
[ec2-user@ip-172-31-34-47 git-demo]$ nano app.py
[ec2-user@ip-172-31-34-47 git-demo]$ nano app.py
[ec2-user@ip-172-31-34-47 git-demo]$ touch script.sh
[ec2-user@ip-172-31-34-47 git-demo]$ vi script.sh
[ec2-user@ip-172-31-34-47 git-demo]$ get init
-bash: get: command not found
[ec2-user@ip-172-31-34-47 git-demo]$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/ec2-user/git-demo/.git/
[ec2-user@ip-172-31-34-47 git-demo]$ get status
-bash: get: command not found
[ec2-user@ip-172-31-34-47 git-demo]$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        app.py
        script.sh

nothing added to commit but untracked files present (use "git add" to track)
```

```
othing added to commit but untracked files present (use "git add" to track)
ec2-user@ip-172-31-34-47 git-demo]$ git add .
ec2-user@ip-172-31-34-47 git-demo]$ git commit -m "First commit"
master (root-commit) 0fbb38a] First commit
2 files changed, 3 insertions(+)
create mode 100644 app.py
create mode 100644 script.sh
ec2-user@ip-172-31-34-47 git-demo]$
```

```
ntracked files:
  (use "git add <file>..." to include in what will be committed)
        app.py
        script.sh

othing added to commit but untracked files present (use "git add" to track)
ec2-user@ip-172-31-34-47 git-demo]$ git add .
ec2-user@ip-172-31-34-47 git-demo]$ git commit -m "First commit"
master (root-commit) 0fbb38a] First commit
 2 files changed, 3 insertions(+)
 create mode 100644 app.py
 create mode 100644 script.sh
ec2-user@ip-172-31-34-47 git-demo]$ git remote add origin https://github.com/mathinithu/git-task.gi
t
ec2-user@ip-172-31-34-47 git-demo]$ git remote -V
rror: unknown switch `V'
sage: git remote [-v | --verbose]
   or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>]
name> <url>
   or: git remote rename [--[no-]progress] <old> <new>
   or: git remote remove <name>
   or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
   or: git remote [-v | --verbose] show [-n] <name>
   or: git remote prune [-n | --dry-run] <name>
   or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]
   or: git remote set-branches [--add] <name> <branch>...
   or: git remote get-url [--push] [--all] <name>
   or: git remote set-url [--push] <name> <newurl> [<oldurl>]
   or: git remote set-url --add <name> <newurl>
   or: git remote set-url --delete <name> <url>

    -v, --[no-]verbose    be verbose; must be placed before a subcommand

ec2-user@ip-172-31-34-47 git-demo]$
```



```
ec2-user@ip-172-31-34-47 git-demo]$ git branch -M main
ec2-user@ip-172-31-34-47 git-demo]$ git push -u origin main
sername for 'https://github.com': mathinithu
assword for 'https://mathinithu@github.com':
emote: Invalid username or token. Password authentication is not supported for Git operations.
atal: Authentication failed for 'https://github.com/mathinithu/git-task.git/'
ec2-user@ip-172-31-34-47 git-demo]$ ^C
ec2-user@ip-172-31-34-47 git-demo]$ git branch -M main
ec2-user@ip-172-31-34-47 git-demo]$ git push -u origin main
sername for 'https://github.com': mathinithu
assword for 'https://mathinithu@github.com':
numerating objects: 4, done.
ounting objects: 100% (4/4), done.
elta compression using up to 2 threads
ompressing objects: 100% (2/2), done.
riting objects: 100% (4/4), 313 bytes | 313.00 KiB/s, done.
otal 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
o https://github.com/mathinithu/git-task.git
* [new branch]      main -> main
ranch 'main' set up to track 'origin/main'.
ec2-user@ip-172-31-34-47 git-demo]$ git checkout -b feature
witched to a new branch 'feature'
ec2-user@ip-172-31-34-47 git-demo]$ nano app.py
ec2-user@ip-172-31-34-47 git-demo]$ git add .
ec2-user@ip-172-31-34-47 git-demo]$ git commit -m "Added feature"
feature 97e7bcc] Added feature
1 file changed, 1 insertion(+), 1 deletion(-)
ec2-user@ip-172-31-34-47 git-demo]$ git checkout main
witched to branch 'main'
our branch is up to date with 'origin/main'.
ec2-user@ip-172-31-34-47 git-demo]$
```

```
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/ec2-user/git-task/.git/
[ec2-user@ip-172-31-33-206 git-task]$ git add .
[ec2-user@ip-172-31-33-206 git-task]$ git commit -m "message"
[master (root-commit) 5f783a1] message
 2 files changed, 2 insertions(+)
 create mode 100644 app.py
 create mode 100644 script.sh
[ec2-user@ip-172-31-33-206 git-task]$ git branch -M main
[ec2-user@ip-172-31-33-206 git-task]$ git remote add origin https://github.com/m
athinithu/git-task.git
[ec2-user@ip-172-31-33-206 git-task]$ git remote -v
origin  https://github.com/mathinithu/git-task.git (fetch)
origin  https://github.com/mathinithu/git-task.git (push)
[ec2-user@ip-172-31-33-206 git-task]$
```

```
ec2-user@ip-172-31-33-206:~/git-task
  GNU nano 8.3                          app.py
print("Hello DevOps program")

                              [ Read 1 line ]
^G Help      ^O Write Out ^F Where Is  ^K Cut       ^T Execute   ^C Location
```

```
[ec2-user@ip-172-31-33-206 git-task]$ git checkout -b feature
Switched to a new branch 'feature'
[ec2-user@ip-172-31-33-206 git-task]$ nano app.py
[ec2-user@ip-172-31-33-206 git-task]$ nano app.py
[ec2-user@ip-172-31-33-206 git-task]$ git add .
[ec2-user@ip-172-31-33-206 git-task]$ git commit -m "feature message"
[feature 731f2d8] feature message
 1 file changed, 1 insertion(+), 1 deletion(-)
```

```
witched to a new branch 'feature'
ec2-user@ip-172-31-33-206 git-task]$ nano app.py
ec2-user@ip-172-31-33-206 git-task]$ nano app.py
ec2-user@ip-172-31-33-206 git-task]$ git add .
ec2-user@ip-172-31-33-206 git-task]$ git commit -m "feature message"
feature 731f2d8] feature message
1 file changed, 1 insertion(+), 1 deletion(-)
ec2-user@ip-172-31-33-206 git-task]$ git checkout main
witched to branch 'main'
ec2-user@ip-172-31-33-206 git-task]$ git merge feature
pdating 5f783a1..731f2d8
ast-forward
app.py | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)
ec2-user@ip-172-31-33-206 git-task]$
```

```
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
[ec2-user@ip-172-31-33-206 git-task]$ git checkout -b feature
Switched to a new branch 'feature'
[ec2-user@ip-172-31-33-206 git-task]$ nano app.py
[ec2-user@ip-172-31-33-206 git-task]$ nano app.py
[ec2-user@ip-172-31-33-206 git-task]$ git add .
[ec2-user@ip-172-31-33-206 git-task]$ git commit -m "feature message"
[feature 731f2d8] feature message
 1 file changed, 1 insertion(+), 1 deletion(-)
[ec2-user@ip-172-31-33-206 git-task]$ git checkout main
Switched to branch 'main'
[ec2-user@ip-172-31-33-206 git-task]$ git merge feature
Updating 5f783a1..731f2d8
Fast-forward
 app.py | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)
[ec2-user@ip-172-31-33-206 git-task]$ git checkout feature
Switched to branch 'feature'
[ec2-user@ip-172-31-33-206 git-task]$ git rebase main
Current branch feature is up to date.
[ec2-user@ip-172-31-33-206 git-task]$
```




mathinithu / git-task
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
Files
main
Go to file
app.py
script.sh
git-task / script.sh
mathinithu First commit
0fbb38a · 2 days ago
History
Code
Blame
2 lines (1 loc) · 29 Bytes
Raw
1 echo "Shell script running"