EC2 > Instances > i-077bf1de2a4d6fbed

EC2

Dashboard
AWS Global View
Events

Instances

Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New

Images

AMIs
AMI Catalog

Elastic Block Store

Volumes

Instance summary for i-077bf1de2a4d6fbed (VCS-task) Info

Updated less than a minute ago

Connect | Instance state | Actions

Instance ID
i-077bf1de2a4d6fbed

Public IPv4 address
35.154.201.94 | open address

Private IPv4 addresses
172.31.8.195

IPv6 address
–

Instance state
Pending

Public DNS
ec2-35-154-201-94.ap-south-1.compute.amazonaws.com | open address

Hostname type
IP name: ip-172-31-8-195.ap-south-1.compute.internal

Private IP DNS name (IPv4 only)
ip-172-31-8-195.ap-south-1.compute.internal

Answer private resource DNS name
IPv4 (A)

Instance type
t3.micro

Elastic IP addresses
–

Auto-assigned IP address
35.154.201.94 [Public IP]

VPC ID
vpc-08e6594b601dd96ab

AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more

IAM role
–

Subnet ID
subnet-0de2cdff75d29f1a7

Auto Scaling Group name
–

IMDSv2
Required

Instance ARN
arn:aws:ec2:ap-south-1:174678834464:instance/i-077b

Managed
false

```
[ec2-user@ip-172-31-8-195 ~]$ sudo yum update -y
Amazon Linux 2023 Kernel Livepatch repository   258 kB/s |  30 kB     00:00
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-31-8-195 ~]$ sudo yum install git
Last metadata expiration check: 0:00:18 ago on Mon Mar  9 06:38:48 2026.
Dependencies resolved.
================================================================================
 Package             Arch      Version                     Repository      Size
================================================================================
Installing:
 git                 x86_64    2.50.1-1.amzn2023.0.1       amazonlinux     53 k
Installing dependencies:
 git-core            x86_64    2.50.1-1.amzn2023.0.1       amazonlinux    4.9 M
 git-core-doc        noarch    2.50.1-1.amzn2023.0.1       amazonlinux    2.8 M
 perl-Error          noarch    1:0.17029-5.amzn2023.0.2    amazonlinux     41 k
 perl-File-Find      noarch    1.37-477.amzn2023.0.7       amazonlinux     25 k
 perl-Git            noarch    2.50.1-1.amzn2023.0.1       amazonlinux     41 k
 perl-TermReadKey    x86_64    2.38-9.amzn2023.0.2         amazonlinux     36 k
 perl-lib            x86_64    0.65-477.amzn2023.0.7       amazonlinux     15 k

Transaction Summary
================================================================================
Install  8 Packages

Total download size: 7.9 M
Installed size: 41 M
Is this ok [y/N]: y
Downloading Packages:
(1/8): git-2.50.1-1.amzn2023.0.1.x86_64.rpm     1.2 MB/s |  53 kB     00:00
(2/8): git-core-doc-2.50.1-1.amzn2023.0.1.noarc  41 MB/s | 2.8 MB     00:00
(3/8): perl-Error-0.17029-5.amzn2023.0.2.noarch 1.3 MB/s |  41 kB     00:00
(4/8): git-core-2.50.1-1.amzn2023.0.1.x86_64.rp  50 MB/s | 4.9 MB     00:00
(5/8): perl-File-Find-1.37-477.amzn2023.0.7.noa 852 kB/s |  25 kB     00:00
(6/8): perl-Git-2.50.1-1.amzn2023.0.1.noarch.rp 1.3 MB/s |  41 kB     00:00
(7/8): perl-TermReadKey-2.38-9.amzn2023.0.2.x86 1.6 MB/s |  36 kB     00:00
(8/8): perl-lib-0.65-477.amzn2023.0.7.x86_64.rp 480 kB/s |  15 kB     00:00
--------------------------------------------------------------------------------
Total                                        46 MB/s | 7.9 MB     00:00
Running transaction check
Transaction check succeeded.
```

ec2-user@ip-172-31-8-195:~/my-project

```
  GNU nano 8.3                    script1.sh
echo "echo Hello from Script1"

                          [ Read 1 line ]
^G Help      ^O Write Out ^F Where Is  ^K Cut       ^T Execute   ^C Location
```

```
  GNU nano 8.3                    script2.sh
echo "echo Hello from Script2"

                          [ Read 1 line ]
^G Help      ^O Write Out ^F Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line
```

```
[ec2-user@ip-172-31-8-195 ~]$ mkdir my-project
[ec2-user@ip-172-31-8-195 ~]$ cd my-project
[ec2-user@ip-172-31-8-195 my-project]$ touch script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ nano script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ touch script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ nano script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ nano script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ nano script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ get init
-bash: get: command not found
[ec2-user@ip-172-31-8-195 my-project]$ git init
hint: Using 'master' as the name for the initial branch. This default branch nam
e
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/ec2-user/my-project/.git/
[ec2-user@ip-172-31-8-195 my-project]$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        script1.sh
        script2.sh

nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-8-195 my-project]$
```

```
nothing added to commit but untracked files present (use "git add" to track)
[ec2-user@ip-172-31-8-195 my-project]$ git add .
[ec2-user@ip-172-31-8-195 my-project]$ git commit -m "Initial commit with script
 files"
[master (root-commit) 4dedb51] Initial commit with script files
 Committer: EC2 Default User <ec2-user@ip-172-31-8-195.ap-south-1.compute.intern
al>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 2 files changed, 2 insertions(+)
 create mode 100644 script1.sh
 create mode 100644 script2.sh
[ec2-user@ip-172-31-8-195 my-project]$
```

```
[master (root-commit) 4dedb51] Initial commit with script files
 Committer: EC2 Default User <ec2-user@ip-172-31-8-195.ap-south-1.compute.intern
al>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 2 files changed, 2 insertions(+)
 create mode 100644 script1.sh
 create mode 100644 script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git remote add origin https://github.com/
mathinithu/VCS-task.git
[ec2-user@ip-172-31-8-195 my-project]$ git remote -v
origin  https://github.com/mathinithu/VCS-task.git (fetch)
origin  https://github.com/mathinithu/VCS-task.git (push)
[ec2-user@ip-172-31-8-195 my-project]$
```








```
 2 files changed, 2 insertions(+)
 create mode 100644 script1.sh
 create mode 100644 script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git remote add origin https://github.com/
mathinithu/VCS-task.git
[ec2-user@ip-172-31-8-195 my-project]$ git remote -v
origin  https://github.com/mathinithu/VCS-task.git (fetch)
origin  https://github.com/mathinithu/VCS-task.git (push)
[ec2-user@ip-172-31-8-195 my-project]$ git branch -M main
[ec2-user@ip-172-31-8-195 my-project]$ git push -u origin main
Username for 'https://github.com': mathinithu
Password for 'https://mathinithu@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (4/4), 354 bytes | 354.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/mathinithu/VCS-task.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
[ec2-user@ip-172-31-8-195 my-project]$ git checkout -b feature-branch
Switched to a new branch 'feature-branch'
[ec2-user@ip-172-31-8-195 my-project]$ git add script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ git commit -m "Added feature"
On branch feature-branch
nothing to commit, working tree clean
[ec2-user@ip-172-31-8-195 my-project]$ ^C
[ec2-user@ip-172-31-8-195 my-project]$ echo "echo Feature added" >> script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ git add script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ git commit -m "Added feature"
[feature-branch abd955c] Added feature
 Committer: EC2 Default User <ec2-user@ip-172-31-8-195.ap-south-1.compute.intern
al>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$
```

```
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
[ec2-user@ip-172-31-8-195 my-project]$ git merge feature-branch
Updating 4dedb51..abd955c
Fast-forward
 script1.sh | 1 +
 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$
```

```
[ec2-user@ip-172-31-8-195 my-project]$ git checkout -b update-branch
Switched to a new branch 'update-branch'
[ec2-user@ip-172-31-8-195 my-project]$ echo "echo Update branch change" >> scrip
t2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git add script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git commit -m "Update branch modification
"
[update-branch cf23152] Update branch modification
 Committer: EC2 Default User <ec2-user@ip-172-31-8-195.ap-south-1.compute.intern
al>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$
```

```
 script1.sh | 1 +
 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$ git heckout -b update-branch
git: 'heckout' is not a git command. See 'git --help'.

The most similar command is
        checkout
[ec2-user@ip-172-31-8-195 my-project]$ git checkout -b update-branch
Switched to a new branch 'update-branch'
[ec2-user@ip-172-31-8-195 my-project]$ echo "echo Update branch change" >> scrip
t2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git add script2.sh
[ec2-user@ip-172-31-8-195 my-project]$ git commit -m "Update branch modification
"
[update-branch cf23152] Update branch modification
 Committer: EC2 Default User <ec2-user@ip-172-31-8-195.ap-south-1.compute.intern
al>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
[ec2-user@ip-172-31-8-195 my-project]$ git checkout update-branch
Already on 'update-branch'
[ec2-user@ip-172-31-8-195 my-project]$ git rebase main
Current branch update-branch is up to date.
[ec2-user@ip-172-31-8-195 my-project]$ echo "Temporary change" >> script1.sh
[ec2-user@ip-172-31-8-195 my-project]$ git stash
Saved working directory and index state WIP on update-branch: cf23152 Update bra
nch modification
[ec2-user@ip-172-31-8-195 my-project]$ git stash list
stash@{0}: WIP on update-branch: cf23152 Update branch modification
[ec2-user@ip-172-31-8-195 my-project]$ git stash apply
On branch update-branch
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   script1.sh
```

VCS-task / script1.sh

EC2 Default User Added feature

abd955c · 13 minutes ago History

Code Blame 2 lines (2 loc) · 51 Bytes

Raw

```
echo "echo Hello from Script1"
echo Feature added
```