



Mathi Krishnan <mathisudar2007@gmail.com>

Projects002_Table_WineFestival

1 message

Mathi Krishnan <mathisudar2007@gmail.com>
To: Mathi Krishnan <mathisudar2007@gmail.com>

Sat, Jun 6, 2026 at 5:42 PM

Wine Festival Schedule

The Aguillar Family is hosting their annual wine festival and they have asked you to build a web page for the event schedule! Use your knowledge of HTML to display a table to the attendees.

You can preview the final version [at this link](#).

Let's begin!

If you get stuck during this project or would like to see an experienced developer work through it, click "**Get Unstuck**" to see a **project walkthrough video**.

Tasks 10/10 complete

[Mark the tasks as complete by checking them off](#)

Table Header

1. In **index.html**, inside of the `<div>` element that has the attribute `class` with a value of `"container"`, create a new `<table>` element.

The `<table>` element will contain all of the tabular data you plan on displaying:

```
<table>
...
</table>
```

2. Inside of the `<table>` element, add a section for table headings using `<thead>` .

Then, add two rows inside of it using the *table row* element.

The table headings are contained inside of the `<thead>` element:

```
<table>
  <thead>
    ...
  </thead>
</table>
```

The first step in entering data into the table is to add rows using the *table row* element `<tr>` :

```
<table>
  <thead>
    <tr>
      ...
    </tr>
    <tr>
      ...
    </tr>
  </thead>
</table>
```

In the code above, two rows have been added to the table headings.

3. Inside the first table row element, from task 2, add a *table heading* element.

Inside of that, include an `<h1>` with the following text: Wine Festival Schedule .

To add titles to rows and columns, you can use the *table heading* element `<th>` .

Inside the first `<tr>` , add a `<th>` :

```
<table>
  <thead>
    <tr>
      <th>
        <h1>Wine Festival Schedule</h1>
      </th>
    </tr>
    <tr>
      ...
    </tr>
  </thead>
</table>
```

4. Inside the second table row element, from task 2, add two `<th>` s:

In the first, add an `<h2>` that says Time .

In the second, add an `<h2>` that says Event .

```
<table>
  <thead>
```

```

<tr>
  <th>
    <h1>Wine Festival Schedule</h1>
  </th>
</tr>
<tr>
  <th>
    <h2>Time</h2>
  </th>
  <th>
    <h2>Event</h2>
  </th>
</tr>
</thead>
</table>

```

5. You may notice that “Wine Festival Schedule” does not stretch across the entire table. Let’s fix that!

In the opening `<th>` tag of this element, add `colspan="2"`.

Like so:

```

<th colspan="2">
  <h1>Wine Festival Schedule</h1>
</th>

```

So now your code should look like:

```

<table>
  <thead>
    <tr>
      <th colspan="2">
        <h1>Wine Festival Schedule</h1>
      </th>
    </tr>
    <tr>
      <th>
        <h2>Time</h2>

```

```

        </th>
        <th>
            <h2>Event</h2>
        </th>
    </tr>
</thead>
</table>

```

Table Body Structure

- Below the closing `</thead>` tag, section off the table using the *table body* element.

Long tables can be sectioned off using the *table body* element `<tbody>` .

```

<table>
  <thead>
    <tr>
      <th colspan="2">
        <h1>Wine Festival Schedule</h1>
      </th>
    </tr>
    <tr>
      <th>
        <h2>Time</h2>
      </th>
      <th>
        <h2>Event</h2>
      </th>
    </tr>
  </thead>
  <tbody>
    ...
  </tbody>
</table>

```

7. Inside of the table body you created in the previous task, create 5 rows using the *table row* element.

Create 5 rows using `<tr>` using the `<tbody>` :

```
<tbody>
  <tr> ... </tr>
  <tr> ... </tr>
  <tr> ... </tr>
  <tr> ... </tr>
  <tr> ... </tr>
</tbody>
```

8. Inside each row, create two cells using the *table data* element.

The first table data in each row should have the attribute `class` with the value `"left"` .

You can add data using the *table data* element `<td>` . And to that, add the `class` attribute with a value of `"left"` :

```
<tr>
  <td class="left"> ... </td>
  <td> ... </td>
</tr>
```

By this point, your `<tbody>` should look like:

```
<tbody>
  <tr>
```

```

        <td class="left"> ... </td>
        <td> ... </td>
    </tr>
    <tr>
        <td class="left"> ... </td>
        <td> ... </td>
    </tr>
    <tr>
        <td class="left"> ... </td>
        <td> ... </td>
    </tr>
    <tr>
        <td class="left"> ... </td>
        <td> ... </td>
    </tr>
    <tr>
        <td class="left"> ... </td>
        <td> ... </td>
    </tr>
</tbody>

```

Table Body Content

9. Inside each of the 5 `<td class="left">` elements, add `<h3>` elements that include the times of the events:

12:00 PM

01:00 PM

02:00 PM

03:00 PM

04:00 PM

Feel free to look back at the [live site](#) to compare.

By this point, your `<tbody>` should look like:

```

<tbody>
  <tr>
    <td class="left"><h3>12:00 PM</h3></td>
    <td> ... </td>
  </tr>
  <tr>
    <td class="left"><h3>01:00 PM</h3></td>
    <td> ... </td>
  </tr>
  <tr>
    <td class="left"><h3>02:00 PM</h3></td>
    <td> ... </td>
  </tr>
  <tr>
    <td class="left"><h3>03:00 PM</h3></td>
    <td> ... </td>
  </tr>
  <tr>
    <td class="left"><h3>04:00 PM</h3></td>
    <td> ... </td>
  </tr>
</tbody>

```

10. Inside each of the `<td>` elements that does not have a `class` attribute with a value of "left", add `<h3>` elements that include the name of events:

Welcome Reception
 Storytelling & Tasting
 Wine Luncheon
 Aguillar Family Wines
 Wine & Cheese Tasting

You have created the events table.
 Cheers!

By this point, your `<tbody>` should look like:


```
<tbody>
  <tr>
    <td class="left"><h3>12:00 PM</h3></td>
    <td><h3>Welcome Reception</h3></td>
  </tr>
  <tr>
    <td class="left"><h3>01:00 PM</h3></td>
    <td><h3>Storytelling & Tasting</h3></td>
  </tr>
  <tr>
    <td class="left"><h3>02:00 PM</h3></td>
    <td><h3>Wine Luncheon</h3></td>
  </tr>
  <tr>
    <td class="left"><h3>03:00 PM</h3></td>
    <td><h3>Aguillar Family Wines</h3></td>
  </tr>
  <tr>
    <td class="left"><h3>04:00 PM</h3></td>
    <td><h3>Wine & Cheese Tasting</h3></td>
  </tr>
</tbody>
```

If you are feeling ambitious, try adding another column for the locations of events and one more row for the after-party!