Denial of Sleep Attacks in Wireless Sensor Networks

Micah Thornton Ryan Sligh Bobby Santoski

Computer Science & Engineering, Southern Methodist University, USA,
mathornton@smu.edu

CSE 4344: Networks and Distributed Systems
Dallas, Texas
April 26, 2014

Outline of today's talk

1. Introduction
   - Topics
   - Motivation
2. Methodology
3. Results and Analysis
   - Simulation Results
   - Mitigation Strategies
4. conclusion
   - Future Work

Outline

1. Introduction
   - Topics
   - Motivation
2. Methodology
3. Results and Analysis
   - Simulation Results
   - Mitigation Strategies
4. conclusion
   - Future Work

Brief Intro to Wireless Sensor Networks(WSNs)

- A **wireless sensor network(WSN)** is a network of **Sensor Nodes**
- **Sensor Nodes** send and receive wide varieties of data.
- **Sensor Nodes** are developed in bulk for mass deployment
- **WSNs** can be applied to many problems

Usage of Wireless Sensor Neworks




GPS
Red de Transmisión BTS-Móvil
AREA CRÍTICA DE ESTUDIO
Sensores inalámbricos
ZigBee
Red de Transmisión WiFi 2,4 y 5 GHz
GPRS
Red de Transmisión BTS-Móvil
Sistemas de grabación y video vigilancia
WiFi
Red de Transmisión WiFi 2,4 y 5 GHz
Estaciones Receptoras
Sistema de apoyo Satélite-Teledetección
Servidor de datos
Centro de procesamiento de Datos-SIG



Attacks on WSN power supplies

- Bulk production has robbed WSNs of more robust **battery lives**
- The nature of WSNs makes them easy targets for **Power Consumption Attacks**
- A **Power Consumption Attack** exploits the small battery life of Sensor Nodes by draining the battery
- This attack can have devastating effects on the WSN
- **Power Consumption Attacks** are performed in multiple ways

Power Consumption attack models




Attack Model 2
Time
Attacker
Target

Routing Attack



Problem

- WSNs are vulnerable targets because of their power supply
- Certain WSNs are targeted frequently
- **How do we defend against a wide range of Power Consumption Attacks?**

Outline

1. Introduction
   - Topics
   - Motivation
2. Methodology
3. Results and Analysis
   - Simulation Results
   - Mitigation Strategies
4. conclusion
   - Future Work

Outline

1. Introduction
   - Topics
   - Motivation
2. Methodology
3. Results and Analysis
   - Simulation Results
   - Mitigation Strategies
4. conclusion
   - Future Work

Previous Strategies

- Some **risk mitigation strategies** have already been adopted for use in WSNs:
  - **Predefined Transfer Windows**
  - **Node Reception Memory**
  - **Jamming Detection Protocols**
  - **Low Power Wake-up Radio**
  - **Defined Maximum Path Length**
- Many strategies are developed with specific attacks in mind
- Even our proposed strategies have already been deployed

Proposed Strategies

- Targeted the root problem of all Power Consumption attacks: **pre-defined battery life**
- Installation of solar panels and other similar power regeneration devices.
- Attacks can still be mounted on the network, but would have to fight a endlessly renewing power source
- This addition could be costly, and distributors would need to shrink the size of their network
- But it is up to the distributor to examine there expected net benefit

Outline

1. Introduction
   - Topics
   - Motivation
2. Methodology
3. Results and Analysis
   - Simulation Results
   - Mitigation Strategies
4. conclusion
   - Future Work

Future Work

- Model and test additional attack types
- Do a cost benefit analysis of different types of **batteries** and **alternative power sources**
- compare cost benefits of other mitigation strategies