```
Stat 145, Mon 22-Mar-2021 -- Mon 22-Mar-2021
Biostatistics
Spring 2021


-------------------------------
Monday, March 22nd 2021
-------------------------------
Wk 8, Mo
Topic:: Inference for proportions

Chapter 6 overview
 - Scenarios are all ones we have discussed
    univariate (one population)
      proportion arising from binary categorical variable    parameter  p
      mean arising from quantitative variable    param  μ
    2 populations
      difference of proportions    parameters  p1 - p2
      difference of means investigated using
        two independent samples    μ1 - μ2
        matched pairs
                          μDiff
 - One previously investigated scenarios deferred to later chapter: 2 quant vars

 - Something of a history lesson

 - Relies entirely on facts from Central Limit Theorem

Sections 1-3: single proportion

Confidence interval construction
 - previously observed: sampling dist. sometimes reminiscent of normal dist
    used bootstrapping to estimate SE
    used near normality to co-opt 68-95-99.7% rule

 - first, a refinement
    it is not truly the case that 95% of values in normal dist lie within 2 sds
      pnorm(2) - pnorm(-2)
      qnorm( c(.025,.975) )

 - prior to today's computing power, what was done
```

```
    constructed tables of Z-scores
      see https://www.math.arizona.edu/~jwatkins/normal-table.pdf
      compare with pnorm(), qnorm() calculations
      appeared in all statistics books, perhaps up to 2010 or later

    used whatever value available for p to
      decide if rule of thumb for normality is met

insert into formula for approximate SE: sqrt(p*(1-p) / n)


Practice:
 - obtaining critical z* values for
    96% confidence
    90% confidence
    99% confidence
 - doing inference (CI and hypothesis testing) with datasets
    1. in 119 games of rock-paper-scissors, player did rock 66 times
    2. in 70 out of 120 soccer games, the home team won
    3. suppose that 42% of people have O+ blood.  sample shows 65 out of 192
```

For 95% Confidence intervals for p (true population proportion), use critical $z^* = 1.96$ (not Z) as a multiplier

$$\text{Margin of error} = \underset{1.96}{\cancel{Z}} \cdot SE$$

Similarly, you can adjust z^* for

90% confidence: Use $z^* = 1.645 = \underbrace{\text{qnorm}(0.95)}_{\text{RStudio command}}$

98% confidence: Use $z^* = \text{qnorm}(0.99) = 2.326$

Used bootstrapping for 2 reasons

- convince that a normal model is appropriate

Not needed if we substitute rules of thumb

$$np \geq 10$$
$$n(1-p) \geq 10$$

In practice - must use the best number you have as p.

In CIs, use $\hat{p}$ for p

In hyp. tests, use p_0 for p.

- To obtain estimate for $SE_{\hat{p}}$.

$$SE_{\hat{p}} = \sqrt{\frac{p(1-p)}{n}}$$

Ex.) p = true proportion of "rock" in RPS-games (unknown)

Sample: $n = 119$ games, $\hat{p} = \frac{66}{119}$

Can we assume a normal model? $n\hat{p} = (119)\frac{66}{119} = 66$

$n(1-\hat{p}) = 119 \cdot \frac{119-66}{119} = 53$

both at least 10, so normal model is justified.

What estimate for $SE_{\hat{p}} = \sqrt{\frac{p(1-p)}{n}} = \sqrt{\frac{(66/119)(53/119)}{119}} \doteq 0.0456$

use $\hat{p}$ for p, $n = 119$

Now, to get a 90% CI:

lower bound: $\frac{66}{119} - (1.645)(0.0456) = 0.48$

upper bound: $\frac{66}{119} + (1.645)(0.0456) = .63$

Ex.] Hypothesis test. Let p = true proportion home team wins

$$H_0 : p = 1/2 \qquad H_a : p > \frac{1}{2}$$

Have data $\hat{p} = \frac{70}{120}$

Check for normality $\quad np = 120\left(\frac{1}{2}\right) = 60$

$$n(1-p) = 120\left(1 - \frac{1}{2}\right) = 60 \quad \checkmark$$

$$SE_{\hat{p}} = \sqrt{\frac{p(1-p)}{n}} = \sqrt{\frac{(1/2)(1/2)}{120}} = 0.0456$$

To assess P-value, take my normal dist.

(the one CLT indicated: $\quad \text{Norm}\left(\underbrace{0.5}_{\text{hyp. value}},\ \underbrace{0.0456}_{SE_{\hat{p}}}\right)$



right-tail area = 0.034.

Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998