

1. User Upcoming Events

```
SELECT u.full_name, e.title, e.city, e.start_date
FROM Users u
JOIN Registrations r ON u.user_id = r.user_id
JOIN Events e ON r.event_id = e.event_id
WHERE e.status = 'upcoming'
AND u.city = e.city
ORDER BY e.start_date;
```

2. Top Rated Events

```
SELECT e.title, AVG(f.rating) AS avg_rating
FROM Events e
JOIN Feedback f ON e.event_id = f.event_id
GROUP BY e.event_id, e.title
HAVING COUNT(f.feedback_id) >= 10
ORDER BY avg_rating DESC;
```

3. Inactive Users

```
SELECT *
FROM Users
WHERE user_id NOT IN (
    SELECT user_id
    FROM Registrations
    WHERE registration_date >= CURDATE() - INTERVAL 90 DAY
);
```

4. Peak Session Hours

```
SELECT event_id, COUNT(*) AS session_count
FROM Sessions
WHERE TIME(start_time) BETWEEN '10:00:00' AND '12:00:00'
GROUP BY event_id;
```

5. Most Active Cities

```
SELECT e.city, COUNT(DISTINCT r.user_id) AS registrations
FROM Registrations r
JOIN Events e ON r.event_id = e.event_id
GROUP BY e.city
ORDER BY registrations DESC
LIMIT 5;
```

6. Event Resource Summary

```
SELECT e.title,
       COUNT(r.resource_id) AS total_resources
FROM Events e
LEFT JOIN Resources r ON e.event_id = r.event_id
GROUP BY e.event_id, e.title;
```

7. Low Feedback Alerts

```
SELECT u.full_name,
       f.comments,
       e.title
FROM Feedback f
JOIN Users u ON f.user_id = u.user_id
JOIN Events e ON f.event_id = e.event_id
```

```
WHERE f.rating < 3;
```

8. Sessions per Upcoming Event

```
SELECT e.title,  
       COUNT(s.session_id) AS session_count  
FROM Events e  
LEFT JOIN Sessions s ON e.event_id = s.event_id  
WHERE e.status = 'upcoming'  
GROUP BY e.event_id, e.title;
```

9. Organizer Event Summary

```
SELECT organizer_id,  
       status,  
       COUNT(*) AS total_events  
FROM Events  
GROUP BY organizer_id, status;
```

10. Feedback Gap

```
SELECT e.title  
FROM Events e  
JOIN Registrations r ON e.event_id = r.event_id  
LEFT JOIN Feedback f ON e.event_id = f.event_id  
WHERE f.feedback_id IS NULL  
GROUP BY e.event_id, e.title;
```

11. Daily New User Count

```
SELECT registration_date,  
       COUNT(*) AS user_count
```

```
FROM Users

WHERE registration_date >= CURDATE() - INTERVAL 7 DAY

GROUP BY registration_date;
```

12. Event with Maximum Sessions

```
SELECT e.title, COUNT(s.session_id) AS total_sessions

FROM Events e

JOIN Sessions s ON e.event_id = s.event_id

GROUP BY e.event_id, e.title

HAVING COUNT(s.session_id) = (

    SELECT MAX(cnt)

    FROM (

        SELECT COUNT(*) AS cnt

        FROM Sessions

        GROUP BY event_id

    ) t

);
```

13. Average Rating per City

```
SELECT e.city,

    AVG(f.rating) AS avg_rating

FROM Events e

JOIN Feedback f ON e.event_id = f.event_id

GROUP BY e.city;
```

14. Most Registered Events

```
SELECT e.title,

    COUNT(r.user_id) AS total_registrations

FROM Events e
```

```
JOIN Registrations r ON e.event_id = r.event_id  
GROUP BY e.event_id, e.title  
ORDER BY total_registrations DESC  
LIMIT 3;
```

15. Event Session Time Conflict

```
SELECT s1.event_id,  
       s1.title AS Session1,  
       s2.title AS Session2  
FROM Sessions s1  
JOIN Sessions s2  
ON s1.event_id = s2.event_id  
AND s1.session_id < s2.session_id  
AND s1.start_time < s2.end_time  
AND s1.end_time > s2.start_time;
```

16. Unregistered Active Users

```
SELECT *  
FROM Users u  
WHERE registration_date >= CURDATE() - INTERVAL 30 DAY  
AND user_id NOT IN (  
    SELECT user_id  
    FROM Registrations  
);
```

17. Multi-Session Speakers

```
SELECT speaker_name,  
       COUNT(*) AS session_count
```

```
FROM Sessions  
GROUP BY speaker_name  
HAVING COUNT(*) > 1;
```

18. Resource Availability Check

```
SELECT e.title  
FROM Events e  
LEFT JOIN Resources r  
ON e.event_id = r.event_id  
WHERE r.resource_id IS NULL;
```

19. Completed Events with Feedback Summary

```
SELECT e.title,  
       COUNT(DISTINCT r.registration_id) AS total_registrations,  
       AVG(f.rating) AS avg_rating  
FROM Events e  
LEFT JOIN Registrations r ON e.event_id = r.event_id  
LEFT JOIN Feedback f ON e.event_id = f.event_id  
WHERE e.status = 'completed'  
GROUP BY e.event_id, e.title;
```

20. User Engagement Index

```
SELECT u.full_name,  
       COUNT(DISTINCT r.event_id) AS events_attended,  
       COUNT(DISTINCT f.feedback_id) AS feedbacks_submitted  
FROM Users u  
LEFT JOIN Registrations r ON u.user_id = r.user_id  
LEFT JOIN Feedback f ON u.user_id = f.user_id
```

```
GROUP BY u.user_id, u.full_name;
```

21. Top Feedback Providers

```
SELECT u.full_name,  
       COUNT(f.feedback_id) AS feedback_count  
FROM Users u  
JOIN Feedback f ON u.user_id = f.user_id  
GROUP BY u.user_id, u.full_name  
ORDER BY feedback_count DESC  
LIMIT 5;
```

22. Duplicate Registrations Check

```
SELECT user_id,  
       event_id,  
       COUNT(*) AS duplicate_count  
FROM Registrations  
GROUP BY user_id, event_id  
HAVING COUNT(*) > 1;
```

23. Registration Trends

```
SELECT DATE_FORMAT(registration_date, '%Y-%m') AS month,  
       COUNT(*) AS registrations  
FROM Registrations  
WHERE registration_date >= CURDATE() - INTERVAL 12 MONTH  
GROUP BY month  
ORDER BY month;
```

24. Average Session Duration per Event

```
SELECT e.title,  
       AVG(TIMESTAMPDIFF(MINUTE,  
                          s.start_time,  
                          s.end_time)) AS avg_duration  
FROM Events e  
JOIN Sessions s ON e.event_id = s.event_id  
GROUP BY e.event_id, e.title;
```

25. Events Without Sessions

```
SELECT e.title  
FROM Events e  
LEFT JOIN Sessions s  
ON e.event_id = s.event_id  
WHERE s.session_id IS NULL;
```