

Cucumber PDF Report

Nov 21, 2024, 7:50:44 PM

Start : Nov 21, 7:50:41.694 PM

End : Nov 21, 7:50:43.851 PM

Duration : 2.157 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 17
FAILED - 7
SKIPPED - 0


PASSED - 60
FAILED - 7
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Class 2 module</u>	2.157 s	24	17	7	0	72	60	7	5

#	Feature Name	Scenario Name
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording with invalid method</u>
2		<u>Check if admin able to retrieve class recording with invalid method</u>
3		<u>Check if admin able to retrieve class recording with invalid method</u>
4		<u>Check if admin able to retrieve class recording with invalid method</u>
5		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>
6		<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>
7		<u>Check if admin able to retrieve upcoming classes with invalid method</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	4	3	1	0	1	0	1	0
@GetClassRecordingsbyBatchId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId2	5	4	1	0	1	0	1	0
@GetUpcomingClasses	5	2	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	24	17	7	0	2.157 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.126 s
2		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.095 s
3		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	1	1	1	0.006 s
4		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.093 s
5		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	3	0	0	0.104 s
6		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.175 s
7		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.101 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.124 s
10		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.164 s
11		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.100 s
12		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.094 s
13		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s
14		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.090 s
15		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.090 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.095 s
17		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.123 s
18		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s
19		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.080 s
20		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.097 s
21		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.096 s
22		<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	2	1	0	0.101 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	Class 2 module	Check if admin able to retrieve upcoming classes with invalid method	3	1	1	1	0.002 s
24		Check if admin able to retrieve upcoming classes without Authorization	3	3	0	0	0.084 s

Class 2 module



FAILED	DURATION - 2.157 s	Scenarios		Steps	
/ 7:50:41.694 PM // 7:50:43.851 PM /		Total - 24		Total - 72	
		Pass - 17		Pass - 60	
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 5	

Check if admin able to retrieve all class recording

PASSED	DURATION - 0.126 s		Steps	
/ 7:50:41.696 PM // 7:50:41.822 PM /			Total - 3	
Class 2 module			Pass - 3	
@GetAllRecordings			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.112 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.003 s

Check if admin able to retrieve all class recording with invalid Endpoint

PASSED	DURATION - 0.095 s		Steps	
/ 7:50:41.832 PM // 7:50:41.927 PM /			Total - 3	
Class 2 module			Pass - 3	
@GetAllRecordings			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.093 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid method

<div>FAILED</div>	<div>DURATION - 0.006 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:50:41.933 PM // 7:50:41.939 PM /</div>				
<div>Class 2 module</div>				
<div>@GetAllRecordings</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:96) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:21) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s

Check if admin able to retrieve all class recording without Authorization

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:41.947 PM // 7:50:42.040 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve class recording with valid Batchid

PASSED	DURATION - 0.104 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.045 PM // 7:50:42.149 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.101 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Batchid

PASSED	DURATION - 0.175 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.154 PM // 7:50:42.329 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.172 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Endpoint

PASSED	DURATION - 0.101 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.337 PM // 7:50:42.438 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.097 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:50:42.442 PM // 7:50:42.445 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByBatchID(class2Steps.java:148) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:47) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByBatchID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.124 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.449 PM // 7:50:42.573 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.122 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

PASSED	DURATION - 0.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.578 PM // 7:50:42.742 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.163 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.097 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.092 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid method

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 7:50:42.950 PM // 7:50:42.953 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID <pre>java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID(class2Steps.java:198) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:73) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.090 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:50:42.957 PM // 7:50:43.047 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.089 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

<div>PASSED</div>	<div>DURATION - 0.090 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:43.050 PM // 7:50:43.140 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyClassId2</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.089 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID

PASSED	DURATION - 0.095 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:50:43.144 PM // 7:50:43.239 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.094 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.122 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2 java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID2(class2Steps.java:246) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID2	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

<div>PASSED</div>	<div>DURATION - 0.080 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:43.376 PM // 7:50:43.456 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyClassId2</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.078 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with valid studentID

PASSED	DURATION - 0.097 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:50:43.460 PM // 7:50:43.557 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.095 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with invalid studentID

<div>FAILED</div> <div>DURATION - 0.096 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 7:50:43.559 PM // 7:50:43.655 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.093 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:316) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:116) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to retrieve upcoming classes with invalid Endpoint

<div>FAILED</div> <div>DURATION - 0.101 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:50:43.658 PM // 7:50:43.759 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	0.099 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	FAILED	0.000 s
	<pre> java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:316) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:121) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to retrieve upcoming classes with invalid method

FAILED	DURATION - 0.002 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:50:43.762 PM // 7:50:43.764 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses	FAILED	0.001 s
	<pre> java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getUpcomingClasses(class2Steps.java:300) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:125) * Not displayable characters are replaced by '?'. </pre>		
3	Then Admin receives 405 "Method not allowed" Status for getUpcomingClasses	SKIPPED	0.000 s

Check if admin able to retrieve upcoming classes without Authorization

<div>PASSED</div>	<div>DURATION - 0.084 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:50:43.767 PM // 7:50:43.851 PM /</div>				
<div>Class 2 module</div>				
<div>@GetUpcomingClasses</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.082 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.000 s