
## **Cucumber PDF Report**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User login : positive flow</u>	0.761 s	2	1	1	0	6	4	1	1


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1 User login : positive flow Check if Admin able to generate token with invalid endp		

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>User login : positive flow</u>	2	1	1	0	0.761 s




#	Feature Name	Scenario Name	<i>T</i>	P	F	S	Duration
1	User login : positive flow	Admin creates request with valid credentials login	3	3	0	0	0.679 s
2		Check if Admin able to generate token with invalid endpoint login	3	1	1	1	0.004 s

DETAILED SECTION -- 6 --

## **User login : positive flow**


FAILED	DURATION - 0.761 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 10:02:26.457 AM //	′ 10:02:27.218 AM /	Pass - 1	2	Pass - 4	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	
				Jp _	

## Admin creates request with valid credentials login



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.665 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.005 s

## Check if Admin able to generate token with invalid endpoint login



DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	When Admin calls Post Https method with invalid endpoint login	FAILED	0.001 s
	Step undefined		
3	Then Admin receives 401 "unauthorized" status login	SKIPPED	0.001 s