

Cucumber PDF Report

Nov 22, 2024, 12:27:18 PM

Start : Nov 22, 12:27:11.517 PM

End : Nov 22, 12:27:18.305 PM

Duration : 6.788 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 30
FAILED - 4
SKIPPED - 0


PASSED - 98
FAILED - 4
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>ProgramModule : positive flow</u>	0.208 s	1	1	0	0	3	3	0	0
<u>Class 2 module</u>	6.566 s	33	29	4	0	99	95	4	0

#	Feature Name	Scenario Name
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>
2		<u>Check if admin able to update a Class with valid classID and mandatory fields in request body</u>
3		<u>Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory fields</u>
4		<u>Check if admin able to update a Class with a deleted classID in the endpoint</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllPrograms	1	1	0	0	1	1	0	0
@GetAllRecordings	4	4	0	0	1	0	1	0
@GetClassRecordingsbyBatchId	5	5	0	0	1	0	1	0
@GetClassRecordingsbyClassId	5	5	0	0	1	0	1	0
@GetClassRecordingsbyClassId2	5	5	0	0	1	0	1	0
@GetUpcomingClasses	5	4	1	0	1	0	1	0
@UpdateNewClass	9	6	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	1	1	0	0	0.208 s
2	<u>Class 2 module</u>	33	29	4	0	6.566 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.207 s
2	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.266 s
3		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.228 s
4		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	3	0	0	0.207 s
5		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.155 s
6		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	3	0	0	0.213 s
7		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.123 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.137 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.203 s
10		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.146 s
11		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.121 s
12		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.099 s
13		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.155 s
14		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.188 s
15		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.174 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.231 s
17		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.139 s
18		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.204 s
19		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.128 s
20		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.192 s
21		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.540 s
22		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.185 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Class 2 module</u>	<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	3	0	0	0.260 s
24		<u>Check if admin able to retrieve upcoming classes with invalid method</u>	3	3	0	0	0.172 s
25		<u>Check if admin able to retrieve upcoming classes without Authorization</u>	3	3	0	0	0.158 s
26		<u>Check if admin able to update a class with valid ClassID and all fields in requestBody</u>	3	3	0	0	0.172 s
27		<u>Check if admin able to update a class with valid classID and mandatory fields in request body without authorization</u>	3	3	0	0	0.151 s
28		<u>Check if admin able to update a Class with valid classID and mandatory fields in request body</u>	3	2	1	0	0.186 s
29		<u>Check if admin able to update a Class with invalid ClassID and mandatory fields in request body</u>	3	3	0	0	0.168 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>Class 2 module</u>	<u>Check if admin able to update a Class with valid ClassID and missing mandatory fields request body</u>	3	3	0	0	0.217 s
31		<u>Check if admin able to update a Class with invalid data</u>	3	3	0	0	0.192 s
32		<u>Check if admin able to update a Class with invalid endpoint</u>	3	3	0	0	0.158 s
33		<u>Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory *</u>	3	2	1	0	0.202 s
34		<u>Check if admin able to update a Class with a deleted classID in the endpoint</u>	3	2	1	0	0.268 s

* The feature name and/or scenario name has been cropped to fit in the available space.

ProgramModule : positive flow



PASSED	DURATION - 0.208 s	Scenarios		Steps	
/ 12:27:11.517 PM // 12:27:11.725 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to retrieve all programs with valid Endpoint


PASSED		DURATION - 0.207 s			Steps	
/ 12:27:11.518 PM // 12:27:11.725 PM /					Total - 3	
ProgramModule : positive flow					Pass - 3	
@GetAllPrograms					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.003 s
2	When Admin creates and executes GET all program Request for the LMS API	PASSED	0.198 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.002 s

Class 2 module


FAILED	DURATION - 6.566 s	Scenarios		Steps	
/ 12:27:11.739 PM // 12:27:18.305 PM /		Total - 33		Total - 99	
		Pass - 29		Pass - 95	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 0	

Check if admin able to retrieve all class recording




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.261 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.002 s

Check if admin able to retrieve all class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.224 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.001 s

Check if admin able to retrieve all class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings	PASSED	0.205 s
3	Then Admin receives 405 "Method Not Allowed" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.153 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve class recording with valid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.211 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.120 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.136 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID	PASSED	0.201 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.145 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.121 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.097 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.154 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID	PASSED	0.187 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID	PASSED	0.001 s

Check if admin able to retrieve class recording without Authorization




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.171 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.001 s

Check if admin able to retrieve class recording with valid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.229 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.137 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.201 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2	PASSED	0.127 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.190 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with valid studentID





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.537 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with invalid studentID

<div>FAILED</div>	<div>DURATION - 0.185 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:15.734 PM // 12:27:15.919 PM /</div>				
<div>Class 2 module</div>				
<div>@GetUpcomingClasses</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.172 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	FAILED	0.009 s
java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:314) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:116) * Not displayable characters are replaced by '?'. 			

Check if admin able to retrieve upcoming classes with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.260 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:15.927 PM // 12:27:16.187 PM /</div>				
<div>Class 2 module</div>				
<div>@GetUpcomingClasses</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	0.258 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with invalid method

PASSED	DURATION - 0.172 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:16.195 PM // 12:27:16.367 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses	PASSED	0.170 s
3	Then Admin receives 405 "Method Not Allowed" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes without Authorization

PASSED	DURATION - 0.158 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:16.373 PM // 12:27:16.531 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.156 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.000 s

Check if admin able to update a class with valid ClassID and all fields in requestBody

PASSED	DURATION - 0.172 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:16.545 PM // 12:27:16.717 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields for updateClass	PASSED	0.170 s
3	Then Admin receives 200 "OK" Status for updateClass	PASSED	0.001 s

Check if admin able to update a class with valid classID and mandatory fields in request body without authorization

PASSED	DURATION - 0.151 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:27:16.721 PM // 12:27:16.872 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and all the fields without Auth for updateClass	PASSED	0.149 s
3	Then Admin receives 401 "Unauthorized" Status for updateClass	PASSED	0.000 s

Check if admin able to update a Class with valid classID and mandatory fields in request body

FAILED	DURATION - 0.186 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:27:16.879 PM // 12:27:17.065 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and mandatory fields for updateClass	PASSED	0.182 s
3	Then Admin receives 401 "Unauthorized" Status for updateClass	FAILED	0.003 s
java.lang.AssertionError: expected [401] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:397) at ?.Admin receives 401 "Unauthorized" Status for updateClass(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:147) * Not displayable characters are replaced by '?'. 			

Check if admin able to update a Class with invalid ClassID and mandatory fields in request body

PASSED	DURATION - 0.168 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:17.071 PM // 12:27:17.239 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with invalid classId and mandatory fields for updateClass	PASSED	0.165 s
3	Then Admin receives 404 "Not Found" Status for updateClass	PASSED	0.000 s

Check if admin able to update a Class with valid ClassID and missing mandatory fields request body

PASSED	DURATION - 0.217 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:17.246 PM // 12:27:17.463 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and missing mandatory fields for updateClass	PASSED	0.214 s
3	Then Admin receives 400 "Bad Request" Status for updateClass	PASSED	0.001 s

Check if admin able to update a Class with invalid data

PASSED	DURATION - 0.192 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:27:17.469 PM // 12:27:17.661 PM /				
Class 2 module				
@UpdateNewClass				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and invalid data for updateClass	PASSED	0.188 s
3	Then Admin receives 400 "Bad Request" Status for updateClass	PASSED	0.001 s

Check if admin able to update a Class with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:27:17.666 PM // 12:27:17.824 PM /</div>				
<div>Class 2 module</div>				
<div>@UpdateNewClass</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and invalid endpoint for updateClass	PASSED	0.156 s
3	Then Admin receives 404 "Not Found" Status for updateClass	PASSED	0.001 s



Check if admin able to update a Class with a deleted batchID field in the request body with other mandatory fields

FAILED	DURATION - 0.202 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:27:17.831 PM // 12:27:18.033 PM /				
Class 2 module				
@UpdateNewClass				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and deleted batchID for updateClass	PASSED	0.194 s
3	Then Admin receives 400 "Bad Request" Status for updateClass <pre>java.lang.AssertionError: expected [400] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:397) at ?.Admin receives 400 "Bad Request" Status for updateClass(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:172) * Not displayable characters are replaced by '?'.		

Check if admin able to update a Class with a deleted classID in the endpoint

<div>FAILED</div> <div>DURATION - 0.268 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:27:18.037 PM // 12:27:18.305 PM /				
Class 2 module				
@UpdateNewClass				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates PUT Request and sends HTTPS Request with deleted classId for updateClass	PASSED	0.266 s
3	Then Admin receives 404 "Not Found" Status for updateClass java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_updateClass(class2Steps.java:397) at ?.Admin receives 404 "Not Found" Status for updateClass(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:177) * Not displayable characters are replaced by '?'.	FAILED	0.001 s