
# **Cucumber PDF Report**




Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<b>T</b>	P	F	S
Class2Module	0.255 s	3	0	3	0	9	5	3	1

FAIL & SKIP SCENARIOS -- 3 --

7	Feature Name	Scenario Name
	Class2Module	Check if admin able to retrieve all class recording
		Check if admin able to retrieve all class recording with invalid Endpoint
		Check if admin able to retrieve all class recording with invalid method


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Class2Module</u>	3	0	3	0	0.255 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Class2Module	Check if admin able to retrieve all class recording	3	2	1	0	0.128 s
2		Check if admin able to retrieve all class recording with invalid Endpoint	3	2	1	0	0.110 s
3		Check if admin able to retrieve all class recording with invalid method	3	1	1	1	0.003 s

DETAILED SECTION -- 7 --

#### Class2Module

FAILED	DURATION - 0.255 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 4:38:46.822 PM // 4	4:38:47.077 PM /	Pass - 0	3	Pass - 5	9 📕
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	


### Check if admin able to retrieve all class recording



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.103 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	FAILED	0.016 s
	java.lang.AssertionError: expected [OK] but found [[null, null, nu		

DETAILED SECTION -- 8 --

### **Check if admin able to retrieve all class recording with invalid Endpoint**




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.104 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	FAILED	0.003 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings  io.restassured.path.json.exception.JsonPathException: Failed to parse the JSON document at io.restassured.path.json.JsonPath\$4.coParseWith(JsonPath.java:1002) at io.restassured.path.json.JsonPath\$4.sonParseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath\$4.sonParser.parseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath.get(JsonPath.java:202) at io.restassured.path.json.JsonPath.getString(JsonPath.java:352) at generics.ApiUtils.validateStatusMessage(ApiUtils.java:46) at stepDefinitions.class2Steps.admin_receives_status_for_getallrecordings(class2Steps.java:87) at ?.Admin receives 404 "Not Found" Status for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/ Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:23) Caused by: groovy.json.JsonException: Lexing failed on line: 1, column: 1, while reading "I", no possible valid JSON value or punctuation could be recognized. at groovy.json.JsonLexer.nextToken(JsonLexer.java:86) at groovy.json.JsonLexersnextToken.call(Unknown Source) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parse(ConfigurableJsonSlurper.groovy:97) at io.restassured.internal.path.json.ConfigurableJsonSlurper.parseText(ConfigurableJsonSlurper.groovy:83) at io.restassured.path.json.JsonPath\$4.method(JsonPath.java:965) at io.restassured.path.json.JsonPath\$4.coparseWith(JsonPath.java:1047) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:367) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:362) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:367) at io.restassured.path.json.JsonPath\$4.doParseWith(JsonPath.java:362) at io.restassured.path.json.JsonPath\$4.get(JsonPath.java:362) at io.restassured.path.json.JsonPath\$4.get(JsonPath.java:362) at io.restassured.path.json.JsonPath\$4.get(JsonPath.java:362) at io.restassured.path.json.JsonPath\$6.get(JsonPath.java:362) at io.restassured.path.json.JsonPath\$6.get(J	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		

## Check if admin able to retrieve all class recording with invalid method



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates POST Request and sends HTTPS Request with valid endpoint for getAllRecordings	FAILED	0.001 s
	java.lang.lllegalStateException: Required fields are not set.    at httpRequest.PostRequest.buildRequest(PostRequest.java:19)    at stepDefinitions.class2Steps.    admin_creates_post_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:102)    at ?.Admin creates POST Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:26) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s