Cucumber PDF Report

| Start : Nov 22, 11:23:05.868 AM	End : Nov 22, 11:23:05.882 AM	Duration : 0.014 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Class 2 module	*0.014 s*	*1*	*0*	*1*	*0*	*3*	*1*	*1*	*1*

#	Feature Name	Scenario Name
1	*Class 2 module*	*Check if admin able to update a Class with valid classID and mandatory fields in request body*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@UpdateNewClass1	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Class 2 module*	1	0	1	0	0.014 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Class 2 module	Check if admin able to update a Class with valid classID and mandatory fields in request body	3	1	1	1	0.013 s

Class 2 module

FAILED	DURATION - 0.014 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 11:23:05.868 AM // 11:23:05.882 AM /		Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Check if admin able to update a Class with valid classID and mandatory fields in request body

FAILED	DURATION - 0.013 s		Steps	
			Total - 3	
/ 11:23:05.869 AM // 11:23:05.882 AM /			Pass - 1	3
Class 2 module			Fail - 1	
@UpdateNewClass1			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates PUT Request and sends HTTPS Request with valid classId and mandatory fields for updateClass	FAILED	0.007 s

	org.json.JSONException: JSONObject["updateClassMandatoryValidClassID"] not found.
	   at org.json.JSONObject.get(JSONObject.java:596)
	   at org.json.JSONObject.getJSONObject(JSONObject.java:806)
	   at generics.DataDrivenTestingUsingJsonFile.run_all_test_scenarios_from_json_data(DataDrivenTestingUsingJsonFile.java:44)
	   at apiActions.class2Actions.setDetailsToUpdateClassMandatoryValidClassID(class2Actions.java:216)
	   at stepDefinitions.class2Steps.admin_creates_put_request_and_sends_https_request_with_valid_classid_and_mandatory_fields_for_updateclass(class2Steps.java:340)
	   at ?.Admin creates PUT Request and sends HTTPS Request with valid classId and mandatory fields for updateClass(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:146)
	* Not displayable characters are replaced by '?'.		

3	Then Admin receives 401 "Unauthorized" Status for updateClass	SKIPPED	0.000 s