

Cucumber PDF Report

Nov 21, 2024, 7:52:21 PM

Start : Nov 21, 7:52:19.035 PM

End : Nov 21, 7:52:21.158 PM

Duration : 2.123 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 18
FAILED - 6
SKIPPED - 0


PASSED - 61
FAILED - 6
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Class 2 module</u>	2.123 s	24	18	6	0	72	61	6	5

#	Feature Name	Scenario Name
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording with invalid method</u>
2		<u>Check if admin able to retrieve class recording with invalid method</u>
3		<u>Check if admin able to retrieve class recording with invalid method</u>
4		<u>Check if admin able to retrieve class recording with invalid method</u>
5		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>
6		<u>Check if admin able to retrieve upcoming classes with invalid method</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	4	3	1	0	1	0	1	0
@GetClassRecordingsbyBatchId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId2	5	4	1	0	1	0	1	0
@GetUpcomingClasses	5	3	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	24	18	6	0	2.123 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.110 s
2		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.158 s
3		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	1	1	1	0.006 s
4		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.092 s
5		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	3	0	0	0.122 s
6		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.098 s
7		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.090 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.087 s
10		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.096 s
11		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.100 s
12		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.101 s
13		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s
14		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.121 s
15		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.102 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.116 s
17		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.092 s
18		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.002 s
19		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.094 s
20		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.099 s
21		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.103 s
22		<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	3	0	0	0.098 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Class 2 module</u>	<u>Check if admin able to retrieve upcoming classes with invalid method</u>	3	1	1	1	0.007 s
24		<u>Check if admin able to retrieve upcoming classes without Authorization</u>	3	3	0	0	0.106 s

Class 2 module



FAILED	DURATION - 2.123 s	Scenarios		Steps	
/ 7:52:19.035 PM // 7:52:21.158 PM /		Total - 24 Pass - 18 Fail - 6 Skip - 0		Total - 72 Pass - 61 Fail - 6 Skip - 5	

Check if admin able to retrieve all class recording

PASSED		DURATION - 0.110 s			Steps	
/ 7:52:19.037 PM // 7:52:19.147 PM /					Total - 3	
Class 2 module					Pass - 3	
@GetAllRecordings					Fail - 0	
					Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.099 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.002 s

Check if admin able to retrieve all class recording with invalid Endpoint

PASSED	DURATION - 0.158 s		Steps	
/ 7:52:19.156 PM // 7:52:19.314 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.155 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid method

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 7:52:19.319 PM // 7:52:19.325 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:96) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:21) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s

Check if admin able to retrieve all class recording without Authorization

PASSED	DURATION - 0.092 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:19.332 PM // 7:52:19.424 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.090 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.001 s

Check if admin able to retrieve class recording with valid Batchid

PASSED	DURATION - 0.122 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:52:19.431 PM // 7:52:19.553 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.120 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Batchid

PASSED	DURATION - 0.098 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:52:19.559 PM // 7:52:19.657 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.094 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.090 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:52:19.662 PM // 7:52:19.752 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyBatchId</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.088 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method

FAILED		DURATION - 0.003 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>		
/ 7:52:19.757 PM // 7:52:19.760 PM /							
Class 2 module							
@GetClassRecordingsbyBatchId							



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByBatchID(class2Steps.java:148) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:47) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByBatchID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

<div>PASSED</div>	<div>DURATION - 0.087 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:52:19.764 PM // 7:52:19.851 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyBatchId</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.085 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

<div>PASSED</div>	<div>DURATION - 0.096 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:19.855 PM // 7:52:19.951 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.095 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.099 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.098 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid method

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 7:52:20.165 PM // 7:52:20.168 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID <pre>java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID(class2Steps.java:198) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:73) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.121 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:20.172 PM // 7:52:20.293 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.119 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

<div>PASSED</div>	<div>DURATION - 0.102 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 7:52:20.297 PM // 7:52:20.399 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.100 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID

PASSED	DURATION - 0.116 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:20.408 PM // 7:52:20.524 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.115 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.092 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:52:20.527 PM // 7:52:20.619 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyClassId2</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.089 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:52:20.622 PM // 7:52:20.624 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2 <pre>java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID2(class2Steps.java:246) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:99) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID2	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

<div>PASSED</div>	<div>DURATION - 0.094 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:52:20.627 PM // 7:52:20.721 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyClassId2</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.093 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with valid studentID

PASSED	DURATION - 0.099 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:20.724 PM // 7:52:20.823 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.097 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with invalid studentID

<div>FAILED</div> <div>DURATION - 0.103 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:52:20.829 PM // 7:52:20.932 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.100 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	FAILED	0.001 s
java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:316) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:116) * Not displayable characters are replaced by '?'. 			

Check if admin able to retrieve upcoming classes with invalid Endpoint

PASSED	DURATION - 0.098 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:52:20.935 PM // 7:52:21.033 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	0.096 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with invalid method

<div>FAILED</div> <div>DURATION - 0.007 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:52:21.038 PM // 7:52:21.045 PM /</div>			
<div>Class 2 module</div>			
<div>@GetUpcomingClasses</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getUpcomingClasses(class2Steps.java:300) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:125) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getUpcomingClasses	SKIPPED	0.000 s

Check if admin able to retrieve upcoming classes without Authorization

PASSED	DURATION - 0.106 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:52:21.052 PM // 7:52:21.158 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.103 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.001 s