

Cucumber PDF Report

Nov 25, 2024, 10:41:42 AM

Start : Nov 25, 10:41:41.536 AM

End : Nov 25, 10:41:42.053 AM

Duration : 0.517 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 3
FAILED - 2
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User login : positive flow</u>	0.517 s	2	0	2	0	6	3	2	1

#	Feature Name	Scenario Name
1	<u>User login : positive flow</u>	<u>Admin creates request with valid credentials login</u>
2		<u>Check if Admin able to generate token with invalid endpoint login</u>





#	Feature Name	T	P	F	S	Duration
1	User login : positive flow	2	0	2	0	0.517 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User login : positive flow</u>	<u>Admin creates request with valid credentials login</u>	3	2	1	0	0.460 s
2		<u>Check if Admin able to generate token with invalid endpoint login</u>	3	1	1	1	0.005 s

User login : positive flow

FAILED	DURATION - 0.517 s	Scenarios		Steps	
/ 10:41:41.536 AM // 10:41:42.053 AM /		Total - 2		Total - 6	
		Pass - 0		Pass - 3	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

Admin creates request with valid credentials login

<div>FAILED</div> <div>DURATION - 0.460 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:41:41.537 AM // 10:41:41.997 AM /				
User login : positive flow				

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.445 s
3	Then Admin receives 200 OK Status with program response body	FAILED	0.009 s
	<pre> java.lang.AssertionError: expected [200] but found [401] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1383) at org.testng.Assert.assertEquals(Assert.java:1429) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.UserloginStepDefination.admin_receives_ok_status_with_program_response_body(UserloginStepDefination.java:92) at ?.Admin receives 200 OK Status with program response body(file:///Users/shivanirajole/git/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:10) * Not displayable characters are replaced by '?'. </pre>		

Check if Admin able to generate token with invalid endpoint login

<div>FAILED</div> <div>DURATION - 0.005 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:41:42.048 AM // 10:41:42.053 AM /				
User login : positive flow				

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.000 s
2	When Admin calls Post Https method with invalid endpoint login <pre> java.lang.IllegalArgumentException: Header value cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869) at httpRequest.PostRequest.buildRequest(PostRequest.java:31) at stepDefinitions.UserloginStepDefination.admin_calls_post_https_method_with_invalid_endpoint_login(UserloginStepDefination.java:102) at ?.Admin calls Post Https method with invalid endpoint login(file:///Users/shivanirajole/git/Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then Admin receives 401 "unauthorized" status login	SKIPPED	0.001 s