

# Cucumber PDF Report

Nov 21, 2024, 9:25:59 PM

**Start : Nov 21, 9:25:55.504 PM**

**End : Nov 21, 9:25:59.395 PM**

**Duration : 3.891 s**

*Features*




*Scenarios*

*Steps*

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 24  
FAILED - 1  
SKIPPED - 0


PASSED - 74  
FAILED - 1  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>ProgramModule : positive flow</u>	0.119 s	1	1	0	0	3	3	0	0
<u>Class 2 module</u>	3.760 s	24	23	1	0	72	71	1	0

#	Feature Name	Scenario Name
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetAllPrograms	1	1	0	0	1	1	0	0
@GetAllRecordings	4	4	0	0	1	0	1	0
@GetClassRecordingsbyBatchId	5	5	0	0	1	0	1	0
@GetClassRecordingsbyClassId	5	5	0	0	1	0	1	0
@GetClassRecordingsbyClassId2	5	5	0	0	1	0	1	0
@GetUpcomingClasses	5	4	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	1	1	0	0	0.119 s
2	<u>Class 2 module</u>	24	23	1	0	3.760 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.117 s
2	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.100 s
3		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.086 s
4		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	3	0	0	0.091 s
5		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.089 s
6		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	3	0	0	0.199 s
7		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.113 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.099 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.123 s
10		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.092 s
11		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.102 s
12		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.154 s
13		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.196 s
14		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.103 s
15		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.095 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.092 s
17		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.127 s
18		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.099 s
19		<u>Check if admin able to retrieve class recording with invalid method</u>	3	3	0	0	0.075 s
20		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.095 s
21		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.096 s
22		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.092 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	Class 2 module	<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	3	0	0	1.133 s
24		<u>Check if admin able to retrieve upcoming classes with invalid method</u>	3	3	0	0	0.108 s
25		<u>Check if admin able to retrieve upcoming classes without Authorization</u>	3	3	0	0	0.093 s

**ProgramModule : positive flow**



<b>PASSED</b>	DURATION - 0.119 s	Scenarios		Steps	
/ 9:25:55.504 PM // 9:25:55.623 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Check if Admin able to retrieve all programs with valid Endpoint**



<div>PASSED</div>	<div>DURATION - 0.117 s</div>	<div></div>	Steps	<div></div>
/ 9:25:55.506 PM // 9:25:55.623 PM /			Total - 3	
ProgramModule : positive flow			Pass - 3	
@GetAllPrograms			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin creates and executes GET all program Request for the LMS API	PASSED	0.110 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.002 s

**Class 2 module**



<b>FAILED</b>	DURATION - 3.760 s	Scenarios		Steps	
/ 9:25:55.635 PM // 9:25:59.395 PM /		Total - 24		Total - 72	
		Pass - 23		Pass - 71	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

**Check if admin able to retrieve all class recording**

<b>PASSED</b>	DURATION - 0.100 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:55.635 PM // 9:25:55.735 PM /				
Class 2 module				
@GetAllRecordings				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.097 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.001 s

### Check if admin able to retrieve all class recording with invalid Endpoint

<b>PASSED</b>	DURATION - 0.086 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:55.741 PM // 9:25:55.827 PM /				
Class 2 module				
@GetAllRecordings				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.084 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

### Check if admin able to retrieve all class recording with invalid method

<b>PASSED</b>	DURATION - 0.091 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:55.835 PM // 9:25:55.926 PM /				
Class 2 module				
@GetAllRecordings				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings	PASSED	0.090 s
3	Then Admin receives 405 "Method Not Allowed" Status for getAllRecordings	PASSED	0.000 s

### Check if admin able to retrieve all class recording without Authorization

<b>PASSED</b>	DURATION - 0.089 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:55.932 PM // 9:25:56.021 PM /				
Class 2 module				
@GetAllRecordings				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.088 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.000 s

### Check if admin able to retrieve class recording with valid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.199 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid Batchid




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.111 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.001 s

### Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.098 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid method





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID	PASSED	0.122 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByBatchID	PASSED	0.000 s

### Check if admin able to retrieve class recording without Authorization

<div>PASSED</div> <div>DURATION - 0.092 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 9:25:56.585 PM // 9:25:56.677 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.000 s


### Check if admin able to retrieve class recording with valid ClassID

PASSED	DURATION - 0.102 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:25:56.680 PM // 9:25:56.782 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.101 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID	PASSED	0.000 s


### Check if admin able to retrieve class recording with invalid ClassID







#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.152 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.195 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid method

<b>PASSED</b>		DURATION - 0.103 s			<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:57.145 PM // 9:25:57.248 PM /						
Class 2 module						
@GetClassRecordingsbyClassId						


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID	PASSED	0.102 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID	PASSED	0.000 s

### Check if admin able to retrieve class recording without Authorization

<div>PASSED</div>	<div>DURATION - 0.095 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:25:57.251 PM // 9:25:57.346 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyClassId</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.093 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.000 s

### Check if admin able to retrieve class recording with valid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.089 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2	PASSED	0.001 s

### Check if admin able to retrieve class recording with invalid ClassID




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.127 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid Endpoint




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.098 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

### Check if admin able to retrieve class recording with invalid method




#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2	PASSED	0.075 s
3	Then Admin receives 405 "Method Not Allowed" Status for getClassRecordingsByClassID2	PASSED	0.000 s

### Check if admin able to retrieve class recording without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.093 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.001 s

### Check if admin able to retrieve upcoming classes with valid studentID





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.095 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.000 s

### Check if admin able to retrieve upcoming classes with invalid studentID

<div>FAILED</div> <div>DURATION - 0.092 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 9:25:57.956 PM // 9:25:58.048 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.086 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses  java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:313) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:116) * Not displayable characters are replaced by '?'. 	FAILED	0.004 s

### Check if admin able to retrieve upcoming classes with invalid Endpoint

<div>PASSED</div> <div>DURATION - 1.133 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:25:58.052 PM // 9:25:59.185 PM /			
Class 2 module			
@GetUpcomingClasses			



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	1.131 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	PASSED	0.000 s

### Check if admin able to retrieve upcoming classes with invalid method

PASSED	DURATION - 0.108 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:59.191 PM // 9:25:59.299 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses	PASSED	0.106 s
3	Then Admin receives 405 "Method Not Allowed" Status for getUpcomingClasses	PASSED	0.001 s

### Check if admin able to retrieve upcoming classes without Authorization

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:25:59.302 PM // 9:25:59.395 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.000 s