

Cucumber PDF Report

Nov 21, 2024, 5:22:23 PM

Start : Nov 21, 5:22:22.425 PM

End : Nov 21, 5:22:22.741 PM

Duration : 0.316 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0


PASSED - 10
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Class2Module</u>	0.316 s	4	3	1	0	12	10	1	1

#	Feature Name	Scenario Name
1	<u>Class2Module</u>	<u>Check if admin able to retrieve all class recording with invalid method</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Class2Module</u>	4	3	1	0	0.316 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Class2Module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.112 s
2		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.087 s
3		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	1	1	1	0.007 s
4		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.093 s

Class2Module



FAILED	DURATION - 0.316 s	Scenarios		Steps	
/ 5:22:22.425 PM // 5:22:22.741 PM /		Total - 4 Pass - 3 Fail - 1 Skip - 0		Total - 12 Pass - 10 Fail - 1 Skip - 1	

Check if admin able to retrieve all class recording

PASSED	DURATION - 0.112 s		Steps	
/ 5:22:22.427 PM // 5:22:22.539 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Class2Module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.101 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.002 s

Check if admin able to retrieve all class recording with invalid Endpoint

PASSED	DURATION - 0.087 s		Steps	
/ 5:22:22.546 PM // 5:22:22.633 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Class2Module				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.083 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid method

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 5:22:22.636 PM // 5:22:22.643 PM /				
Class2Module				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:102) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:26) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s

Check if admin able to retrieve all class recording without Authorization

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:22:22.648 PM // 5:22:22.741 PM /				
Class2Module				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.090 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.000 s