

Cucumber PDF Report

Nov 21, 2024, 8:03:22 PM

Start : Nov 21, 8:03:19.321 PM

End : Nov 21, 8:03:21.704 PM

Duration : 2.383 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 19
FAILED - 6
SKIPPED - 0


PASSED - 64
FAILED - 6
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>ProgramModule : positive flow</u>	0.119 s	1	1	0	0	3	3	0	0
<u>Class 2 module</u>	2.251 s	24	18	6	0	72	61	6	5

#	Feature Name	Scenario Name
1	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording with invalid method</u>
2		<u>Check if admin able to retrieve class recording with invalid method</u>
3		<u>Check if admin able to retrieve class recording with invalid method</u>
4		<u>Check if admin able to retrieve class recording with invalid method</u>
5		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>
6		<u>Check if admin able to retrieve upcoming classes with invalid method</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllPrograms	1	1	0	0	1	1	0	0
@GetAllRecordings	4	3	1	0	1	0	1	0
@GetClassRecordingsbyBatchId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId	5	4	1	0	1	0	1	0
@GetClassRecordingsbyClassId2	5	4	1	0	1	0	1	0
@GetUpcomingClasses	5	3	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	1	1	0	0	0.119 s
2	<u>Class 2 module</u>	24	18	6	0	2.251 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>ProgramModule : positive flow</u>	<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.118 s
2	<u>Class 2 module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.097 s
3		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.097 s
4		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	1	1	1	0.006 s
5		<u>Check if admin able to retrieve all class recording without Authorization</u>	3	3	0	0	0.095 s
6		<u>Check if admin able to retrieve class recording with valid Batchid</u>	3	3	0	0	0.142 s
7		<u>Check if admin able to retrieve class recording with invalid Batchid</u>	3	3	0	0	0.105 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.127 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.002 s
10		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.094 s
11		<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.103 s
12		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.114 s
13		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.097 s
14		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s
15		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.092 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
16	<u>Class 2 module</u>	<u>Check if admin able to retrieve class recording with valid ClassID</u>	3	3	0	0	0.198 s
17		<u>Check if admin able to retrieve class recording with invalid ClassID</u>	3	3	0	0	0.104 s
18		<u>Check if admin able to retrieve class recording with invalid Endpoint</u>	3	3	0	0	0.121 s
19		<u>Check if admin able to retrieve class recording with invalid method</u>	3	1	1	1	0.003 s
20		<u>Check if admin able to retrieve class recording without Authorization</u>	3	3	0	0	0.109 s
21		<u>Check if admin able to retrieve upcoming classes with valid studentID</u>	3	3	0	0	0.121 s
22		<u>Check if admin able to retrieve upcoming classes with invalid studentID</u>	3	2	1	0	0.118 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Class 2 module</u>	<u>Check if admin able to retrieve upcoming classes with invalid Endpoint</u>	3	3	0	0	0.111 s
24		<u>Check if admin able to retrieve upcoming classes with invalid method</u>	3	1	1	1	0.003 s
25		<u>Check if admin able to retrieve upcoming classes without Authorization</u>	3	3	0	0	0.093 s

ProgramModule : positive flow



PASSED	DURATION - 0.119 s	Scenarios		Steps	
/ 8:03:19.321 PM // 8:03:19.440 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 3 Pass - 3 Fail - 0 Skip - 0	

Check if Admin able to retrieve all programs with valid Endpoint



PASSED	DURATION - 0.118 s		Steps	
/ 8:03:19.322 PM // 8:03:19.440 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
ProgramModule : positive flow				
@GetAllPrograms				

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin creates and executes GET all program Request for the LMS API	PASSED	0.108 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.001 s

Class 2 module



FAILED	DURATION - 2.251 s	Scenarios		Steps	
/ 8:03:19.453 PM // 8:03:21.704 PM /		Total - 24 Pass - 18 Fail - 6 Skip - 0		Total - 72 Pass - 61 Fail - 6 Skip - 5	

Check if admin able to retrieve all class recording

PASSED	DURATION - 0.097 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:19.453 PM // 8:03:19.550 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.094 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid Endpoint

PASSED	DURATION - 0.097 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:19.555 PM // 8:03:19.652 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.095 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

Check if admin able to retrieve all class recording with invalid method

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:03:19.660 PM // 8:03:19.666 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings <pre>java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:96) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s

Check if admin able to retrieve all class recording without Authorization

PASSED	DURATION - 0.095 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:19.671 PM // 8:03:19.766 PM /				
Class 2 module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getAllRecordings	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getAllRecordings	PASSED	0.001 s

Check if admin able to retrieve class recording with valid Batchid

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:19.771 PM // 8:03:19.913 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByBatchID	PASSED	0.140 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Batchid

PASSED	DURATION - 0.105 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:19.920 PM // 8:03:20.025 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByBatchID	PASSED	0.102 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid Endpoint

PASSED	DURATION - 0.127 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:20.030 PM // 8:03:20.157 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByBatchID	PASSED	0.124 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByBatchID	PASSED	0.001 s

Check if admin able to retrieve class recording with invalid method

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:03:20.162 PM // 8:03:20.164 PM /				
Class 2 module				
@GetClassRecordingsbyBatchId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByBatchID(class2Steps.java:148) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByBatchID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:47) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByBatchID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

<div>PASSED</div>	<div>DURATION - 0.094 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:03:20.168 PM // 8:03:20.262 PM /</div>				
<div>Class 2 module</div>				
<div>@GetClassRecordingsbyBatchId</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByBatchID	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByBatchID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

PASSED	DURATION - 0.103 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:20.266 PM // 8:03:20.369 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID	PASSED	0.102 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID	PASSED	0.113 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID	PASSED	0.094 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method

<div>FAILED</div>	<div>DURATION - 0.003 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.003</td></tr><tr><td>2</td><td>0.003</td></tr><tr><td>3</td><td>0.003</td></tr></tbody></table></div>	Step	Duration (s)	1	0.003	2	0.003	3	0.003	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>1</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>1</td></tr></tbody></table></div>	Step	Count	Pass	1	Fail	1	Skip	1
Step	Duration (s)																			
1	0.003																			
2	0.003																			
3	0.003																			
Step	Count																			
Pass	1																			
Fail	1																			
Skip	1																			
/ 8:03:20.592 PM // 8:03:20.595 PM /																				
Class 2 module																				
@GetClassRecordingsbyClassId																				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID <pre>java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps.admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID(class2Steps.java:198) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:73) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.092 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:20.599 PM // 8:03:20.691 PM /				
Class 2 module				
@GetClassRecordingsbyClassId				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID	PASSED	0.090 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID	PASSED	0.000 s

Check if admin able to retrieve class recording with valid ClassID

PASSED	DURATION - 0.198 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:20.694 PM // 8:03:20.892 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getClassRecordingsByClassID2	PASSED	0.196 s
3	Then Admin receives 200 "OK" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid ClassID

PASSED	DURATION - 0.104 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:20.897 PM // 8:03:21.001 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				


#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid batchID for getClassRecordingsByClassID2	PASSED	0.101 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getClassRecordingsByClassID2	PASSED	0.119 s
3	Then Admin receives 404 "Not Found" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve class recording with invalid method





#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2 java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getClassRecordingsByClassID2(class2Steps.java:246) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getClassRecordingsByClassID2(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then Admin receives 405 "Method not allowed" Status for getClassRecordingsByClassID2	SKIPPED	0.000 s

Check if admin able to retrieve class recording without Authorization

PASSED	DURATION - 0.109 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:21.134 PM // 8:03:21.243 PM /				
Class 2 module				
@GetClassRecordingsbyClassId2				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getClassRecordingsByClassID2	PASSED	0.108 s
3	Then Admin receives 401 "Unauthorized" Status for getClassRecordingsByClassID2	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with valid studentID

PASSED	DURATION - 0.121 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:03:21.246 PM // 8:03:21.367 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getUpcomingClasses	PASSED	0.119 s
3	Then Admin receives 200 "OK" Status for getUpcomingClasses	PASSED	0.001 s

Check if admin able to retrieve upcoming classes with invalid studentID

FAILED	DURATION - 0.118 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:03:21.370 PM // 8:03:21.488 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid studentID for getUpcomingClasses	PASSED	0.115 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses java.lang.AssertionError: expected [404] but found [200] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:907) at org.testng.Assert.assertEquals(Assert.java:917) at generics.ApiUtils.validateStatusCode(ApiUtils.java:27) at stepDefinitions.class2Steps.admin_receives_status_for_getUpcomingClasses(class2Steps.java:312) at ?.Admin receives 404 "Not Found" Status for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:116) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to retrieve upcoming classes with invalid Endpoint

PASSED	DURATION - 0.111 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:21.491 PM // 8:03:21.602 PM /				
Class 2 module				
@GetUpcomingClasses				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getUpcomingClasses	PASSED	0.110 s
3	Then Admin receives 404 "Not Found" Status for getUpcomingClasses	PASSED	0.000 s

Check if admin able to retrieve upcoming classes with invalid method

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:03:21.605 PM // 8:03:21.608 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.000 s
2	When Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_other_request_and_sends_https_request_with_valid_endpoint_for_getUpcomingClasses(class2Steps.java:296) at ?.Admin creates Other Request and sends HTTPS Request with valid endpoint for getUpcomingClasses(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:125) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then Admin receives 405 "Method not allowed" Status for getUpcomingClasses	SKIPPED	0.000 s

Check if admin able to retrieve upcoming classes without Authorization

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:03:21.611 PM // 8:03:21.704 PM /				
Class 2 module				
@GetUpcomingClasses				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with valid endpoint but without Auth for getUpcomingClasses	PASSED	0.092 s
3	Then Admin receives 401 "Unauthorized" Status for getUpcomingClasses	PASSED	0.000 s