Cucumber PDF Report

| Start : Nov 21, 4:14:18.113 PM	End : Nov 21, 4:14:18.366 PM	Duration : 0.253 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Class2Module	*0.253 s*	*2*	*2*	*0*	*0*	*6*	*6*	*0*	*0*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Class2Module	2	2	0	0	0.253 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Class2Module	Check if admin able to retrieve all class recording	3	3	0	0	0.149 s
2		Check if admin able to retrieve all class recording with invalid Endpoint	3	3	0	0	0.096 s

Class2Module

PASSED	DURATION - 0.253 s	Scenarios		Steps	
	/ 4:14:18.113 PM // 4:14:18.366 PM /	Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

Check if admin able to retrieve all class recording

PASSED	DURATION - 0.149 s		Steps	
	/ 4:14:18.114 PM // 4:14:18.263 PM /		Total - 3	
	Class2Module		Pass - 3 Fail - 0	3
	@GetAllRecordings		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.000 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response body for getAllRecordings	PASSED	0.002 s

Check if admin able to retrieve all class recording with invalid Endpoint

PASSED	DURATION - 0.096 s		Steps	
	/ 4:14:18.270 PM // 4:14:18.366 PM /		Total - 3	
	Class2Module		Pass - 3 Fail - 0 Skip - 0	3

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.093 s
3	Then Admin receives 404 Not Found Status with message for getAllRecordings	PASSED	0.000 s