Cucumber PDF Report

| Start : Nov 23, 10:00:40.090 PM	End : Nov 23, 10:00:40.597 PM	Duration : 0.507 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 3 FAILED - 2 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User login : positive flow	*0.507 s*	*2*	*0*	*2*	*0*	*6*	*3*	*2*	*1*

| #	Feature Name	Scenario Name
1	*User login : positive flow*	*Admin creates request with valid credentials login*
2		*Check if Admin able to generate token with invalid endpoint*

#	Feature Name	T	P	F	S	Duration
1	User login : positive flow	2	0	2	0	0.507 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User login : positive flow	Admin creates request with valid credentials login	3	2	1	0	0.453 s
2		Check if Admin able to generate token with invalid endpoint	3	1	1	1	0.002 s

User login : positive flow

FAILED	DURATION - 0.507 s	Scenarios	Steps
		Total - 2	Total - 6
/ 10:00:40.090 PM // 10:00:40.597 PM /		Pass - 0	Pass - 3
		Fail - 2	Fail - 2
		Skip - 0	Skip - 1

Admin creates request with valid credentials login

FAILED	DURATION - 0.453 s		Steps
			Total - 3
/ 10:00:40.091 PM // 10:00:40.544 PM /			Pass - 2
			Fail - 1
User login : positive flow			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.436 s
3	Then Admin receives 200 created with auto generated token login	FAILED	0.010 s

	java.lang.AssertionError: expected [200] but found [405]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:1419)
	    at org.testng.Assert.assertEquals(Assert.java:1383)
	    at org.testng.Assert.assertEquals(Assert.java:1429)
	    at generics.ApiUtils.validateStatusCode(ApiUtils.java:27)
	    at stepDefinitions.UserloginStepDefination.admin_receives_created_with_auto_generated_token_login(UserloginStepDefination.java:93)
	    at ?.Admin receives 200 created with auto generated token login(file:///Users/shivanirajole/git/
	Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:10)
	* Not displayable characters are replaced by '?'.		

Check if Admin able to generate token with invalid endpoint

FAILED	DURATION - 0.002 s
/ 10:00:40.595 PM // 10:00:40.597 PM /	
User login : positive flow	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "String.toUpperCase()" because "methodType" is null
	    at httpRequest.RequestFactory.setAuthentication(RequestFactory.java:41)
	    at apiActions.UserloginAction.invalidLogin(UserloginAction.java:78)
	    at stepDefinitions.UserloginStepDefination.admin_calls_post_https_method_with_invalid_endpoint(UserloginStepDefination.java:111)
	    at ?.Admin calls Post Https method with invalid endpoint(file:///Users/shivanirajole/git/
	Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:14)
	* Not displayable characters are replaced by '?'.		

3	Then Admin receives 401 unauthorized	SKIPPED	0.000 s