

Cucumber PDF Report

Nov 22, 2024, 12:08:52 PM

Start : Nov 22, 12:08:51.911 PM

End : Nov 22, 12:08:52.131 PM

Duration : 0.220 s

Features




Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 3
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Class 2 module</u>	0.220 s	1	1	0	0	3	3	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@UpdateNewClass1	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	1	1	0	0	0.220 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Class 2 module</u>	<u>Check if admin able to update a Class with a deleted classID in the endpoint</u>	3	3	0	0	0.217 s

Class 2 module

PASSED	DURATION - 0.220 s	Scenarios		Steps	
/ 12:08:51.911 PM // 12:08:52.131 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 3 Pass - 3 Fail - 0 Skip - 0	

Check if admin able to update a Class with a deleted classID in the endpoint

<div>PASSED</div>	<div>DURATION - 0.217 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:08:51.914 PM // 12:08:52.131 PM /</div>				
<div>Class 2 module</div>				
<div>@UpdateNewClass1</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization for class module	PASSED	0.002 s
2	When Admin creates PUT Request and sends HTTPS Request with deleted classId for updateClass	PASSED	0.206 s
3	Then Admin receives 404 "Not Found" Status for updateClass	PASSED	0.003 s