

# Cucumber PDF Report

Nov 21, 2024, 4:41:37 PM

Start : Nov 21, 4:41:37.246 PM

End : Nov 21, 4:41:37.500 PM

Duration : 0.254 s

Features




Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0


PASSED - 7  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Class2Module</u>	0.254 s	3	2	1	0	9	7	1	1

#	Feature Name	Scenario Name
1	<u>Class2Module</u>	<u>Check if admin able to retrieve all class recording with invalid method</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllRecordings	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Class2Module</u>	3	2	1	0	0.254 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Class2Module</u>	<u>Check if admin able to retrieve all class recording</u>	3	3	0	0	0.139 s
2		<u>Check if admin able to retrieve all class recording with invalid Endpoint</u>	3	3	0	0	0.096 s
3		<u>Check if admin able to retrieve all class recording with invalid method</u>	3	1	1	1	0.007 s

## Class2Module



<b>FAILED</b>	DURATION - 0.254 s	Scenarios		Steps	
/ 4:41:37.246 PM // 4:41:37.500 PM /		Total - 3 Pass - 2 Fail - 1 Skip - 0		Total - 9 Pass - 7 Fail - 1 Skip - 1	

### Check if admin able to retrieve all class recording

<b>PASSED</b>	DURATION - 0.139 s		Steps	
/ 4:41:37.247 PM // 4:41:37.386 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Class2Module				
@GetAllRecordings				



#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with endpoint for getAllRecordings	PASSED	0.127 s
3	Then Admin receives 200 "OK" Status for getAllRecordings	PASSED	0.003 s

### Check if admin able to retrieve all class recording with invalid Endpoint

<b>PASSED</b>	DURATION - 0.096 s		Steps	
/ 4:41:37.393 PM // 4:41:37.489 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	
Class2Module				

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.001 s
2	When Admin creates GET Request and sends HTTPS Request with invalid endpoint for getAllRecordings	PASSED	0.093 s
3	Then Admin receives 404 "Not Found" Status for getAllRecordings	PASSED	0.000 s

### Check if admin able to retrieve all class recording with invalid method

FAILED		DURATION - 0.007 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:41:37.493 PM // 4:41:37.500 PM /						
Class2Module						

#	Step / Hook Details	Status	Duration
1	Given Admin sets Authorization to Bearer Token	PASSED	0.001 s
2	When Admin creates POST Request and sends HTTPS Request with valid endpoint for getAllRecordings  java.lang.IllegalStateException: Required fields are not set. at httpRequest.PostRequest.buildRequest(PostRequest.java:19) at stepDefinitions.class2Steps. admin_creates_post_request_and_sends_https_request_with_valid_endpoint_for_getallrecordings(class2Steps.java:102) at ?.Admin creates POST Request and sends HTTPS Request with valid endpoint for getAllRecordings(file:///Users/mathumathibalakrishnan/eclipse/Mathumathi_2024/Team2_ChangeMakers_RestAssured/src/test/resources/features/class2.feature:26) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	Then Admin receives 405 "Method not allowed" Status for getAllRecordings	SKIPPED	0.000 s