
Cucumber PDF Report




Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
<u>User login : positive flow</u>	0.624 s	2	1	1	0	6	4	1	1


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>User login : positive flow</u>	Check if Admin able to generate token with invalid endpoint login

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>User login : positive flow</u>	2	1	1	0	0.624 s




#	Feature Name	Scenario Name	<i>T</i>	P	F	S	Duration
1	<u>User login : positive flow</u>	Admin creates request with valid credentials login	3	3	0	0	0.555 s
2		Check if Admin able to generate token with invalid endpoint login	3	1	1	1	0.008 s

DETAILED SECTION -- 6 --

User login : positive flow


FAILED	DURATION - 0.624 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 10:23:24.460 AM //	10:23:25.084 AM /	Pass - 1	2	Pass - 4	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	
				- 1-	

Admin creates request with valid credentials login



#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.003 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.541 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.005 s

Check if Admin able to generate token with invalid endpoint login



DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint login	FAILED	0.005 s
2	When Admin calls Post Https method with invalid endpoint login java.lang.lllegalArgumentException: Header value cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.oconstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.allConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter*snotNull.callStatic(Unknown Source) at io.restassured.internal.nequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869) at httpRequest.PostRequest.buildRequest(PostRequest.java:31) at stepDefinitions.UserloginStepDefination.admin_calls_post_https_method_with_invalid_endpoint_login(UserloginStepDefination.java:102) at ?.Admin calls Post Https method with invalid endpoint login(file:///Users/shivanirajole/git/	FAILED	0.005 s
	Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:14) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 401 "unauthorized" status login	SKIPPED	0.000 s