Cucumber PDF Report

| Start : Nov 25, 10:04:22.044 AM	End : Nov 25, 10:04:22.661 AM	Duration : 0.617 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User login : positive flow	*0.617 s*	2	1	1	0	6	4	1	1

#	Feature Name	Scenario Name
1	*User login : positive flow*	*Check if Admin able to generate token with invalid endpoint login*

#	Feature Name	T	P	F	S	Duration
1	User login : positive flow	2	1	1	0	0.617 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User login : positive flow	Admin creates request with valid credentials login	3	3	0	0	0.549 s
2		Check if Admin able to generate token with invalid endpoint login	3	1	1	1	0.008 s

User login : positive flow

FAILED	DURATION - 0.617 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	6
/ 10:04:22.044 AM // 10:04:22.661 AM /					

Admin creates request with valid credentials login

PASSED	DURATION - 0.549 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 10:04:22.045 AM // 10:04:22.594 AM /				
User login : positive flow				

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint login	PASSED	0.530 s
3	Then Admin receives 200 OK Status with program response body	PASSED	0.006 s

Check if Admin able to generate token with invalid endpoint login

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 10:04:22.653 AM // 10:04:22.661 AM /				
User login : positive flow				

#	Step / Hook Details	Status	Duration
1	Given Admin provides valid authentication details	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint login	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "String.toUpperCase()" because "methodType" is null at httpRequest.RequestFactory.setAuthentication(RequestFactory.java:41) at apiActions.UserloginAction.invalidLogin(UserloginAction.java:78) at stepDefinitions.UserloginStepDefination.admin_calls_post_https_method_with_invalid_endpoint_login(UserloginStepDefination.java:101) at ?.Admin calls Post Https method with invalid endpoint login(file:///Users/shivanirajole/git/ Team2_ChangeMakers_RestAssuredAPI_LMSHackathon/src/test/resources/features/UserLogin.feature:14) * Not displayable characters are replaced by '?'.		
3	Then Admin receives 401 "unauthorized" status login	SKIPPED	0.000 s