DASHBOARD FUGA EMPLEADOS

Elegir Departamento

arch & Development


13,8%
Tasa de Fuga

109 Empleados en Riesgo

926.374€

Euros en Riesgo

Riesgo por Puesto



Empleados Mayor Riesgo

Id	Puesto	Impacto Abandono	Scoring Abandono
1878	Research Scientist		1
1868	Research Scientist		1
1783	Laboratory Technician		1
1604	Laboratory Technician		1
1577	Research Scientist		1
1506	Research Scientist		1
1433	Research Scientist		1
1248	Research Scientist		1
1203	Research Scientist		1
1175	Laboratory Technician		1
1111	Laboratory Technician		1
1107	Laboratory Technician		1
1016	Research Scientist		1
1004	Research Scientist		1
994	Research Scientist		1
960	Laboratory Technician	7.028	1
816	Laboratory Technician		1
811	Laboratory Technician		1
701	Research Scientist		1
622	Laboratory Technician		1
514	Research Scientist		1
315	Research Scientist		1
224	Research Scientist		1
55	Laboratory Technician		1
45	Research Scientist		1
1219	Laboratory Technician		1
923	Research Scientist		1
643	Laboratory Technician		1
11	Laboratory Technician		1
1850	Laboratory Technician		1