Created with the	CAE33 Sys	tem		В			)		П			Т		=	}								_
	١.	Z.EW-		П	- 2																	_	2
kabel-Nr.		ŀ.EW-	»s p	gr																			
ω																						page	follow B
		erminal																				<u>~</u>	
		Ter.	C.	ım.	. 2	+														1		+EXTR	
		get																					
		int. target																				drawing number	ဗ္ပ
		.⊆	-X10	-X10	<u> </u>																	wing n	<del>-8</del> 74
																						4	8
-		int, place																			per	-5	ŀ
		<u>=</u>	5 5		* * * * * * * * * * * * * * * * * * *																order number	A23500- draw up	
ا ا ا			+S+ +S1	) (S) :	¥X	+															ord	4 AZ	
		јитрег																					
		hse	- ~	ı m	7 5															1			
1		Stift/Buchse																				$\bigcap_{i=1}^{\infty}X_{i}$	.iann.iixa
		Stiff																				$\times$	Ä
L L L		tion																					9
board commentry plug box cutter		cross connection	~ ~	-	000																		
xod g	)X	)) SS	=A1./3.1 =A1./3.1																			ı	
		טַט	= = A	= A	9   H																		
plug			extruder extruder	extruder	extruder																	7	led by
4		ace																			-(		superseded by
		ext. plac																				9	ਲ
1																						's.7 L	ے
			+EXTR +FXTR	XTR	X X																<u> </u>	oHu y Ver	aded fr
			ia ia +	.e.	+ + + +															1	`	Heinz Schaat oHu Extruder 100kW Fritolay Vers.7	superseded for
			cutter	cutter	cutter																	z scr KW Fr	<u> </u>
		te t																			:	, 100	90448-05
-		ext. target																				ruder	
		ext	3M1	M 3 4	3M1																project	Ext	origin
4			=A1-3M1 =A1-3M1	A1-	A1-																	$\prod$	-
				11	" "		+								+	+		$\parallel$	+	1	25.10.16	ille ille	
		erminal	<u> </u>	3	2																		stand.   P
																					date		_
	١.	r.EW-	s v	gr																			name
-	Ζ.	2.EW-			2																	25.10.16	date 1
cable mark																							
																							variation
<				Ω			Ú				159(1 3500	ZΑ	<del>7</del> E	NIO		ומרא	п noi	toetc	e pri	- <del>-</del>	$\dashv I$	01000	state
										.oV	toe(	onq										8	뜅


Created with	the CAE33 Sy	stem		В					)			а						3					Ь					_
kabel-Nr.		r.EW-							ge/gn																		2	1
kabe	+,	7.E1W-	~	4 W	7																							×
																											page	10110v 8
		ermina	ت و: ر-		12 gc	:41			7:																	<u> </u>		
-		Te Te	1							H					H											+FYTB		$\downarrow$
		ırget																									ڍ.	
		int. target		: ≥	≥ ≥	3 3			0																		agna (	9 /
			VUX-	ζ   	<u>N</u>	NOX-			-X10																		drawing number	JU440
		e) J																										1
<del>                                     </del>		int. place	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u></u>	<b>7</b>	7 \																				order number	2 0	F
		.⊆	+KK24V +KK2/.V	Ť Ž	t K K	+KK24V			+S1																	order r	draw up	e e
		jumper	11	Ť	<u> </u>					$\dagger \dagger$					$\parallel$				$\parallel$			$\top$					<u>-1 0 1</u>	٤
			9 1	8	סוכ	2 = 5	13 17	יטומ	) Ш	+				-	$\sqcup$		+		+	+		+		$\parallel$				
		Stift/Buchse							-   -																		⊃ ຄ	ا ز
		tift/B																								,	-X(()	<u> </u>
entr			+							+																	-	
commentry x cutter		cross connection	ro r	J W	~ .	-   2																						
0 × CI		CODI	713.5	13/	13	/25			(3)																	-		-
board comm plug box cutter		CLOSS	=A1.,	= A 1	= A 1.	= A1			=A1.																		Ц	ŀ
plug b			extruder		extruder	extruder			extruder																		[	a
[립			e e	6 2	æ S	Ğ Ü			ex																			superseded by
		olace																									•	SE
		ext. plo																									7 UD	
1			AT A			<u> </u>			TH.																	ي	Vers.	덩
			+EXTR	¥ E	¥ 4	+ EX +			+EXTR																	1 7	olay	superseded for
		ł	cutter hood	cutter hood	cutter hood	plug box cutter			cutter																	, dr	Y First	ᇙ
		_	ŧ ŧ	ŧ	cuff by by	plug bo:																				Pin 7	100 P	ş
_		ext. target																								"	Extruder 100kW Fritolay Vers.7	30448-05
		ext. 1	3B4 1B7	384	384				1																	project	Extru	origin
			=A1-13B4 =A1-13B4	1-1	<u>- - -</u>				11-3M1																		$\top$	
1		<u> </u>	X	) r = A	vh = A	<u> </u>	+		=A1	+		_		_	$\sqcup$		+		+	+		+		+		25.10.16		
		erminal	: Sw/bk	. br/br	: ws/wh:	19			 PE																	7		
-		<u> </u>	1	-	-	-11			1		1															date		stand.
	ι .	ı.EW-							ge/gn																$ \parallel $		æ	name
*   _									10	$\dagger \dagger$					$\parallel$				+								25.10.16	date
cable mark					+					$\dagger \dagger$					$\forall$		$\dagger \dagger$		$\dagger \dagger$		$\parallel$	$\dagger$				H		
cable										$\dagger \dagger$					$\forall$		$\dagger \dagger$		$\dagger \dagger$		$\parallel$	$\top$						variation
	∢		-	Ω							1		7-0	)UCC:	7 <del> </del>	+C		,55.0 T	ווא כ	ош і	ירנוסנ	910°IC	- Tr	JesdC	)	#		
													.oN	to <u>s</u> (c 320(	onq	, e	I VIIU		. [0		-:1-^	, - 00		40	, II		000010	state

	the CAE33 System	8			а			3						_
kabel-Nr.														- I
0	<del></del>													follow 8
		:											+EXTR	
	+0.00	= A1-2385 = A1-2385 = A1-2385 = A1-2385										_	deaving primary	10,448-06 10,448-06
	1.0												nber -2	me and
D														9
- Try	Chiff / Burben												MQX-	extruder
ard commentry Silo max	W (X -	= A1./23.5 = A1./23.5 = A1./23.5 = A1./23.5											11.1.	<u></u>
plug board		minal box 24VDC											<b>A</b>	10
	± 500												or o	superseded for
	+ + + + + + + + + + + + + + + + + + + +	al box 24VDC al box 24VDC al box 24VDC al box 24VDC											oject Heinz Schaaf oHG Extruder 100kW Entolav Vers 7	90448-05   sur
7		\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\												origin C
														PT
														exaili.
-	2.5	ge/gn M2											25 OF 20	date name
cable mark														
cal	4	ω	U U			toejong AS3500	7E N	асс. DII пп	שמעג	notection	rr Tr	90"		state variation

_		the CAE	33 Sys	tem	<u> </u>		8			Ţ		)				<u>a</u>			П				3						<u> </u>			<u> </u>		<b>—</b>	
kabel-Nr.																																		page	low
			ſ	erminal	:[1		:L2																										TR.		follo
			-																			+										ŀ	+EXTR		
			-	int. target	=A1-10R7		=A1-10R7			=A1-10R7																								drawing number	90448-06
				int. place	+EXTR		+EXTR			+EXTR																							order number A23500-2		те
				јитрег																												f	0 1		
ıtry				Stift/Buchse jumper		2	m\	7 2	9	PE																							- 5	工 - < -	extruder
rd commentry	heating		HX-	cross connection	1:	. /10.7	`.		1 1	./10.7																									
plug board				CLOS	switch board =A1		switch board =A1			switch board =A1																								ב ל	superseded by
				ext. place	is .	is .	Σ			S																						г			
					power +S1	power +S1	power +S1			power +S1																							haaf oHG	ritolay Ver	superseded for
				ext. target	od 	bd	)d			ρά																							project Heinz Schaaf oHG	Extruder 100kW F	origin 90448-05
					-X1	-X1	-X1			-X-																									ō
				erminal	:29	: 30	:31			: 32																							date 25.10.15 worked ine	ехат. :те	tand. PT
			L	.OIW-	- MS	þr	gr			ge/gn					T	T						$\top$				T		T					3	핕	пате
cable mark					<u> </u>		1															1				+		1				-		25.10.16	
cable		⋖					m			$\perp$						_										1						$\downarrow$			variation
		*					ш										.oV 2	900s 1200	ono) AS3	/ <del>!</del>	7E	NIO.	טככ.	rk c	ша	noit	pato	onq	9V7 <u>9</u>	esq0	1,,			000010	state

7			he CAE33 Sy	stem			В			Д				)						0			1				3			Ļ			E				_		<u></u>	_ ~
	kabel-Nr.			S.7W-	-	2	М	7 -	0 9	7	8	o o	10	- 2	13	14	15	16																						
α		•			Ľ																																		page	follow
				       	: 1	: 2	m.	7:	ח נב	2 :	œ.	<u>ن</u>	. 10	- 2	. 13	: 14	: 15	: 16																				+EXTR		
/				int. target	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7	-X7																					drawing number	90448-06
				int. place	+S1	+S1	+S1	+81	1 V +	+S1	+S1	+\$1	+81	10+	+S1	+S1	+S1	+S1																			order number	-2	draw up	
٥				јитрег			~				-	<u></u>						,,,																						
	۱۲۷			Stift/Buchse	1	Z	171	7			ω	ָן נט	10			17	15	16																						exiruaei:
U	board commentry	plug box pump wagon	-XIP	cross connection	1 .	=A1./7.5		=A1./8.5		٠١.	=A1./25.5	=A1./25.5	=A1./25.5	=A1 /25 6		=A1./25.6		=A1./25.6																				Ų	J	
4	plug t	inld		ext. place	pump wagon	nagow dund	pump wagon	pump wagon	extruder	nogow dmud	pump wagon	pump wagon	pump wagon	nonaw amin	nopaw gmug	порам ати																							9	superseded by
				a				+ PV					Md+	_																								af oHG	olay Vers.7	superseded for
				arget	injection 1	injection 1	injection 2	injection 2	plug box pump wagon	injection 1	injection 1	injection 1	injection 1	injection 2	injection 2	injection 2																						Heinz Schaaf oHG	Ider 100kw Fril	90448-05 st
7				ext. target	=A1-7M1	=A1-7M1	=A1-8M1	=A1-8M1	L		=A1-25B5	=A1-25B5	=A1-25B5 - ^ 1-25B5	-A1-23B0 =A1-25B6	=A1-25B6	=A1-25B6																					<u> </u>		Extru	origin 9
				erminal				7 4					 X 4																								e 25.10.16	교	ille.	Ы
$\dashv$								<u> </u>					<u> </u>																		<u> </u>						date	WOF		name stand.
_  _	¥			9.8W-	-	2	-	2				-	+																	+	+					H			φ.	date na
	rable mark			9.2SW-				1		br	S M	BL	MS																	$\downarrow$	1						$\mid$			
				L'SZM-			m			<u> </u> 				<u> </u>	В	MS											П			1			ш				$\perp$			variation
																					ON S-C	159( 350(	iong SA	, <del>-</del>	ל <sup>=</sup>	DIN	.55	<u>ק</u> מ	חמנ	J UO	itz <u>e</u>	to <u>r</u> c	ı ə.	ΛJΘS	590"				000010	state

	the CAE33 S	System		8						)			a					3					Ь				
kabel-Nr.		r.8W-				SW Dr	gr	ge/gn	SLD																	2	Э
kabe		ι. ۲W-	N C	- 16 - 16	ge/gn			ā																			M.C
																									<u> </u>	page	follow
		егтіпа	(-)	ŭ.	7:	- 2:	m.	7 :																		+EXTR	
-		<u> </u>	1											+										1		Ŷ	
		int. target	-X13	-X13	-X13	-X14	-X14	-X14	=A1-PE															_		trawing pumper	90448-06
		int. place	+S1	- S+	+\$1	+S+	+S1	+S1																	order number	A23500-2	me.
		ітрег																									
		ıse ju	<u>Γ</u> α	0 0	20	22	23	24	7 H		+	+		+	$\dagger$		+					+					
ıtry		Stift/Buchse jumper																								$\stackrel{-}{\times}$	extruder
g board commentry plug box pump wagon		cross connection	7.1	7.1	7.1	 	/8.1	78.1	/8.1																		
Dard box p		ross	=A1.,	= A 1 :		=A   . = A   .	=A1.	=A1.,	= A 1																	Ш	
d gr														$\dagger \dagger$											│ <b>  </b>	<	ρλ
ind ind			pump wagon	pump wagon	ритр мадоп	pump wagon	pump wagon	pump wagon	pump wagon pump wagon																		superseded by
		ext. place																								s.7 UD	
			33	3 3	3	3 3	3	3	3 3																	FG V Ver	eded for
			1 + PW			2 + PW + PW			2 + PW					+												Heinz Schaaf oHG 100kW Fritolay V	superseded
			injection 1	injection 1	injection 1	injection 2 injection 2	injection 2	injection 2	injection 1																	z Sch KW Fr	
		ext. target																								Heinz Schaaf oHG Extruder 100kW Fritolay Vers.7 UD	90448-05
		ext	-7M1	7M1	7M1	3M1	9M1	8M1	9M1																project	<u>`</u>	origin
1			=A1-7M1 =A1-7M1	=A1-7M1	=A1-7M1	=A1-8M1 =A1-8M1	=A1-8M1	=A1-8M1	=A1-/M1 =A1-8M1																		
		nal	<b> </b> " "			11					$\dagger \dagger$			$\dagger \dagger$	$\dagger$										25.10.16	e e	
		lerminal	□ >	. 3	H =	⊃ >	3	 H	:: SLD																date	worked :	
					I C I	1				<del>                                      </del>					1									 1 1			
		S. TW-	. N 4	. D	ge/gn	-			Z Z					$\perp \downarrow$		$\parallel$	$\perp$					_			<del> </del>	9L 9L	
-   취 		Z.8W-				N d	g	ge/gn	SLD		$\perp$	$\parallel$		$\coprod$	$\downarrow$		_		$\perp$			_				25.10.16	date
cable mark						$\perp$		4				+		+	+	$\parallel$	$\perp$			$\parallel$		$\perp$			$\left  \cdot \right $		variation
	⋖			<u> </u>			Ц											Ш							Щ		
														N 159 -002		/ †	'E N		ל מכנ	שמון	noit	oəton		7O#	$\exists \mid$	01000	state



	with the	e CAE33 Sys	stem			В							)						_	а	T						3						<u>-</u>	<del> </del>		<u> </u>		-	_ [2]
kabel-Nr.		Z	ZIW-	-	2	т	7 1	n (c	7	80	o (	1 1	12	13	14	15	16	_ α	0	6,	20	21	22	23	24	25												əf	follow
0			ferminal	-	:2	ű.	7	٠. د	2	ω	<u></u> ج	0 -	:12	: 13	: 14	. 15	0 7	7 2	0	σ.	: 20	:21	: 22	: 23	: 24	:25											+KK24V	bage	follo
`			int. target	-X4	-X4	-X4	-X4	4×-	5X-	-X4	-X4	4X-	7X-	-X4	-X4	-X4	7X-	1 × 4	- A 1-111/-DE	34-A0-18-	5X-	-X4	5X-	-X4	-X4	-X4											1 -	drawing number	30448-06
			int. place	+81	+S1	+S1	+81	10+	+S1	+S1	+81	+\v\+	+51	+S1	+S1	+51	+V.	- n+ - n-+	-0+	+21	+S1	+S1	+S1	+S1	+S1	+S1										order number	A23500-2		
٥			jumper																																				
tary			terminal				7							1.	-	<del>-</del>		- -			50	2	2	2.	24	2											<u> </u>		rerminal box 24VDL
od strip commentary	Tilliat DOX 24 VDC	-XUV	cross connection	=A1./	=A1./	=A1./	=A1./12.3	=A1./	=A1./	=A1./	=A1./	=A1./	=A1./	`:		`: `	=A1./	= A	) ·   V	-A1./ =A1./	=A1./23.	+	=A1./23.	=A1./	=A1./23.	=A1./23.3											Ų		Term
terminal	<u>ה</u>		ext. place	minal	minal	minal	terminal box 24VDC	extruder	extruder	extruder	extruder	extruder	extruder				1	extruder	extruder	extruder	extruder	extruder	extruder	extruder	extruder	extruder										 		ΩN	superseded by
			в	-	-		+KK24V		+EXTR	+EXTR	+EXTR	+ E X I R		_		+ PT :	+UP-1-0N	+ E X - K + E X - R	+ E > - + E >			+EXTR	+EXTR	+EXTR		+EXTR											af oHG	olay Vers.7	superseded for
			ext. target	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	extruder hood	extruder hood	extruder hood	plug box cutter	plug box cuffer	plug box cutter	silo flap	silo flap	silo flap	silo flap	cooling	cooling	cooling oil pressure	oil pressure	oil pressure	Silo min	Silo min	Sito min	Sito min											Heinz Schaaf oHG	Extruder 100kW Fritolay Vers.7	90448-05 st
7			ext.	-XUV	-XUV	-XUV	-XUV	=A1-13B1	=A1-13B1	=A1-13B1	DJX-	-XCI	-XCU	=A1-14B1	=A1-14B1	=A1-14B1	=A1-14B1	=A  -  41 / = A 1 = 1 / V 7	-AI-141/ -A1-1/V7	-A1-141/ =A1-23B1	=A1-23B1	=A1-23B1	=A1-23B3	-A1-23B3	=A1-23B3	=A1-23B3										broiect		Extr	origin
			terminal	:2		- 7:	74		: br/br =	s/wh	ا بي			/bk			×		. רו בו			.2	ا			 Ad										date 25.10.16	'n	ехат. :те	
-   *			EIW-								- (	7 8	7					- ^	2	n																	5	25.10.16 me e	date name s
cable mark			. ESW-															+		7	2	m	þr	WS	BL	NS.												2	variation do
	∢		10/1			മ						(	<u>ا</u>								.OV.	1 t= -00		Т			AIO rr		שמו	UO	itɔ9	ton	a d		5q0"	$\frac{1}{1}$		01000	state vo

	A MILL THE	e CAE33 Sys	stem			8					_	_	)				_	_		а				_			3			Ţ				<u> </u>					_ _
kabel-Nr.		Z	.SIW-	26	27	28	59	30	31	32	33	35	36	37	38	39	07	41	ge/gn					+														2	
																			5																		_	page	follow
			terminal	: 26	: 27	: 28	: 29	30	.31	: 32	. 33	: ት ር. :	36	: 37	: 38	: 39	07:	:41	74:																		+KK24V		
,			int. target	-X4	7X-	-X4	-X4	2	-X4	7X-	7X-	7X-	5X-	5X-	7X-	<b>-</b> X4	5X-	+X-	-X4																			drawing number	30448-06
-			int. place	+S1	+S1	+S1	+S1	10+	+81	+S1	+5.7	- V +	+S1	+S1	+S1	+S1	+51	+51	+51																	order number	-5	draw up	
			јитрег	(0			<b>D</b>			016	2	41.6	2 (0		~	<b>T</b>																							
tary			terminal	26	27	28	29	7	, m	32	7,0	78	36	37	38	36	07	17	74																		\\ \\ \\ \\ \	10 V V	יט אב אטט ווחמו י
nal strip commentary	ויווווומו מטא 24 v טר	-XUV	cross connection	=A1.	=A1.	=A1.	=A1./23.5	     	=A1.	=A1.	= A 1	- H = H	=A1.	=A1.,	=A1.,	=A1./25.2	=A1.	=A1.	=A1./23.2																		Ц		IEPI
terminal	<u>ש</u>		ext. place	extruder		extruder	extruder	extruder	extruder	extruder	extruder	extruder	extruder	extruder	extruder			extruder																				3	superseded by
				+EXTR		+EXTR	+EXTR	+EX-R	+EXTR	+EXTR	+ F X F X F X F X F X F X F X F X F X F	+FXTR	+EXTR	+EXTR	+EXTR		(	+EXIK																			- - -	lay Vers.	superseded for
			ge†	Silo max			Silo max	dosing 1	1 dosing 1	dosing 1		dosing 2		dosing 2	plug box cutter			plug box cutter																			Heinz Schaaf oHG	er 100kW Frito	90448-05 supe
			ext. target	MQX-		XDW	MQX-	-AUW =A1-24R1	=A1-24B1	=A1-24B1	A1-24B1	-A1-24B4 =A1-24B4	A1-24B4	=A1-24B4	-xcu			-XCU	=A1-UV-PE																	Ī		EXTrude	origin 904
			erminal	-			3			:BL		 . 4						- 1 1	11					+												25.10.16	교	ë.	
L			<u> </u>			-1							1											_												date	worked		ne stand.
			.ESW-	-	1	2	3	ge/gn									$\downarrow$	-						1												$\vdash$		).16 me	name
≡ark			. 42W-	H	+		-	Ę	S ×	BL	AS C			3			+	+				H		+	-					+						$\vdash$		25.10.16	date
cable mark			. EZW-	H	+		+	+		$\parallel$	1	- N	B	MS		$\prod$	+	-	ge/gn	+		H		+	+	$\frac{1}{2}$				+				$\prod$					variation
	<			Ш		Ω	1						ر						ge		7	1 təg	-C->\ 		+·C		.JJ П	יי מ	יימו	1 116	ברוו	יי חוב	ц		sq0,,	+			state vo

	∀				В		Т	Ţ	$\top$							+								<u> </u>		$\top$		<u>-</u>		П	T	-	^
kabel-Nr		S.EW-	-	2	М	4	ω (	ا 0	~ α	o	10	11	12	13	14	15	9 [		18											-		page	follow
		ferminal		:2	<u></u>	7:	ش ر	1 0	α.	ე თ	. 10	: 11	: 12	: 13	. 14	: 15	. 10.	~ ·	<u>\( \tilde{\tiilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tilde{\tii</u>												+KKTH		1=
		int. target	9X-	9X-	-x6	9X-	9X-	97-	971	-x6	9X-	-X6	9X-	-xe	9X-	-X6	9X-	-X6	-X6													drawing number	90,7,8-0E
		r int. place	+S1	+S1	+S1	+S1	+S1	- N	+	1000	+S1	+S1	+S1	+S1	+81	+S1	+ \.	121													order number A23500-2		
ary		terminal jumper	1	2	3	7 -	ις (	1 0	- α	ο σ.	10	11	12	13	14	7,	<u>1</u> 0	1/	Σ.												H	_×_	temperatur sensors
ial Strip commentary temperatur sensors		cross connection	=A1./3.6	=A1./3.6	-A1./4.5	=A1./4.5	=A1./5.5	۲. ۲. ۱. ۱. ۱. ۱. ۲. ۱. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲.	=A1./26.1 =A1./26.1	•	=A1./26.2			•		•	`.  `	./26.	=A.1./2b.4											       		Ų	tempe
terminal tem		ext. place	extruder			extruder		extruder	emperatur sensors				extruder	_	-	extruder	-	-	extruder											_			ť
		Ğ.			1 +EXTR	1 +EXTR	2 +EXTR			+FXTR	s +KKTH				+EXTR				۲ ۲ ۲												aaf oHG	tolay Vers.7	topotation
		ext. target	plug box cutter	plug box cuffer	dosing 1	dosing 1	dosing 2	Z. Bulsop	remperatur sensors	temperatur 1	temper		temperatur 2	tempe			temperatur sensors	extruder motor	exfruder motor												Heinz Schaaf oHG	Extruder 100kW Fritolay Vers.7 UD	207.78_0F
			-xcu	-XCU	=A1-4M1	=A1-4M1	=A1-5M1	=A'I-5M'I	=A1-26B1	=A1-26B1	LX-	=A1-26B2	=A1-26B2	-XT	=A1-26B3	=A1-26B3	-X-	=A1-2M1	= A 1 - ZM 1												25.10.16 project		8
		erminal	7:			:2	<u></u> (	7::	0					: 14			1/2	4 L	.:												date 25.	exam.	- Pag-
cable mark		9.5W-	_	2	-	2	- (	7																							+	25.10.16 me	
	7<<	9ZW-			Ф													S .	٦٥		009			ш			L	Ц	<u>sq0</u>	Ц	+	000010	

Created	with the CAE33	System	В	)	О			3			Ь			_
kabel-Nr.		S . EW-	ge/gn											7 -
														follow
		lermina(	20 PE										+KKTH	
		int. target	-XT =A1-26B5 =A1-26B5 -X6									_		drawing number 90448-06
		int. place	+ EXTTH + EXTR + S1										order number A23500-2	
		јитрег	(D) (C) (D) (D) (D) (D) (D) (D) (D) (D) (D) (D											S
ı İary		terminal	19 20 21 PE										<u> </u> ×	temperatur sensors
nal strip commentary temperatur sensors		- A I	=A1./26.5 =A1./26.5 =A1./26.5 =A1./26.5											T tem
terminal stemps		ext. place	switch board =   switch board =   switch board =											3
		ext. target	temperatur sensors +S1 temperatur sensors +S1 temperatur sensors +S1									_	oject Heinz Schaaf oHG	90448-05   superseded for
7		ext.	-x6 -x6 -x6 -x6 =A1-PE											origin
		erminal	: 19										1 1-1	E L
					, ,									ne stand.
-  <u>*</u>		Z . EW-	20 21 21										9	date name
cable mark														
cab	⋖		Δ.			7-00557	۶۲ A	м. ПИ	שמנא מ	DIECTION	TT Serve pr	90 <sub>"</sub>		oro re variation
					•	oV togior S–002ES	ıd							state

Created with the CA	E33 System				8			1				)				]			1				3			1			F							7
-   -   -																																		1	-	
kabel –Nr.																																			×	
																																		page	follow	8
	n in	ווווות	<u></u>	2	\ -																															
4	1	<u>ע</u>	: 2		7 -	- +	: !.	<u>+</u>	<u>:.</u>	+	+		+			+						+				+		+		+	+		<del>4</del>			_
,	10000	וווו. ומו שבו	=A1-12S3	=A1-12S3	=A1-1253	=A1-17A1	=A1-17A1	=A1-22H1	=A1-22H1			=A1-+P1-PF																						awing number	90448-06	L
	40.5	חווי. אומרפ	+P1		- L	- [-	+P1	+P1	+P1																							,	order number A23500-2			_
			+	+ -	+   -	- +	+	+	+																							ŀ	₽ ₫	5		S
tary	ָ - ביינות - ביות - ב - ב - ב - ב - ב - ב - ב - ב - ב - ב			2	2	4 r.	0	7	8	0 (	0 -	- 2														+							()	- 大 -	control panel	_
al strip commentary +24vDC	-XP	רו מאא במווופרוומוו	=A1.,	=A1.	= A T		=A1.	=A1.	-	=A1.	= A = .	= A 1 ·																								S
termina termina	azola tva	באו. אומרפ	switch board	SWITCH DOGED	switch board																						Π	for superseded by	+							
			24VDC +S1						24VDC +S1																								Schaaf oHG	' Fritolay Ve	superseded	8
_	tangut tva	באו. ומו שבו	control panel 24VDC	control panel 24VDC	control panel 24VUL	control panel 24VDC																					project Heinz (	Extruder 100kW Fritolay Vers.7	origin 90448–05	_						
1			-X5	- ا آ	ر ۲ / ا	اگر	X5	-X5	-X5		ر ۲ ۲																					ſ		П		7
				- ا					8:		110																					Γ	25.10.16		PT	•
-	<u>_</u>	υ			-	-	·				-	-																					date	exam.		_
	£. S	:LM-	-	2 [	η \	1 1	9	7	80	σ ;	21	qe/qn																				-	+	25.10.16 me		,
cable mark						$\downarrow$									1	+		_						_								-	+	25.		
cab					n												-00	ncc.	   	+	7F		.)) П	א מ	וומנו	J UC	הכנוס	310'IU	ı.		san	<b> </b>	+	10	e variation	
																.0	Νŀ	toejo 926	pro															000010	state	

N-lodo/		A	CAE33 Sy:	stem			В							)													3	]						Ь				Ì		-	2
	2			=	L												_																							page	follow
				terminal		: 5	7:	9		7 7.	<u></u>	: 12	: 5	7:	٥	c	7 .	• C	)																				+S1		
				int. target	=A1-PE	=A1-20K1	=A1-20K1	=A1-20K1	=A1-PE =A1-20K2	=A1-20K2	=A1-20K2	-X1	=A1-20K3	=A1-20K3	=A1-20K3	=A1-PE	-A1-20K4	=A1-20K4	=A1-PE																					drawing number	30448-06
				int. place		+S1	+S1	+S1	+21	+S1	+S1	+S1	+S1	+S1	+2.1		101	- <del>-</del> - <del>-</del>	-																			order number	-2	<b>⊕</b> ×	ᇍ
				јитрег																																					
tarv				terminal	PE		2	M\	4 Մ		7	8	6	10		71.	()	1 7	16																					- /\ - /\	SWITCH DOOR'D
strin commentary	power		-X1	cross connection	=A1./1.1	φ.	9	$\sim$	=A1./3.2 = A1./9.2	=A1./9.3		· `		<b>∼</b> I	<b>`</b> ⊢	`.  `	-A1./J./	` `	, I \																				Ų		
terminal				ext. place		extruder	extruder	extruder	extruder	extruder		extruder	extruder	extruder	extruder	extruder	exiruder	extruder	extruder																				<b>▼</b> (★)		superseded by
				Ğ.		+EXTR	+EXTR	+EXTR	+ E X   K	+FXTR	+EXTR	+EXTR	+EXTR	+EXTR	+ KX X X X	+ FX - X - X - X - X - X - X - X - X - X	+ F \ 7 + F \	+ F X T R	+EXTR																				of oHG	olay Vers./	superseded for
				ext. target		pipe mixer	pipe mixer	pipe mixer	pipe mixer	dmudio	dmndlio	oilpump	extruder motor fan	extruder motor fan	extruder motor fan	extruder motor tan	iransport	transport	transport																				Heinz Schaaf oHG	₹ ĭ	90448-05   sur
				ext. t		=A1-9M1	=A1-9M1	=A1-9M1	=A1-3M1 =A1-9M3	=A1-9M3	A1-9M3	=A1-9M3	=A1-9M5	A1-9M5	A1-9M5	=A1-3M5	-A1-377/	=A1-9M7	=A1-9M7																			project		Extr	origin
				erminal				)     		2 2		ш	)=   		μ' 		)   1					$\dagger$					+											25.10.16			d. PT
					Ľ									_	_	_	<u> </u>				_																	date	worked		name stand.
د ا	_			ε.ew- Γ.ew-		M S	ρ	g,	ge/gn	p	gr	ge/gn		+			+					+					+	+							+					<u>6</u>	date na
Japa eldes				S:6M-								51	M S	ρΓ	Jb,	ge/gn			ub			1					+	ļ							1						variation
	ة <u> </u>	⋖		7.EW-	<u> </u>		В		<u> </u>					U			V T	5	ge/gn			:-00	pjeci JSE	SA T	7	1 3	110		    K   O	שמנ	l uo	itɔə.	tonc	IL.	/J95	90,,	<u> </u>	+			state vari

_	kabel-Nr.	d with	the CAE	33 Sys	stem			В						I		)						<u>a</u>						3					<del>_</del>					2	   
	kab																																					page	follow
					terminal	2:	7:	9	-	7:	U	0 0	2	7:	9.	9	: 2	7:	9.																-		+S1		
,					int. target	=A1-20K5.2	=A1-20K5.2	=A1-20K5.2	=A1-PE	=A1-20K6	=A1-ZUK6 - A1-2016	-X1	=A1-20K7	=A1-20K7	=A1-20K7	-X3	=A1-20K8	=A1-20K8	=A1-20K8	=A1-PE															-			drawing number	30448-06
					int. place	+S1	+S1	+S1		+ .	- n+	5 V+	+5.1	+S+	+S1	+S1	+S1	+S1	+S1																_	order number	A23500-2	dh ×	ше
					l jumper	17	18	19	20	7.1	77 50	77	75	26	27	28	29	30	31	32															_			_	
<del> </del>  -	<u></u>				terminal																																\ \ \	- <	SWITCH DOALD
	strip commentary	power		-X1	cross connection	=A1./10.1	$ \cdot $	./10.	.10	./10	9	=A1 /10 3		=A1./10.5	· \	· `	=A1./10.7	=A1./10.7	=A1./10.7	=A1./10.7																	Ų	J	
.   -	terminal				ıce	extruder	extruder	_	_	_	extruder		_	conditioner	conditioner	conditioner	extruder :	extruder =	extruder =	extruder																		_	superseded by
					ext. plo	+EXTR	+EXTR	+EXTR	+EXTR	+ LX - X	+EX-K	+ FX - R	+ AC			+AC	+EXTR	+EXTR	+EXTR	+EXTR															-		iaf oHG		superseded for
					arget	stirrer	stirrer	stirrer	stirrer	conveyor	conveyor	CONVEYOR	air conditioner	air conditioner	air conditioner	air conditioner	heating	heating	heating	heating																	Heinz Schaaf oHG	Ider 100kW Fri	90448-05 sı
1					ext. target	=A1-10M1	=A1-10M1	=A1-10M1	=A1-10M1	=A1-10M3	-A1-10M3	=A1-10M3	=A1-10F5	=A1-10E5	=A1-10E5	=A1-10E5	-XH	HX-	-XH	-XH																) project		Extru	origin 9
					erminal	] ]						I II ≰ G.			: L3			:2		. PE																date 25.10.16	worked :me		stand. PT
-					.OIW-	╫	ρ	gr	ge/gn			-																								Þ	3	Ше	name st
	cable mark				OIM-	-				MS J	10 6	up/un	n j n				N S	br	gr	ge/gn										-									variation date
F	כם		∢					മ							L	ر ر							Z-C	156 1900 1900	       	<u> </u> /	<u> </u> ታε	о. [ П	: מכ	ימרא	otioi	ote	<u>9</u> Λ.	Jəsc	10,,	 +			state varic

Kabel-Nr.	the CAE33 Sy	rstem		-	8							)				<u>1</u>			I			3						<u>-</u>					_	_
, жар   жар																						<u> </u>											bage	follow
		terminal		: 14		† C			: 12			: IN31																				+S1		
		int. target	=A1-PE	=A1-19K8	=A1-0	=A1-16A7	=A1-21K1		=A1-21K1	=A1-PE	=A1-24V1 =A1-0V1	=A1-15A5	=A1-PE																				drawing number	90448-06
-		int. place		+81		+5.1	+S+		+S1			+S1																			order number	A23500-2	dh ≥	ше
		jumper	1	7 7	η,	4 L	19	7	8	חכ	2 -	- 2	13																	-				
ntary		terminal																														C > -	Switch board	SWIICII DOUI'U
al strip commentary water dosing 230V	-X2	cross connection	=A1./11.4	=A1./11.4	A1./11.4	=A1./11.5	A1./11.5	A1./11.5	:A1./11.5	A1./11.5	A1./25.0	A1./25.8	:A1./25.8																			Ų	<b>.</b>	
terminal wat		1ce	extruder	extruder	extruder	extruder	extruder	extruder	extruder																									superseded by
-		ext. plc	+EXTR	+EXTR	1 + EX - K	+ FX TX	+EXTR	+EXTR	+EXTR																							aaf oHG		superseded for
	<u>                                     </u>	ırget	water dosing	water dosing	water dosing	water dosing	water dosing	water dosing	water dosing																							Heinz Schaaf oHG	Jer 100kw Fri	90448-05
		ext. target	=A1-11E4	=A1-11E4	A1-11E4	=A1-11E4 =A1-11F4	A1-11E4	A1-11E4	A1-11E4																						project		EXTruc	origin
		erminal		:2		 4 C																									date 25.10.16	worked ine		stand. PT
논		2.11W-	9	7 Q	Ja .:	NS DD	- ub	ge	gr	PIS																					  -  -	×	.16 me	date name st
cable mark																																		variation
	∢				<u>n</u>												N 1	) 32(c	onq SA T	7	'E N	AIO TT	) }J	ша	noi <sup>.</sup>	tect	onq	9٧	.JƏS	70,,			000010	state

A	AE33 System		· · ·	8		П			<u></u>
kabel-Nr									abad loss
		ַ 	 Ne	: 11			: 14		+51
		iiii. Turgel	=A1-24V =A1-15A5	=A1-21K8	=A1-10E5 =A1-PF	=A1-24V	=A1-1S6	= A 1 - PE	drawing number 90448-06
		וווי. אומרפ	+S1	+S1	+AC		+S1		order number A23500-2 draw up
ıtary		וחלו	- 01	7	יט מ	0 /	80 0		-X3
. strip commentary air conditioner	-X3	רו.חאא רחוווהרווחוו	=A1./18.4 =A1./18.4	=A1./10.6	=A1./10.6 =A1./10.7	=A1./18.3	=A1./18.3	=A1./18.3	
terminal			air conditioner air conditioner	air conditioner	switch board	switch board	switch board		S.7 UD (\$\frac{\psi}{\psi}\) and superconfid by
			air conditioner +AC	air conditioner +AC	door switch +S1	door switch left +S1	door switch right +S1		ojet Heinz Schaaf oHG Extruder 100kW Fritolay Vers.7
	+	ושליוטו. ואש	=A1-10E5 =A1-10E5	=A1-10E5	=A1-21K8	A1-1S6	=A1-1S7		
		ומו וווווווווווווווווווווווווווווווווו	2		: 14	: 13			date 25.10.16 worked ine exam. PT
cable mark									25.70.16 me
ν ση				מ				Serve protection mark acc. DIN 34 A23500-2	do." 00000 and administrate overithing overithing overithing overithing the contract of the co

Kabel-Nr.	١ ١	he CAE33 Sy ♥	stem			В							)															3							-					- 2
o l			terminal	-			 (1)	513	: S21	: \$22	:S13	: S14	1.521	. S13	.S14	: \$21	: \$22	: 14		N	2				: IN18			OCN I	7			: IN22			- 1-	47N - :			+S1	follow
			int. target	-X5	-X9	-X5		=A1-13K1 =A1-13K1	=A1-13K1	=A1-13K1	=A1-13K4	=A1-13K4	=A1-13K4 =A1-13K/	=A1-14K1	=A1-14K1	=A1-14K1	=A1-14K1	=A1-21K2	=A1-0V1	=A1-24V1 -A1-15A5		=A1-24V1		=A1-0V1	=A1-15A5	=A1-24V1	- \ 1 - 0 \ 1	= A 1 - 15 A 5	=A1-24V1		=A1-0V1	=A1-15A5	=A1-24V1	770	1	=A:1-15A5 =A:1-27.V1	1 1		to de training to the	90448-06
			int. place	+S1	+S1	+S1	+S1	+5.1	+81	+S1	+S1	+81	101	+S1	+S1	+S1	+S1	+S1		+0.1	-				+S1			+21				+S1				- D		order number		me wh
			al jumper		2			۷ ك			6								38	79	2,4	22	23	24	25	26	77	07	30	31	32	33	34	35	30	72	2		•	
entary			terminal																																				7X-	switch board
strip commentar		7X-	cross connection	=A1./12.3	./12.	/	./12.	=A1./13.2 =A1 /13.2	:   :	`.	=A1./13.5	=A1./13.5	-A1./13.5 -A1./13.5	`  `	`	=A1./14.2	`:	$ \cdot $	. / 14.	=A1./23.1 -A1./23.1	./ 45.	/23.	;	=A1./23.3	./23.	=A1./23.5	=A1./23.5 -A1 /23 5	٠٢٤/.	$ \cdot $	$ \cdot $	$ \cdot $	=A1./24.2	$ \cdot $	./24.	. 724.	=A1./24.4 =A1./25.1	:		IJ	ļ
terminal	ten		ıce	terminal box 24VDC	minal box 24VDC	terminal box 24VDC	box 24VDC	terminal box 24VDC	minal	terminal box 24VDC	minal	-	terminal box 24VDC	-	_	terminal box 24VDC	box 24VDC	-	minal box 24VDC	terminal box 24VDC	_	minal box 24VDC	_	terminal box 24VDC	-	_	terminal box 24VDC	mind box	terminal box 24VDC	minal box 24VDC		terminal box 24VDC	minal	terminal box 24VDC	minal box	terminal box 24VDC	24.50		<b>₹</b>	superseded by
			ext. plc	+KK24V	+KK24V	+KK24V	+KK24V	+KK24V +KK24V	+KK24V	+KK24V	4KK24V		+KK 24 V +KV 27.V	+KK24V	+KK24V	+KK24V		+KK24V	+KK24V	+KK24V	V + Z \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	+KK24V	+KK24V	+KK24V		+KK24V	+KK 24V +KV 27.V	+KK24V +KK27.V		+KK24V	+KK24V	+KK24V	+KK24V	+KK24V	+KKZ4V	+KKZ4V +KK2/.V	A + 7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-	11 OHG 2107 Vers 7 III	superseded for
			ext. target	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24 VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	terminal box 24VDC	200	- (	Heinz Schaat oHu Extender 100kW Eritolav Vers 7 IID	90448-05   Sur									
7			ext.	-XUV	-XUV	-XUV	NDX-	-XUV	-XUV	-XUV	-XUV	VUX-	-XUV	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	VUX-	-XUV	-XUV	VUX-	-XUV	-XUV	\OX   X   X	-XUV	VUX-	-XUV	-XUV	VUX-	\NX-	VOV-	AOX -	NOX-	-XUV	-XUV	NUX-	NOX-	\NX-	\N\X-	200	6 project	\frac{1}{2}	origin
			lerminal	-	: 5			٠ (۲		8:				1		: 15			 2							: 26			30		: 32		: 34				1		TO	stand. PT
- \ <u>\{</u>		7	S.SIW-		2	m	7	ر د	7	8	б	10	- 2	13	14	15	16	17	18	19	202	22	23	24	25	26	278	20 50	30	31	32	33	34	35	36	3/	R			name
rable mark			T																																					variation d
		∢				<u>B</u>							U								.o.	N 1	)9(c	onq SA	7	'E 1	<u>110</u>		ע מ	ומרן	ш	oit:	otec		9٧	.Jəs	90"		0,000	state

Created with the CAE33 Sy	stem	B	
kabel – Nr.			page follow -
	erminal	NS	+S1
	int. target	=A1-0V1 =A1-15A5 =A1-PE	drawing number 90448-06
	er int. place	15+	order number A23500-2 draw up
	terminal jumper	39 70 70 70 70 70 70 70 70 70 70 70 70 70	-X4 switch board
nal strip commentary terminal box 24VDC ————————————————————————————————————	cross connection	= A1./25.2 = A1./25.2 = A1./25.2 = A1./23.2	
terminal term	ext. place	terminal box 24/00 = terminal	UD Superseded by
	ext	vpc +KK24V vpc +KK24V vpc +KK24V	haaf oHG Fritolay Vers.7 L superseded for
	ext. target	terminal box 24VDC terminal box 24VDC terminal box 24VDC terminal box 24VDC	project Heinz Schaaf oHG Extruder 100kW Fritolay Vers.7 origin 90448-05  superseded for
	erminal	- 39 - 40 - 40 - 41 - 41 - 42 - 40 - 40	25.10.16 pr 2d ine
	: ZIM-	39 4 7 0 7 0 7 0 7 0 0 0 0 0 0 0 0 0 0 0 0	date name stand
cable mark		"Observe protection mark acc. DIN 34 A23500-2  "Observe protection mark acc. DIN 34 A23500-2	00010 state variation

Liter	ited with	the CAE33 S	ystem			8			Т							(	<u> </u>			T			3		Т									_
N-ladox			·																														-	٦
A d d																																		>
				L					ω.																								page	follow
			erminal		:\$12	7	775		OUT1																									
-			- ter	1	-::	-	.:		 																						ŀ	ţŞ.		ŀ
			int. target	-X4	=A1-12K5	-X4	=A1-12K5 =A1-24V1	=A1-0V1	=A1-16A1	=A1-0V1			=A1-PE																				drawing number	<del>,</del> 48-06
			int. place																													umber 0-2		<u>06</u>
			Ë	+S1	+51	15.	2		+S1																							order number A23500-2	draw up	핕
			јитрег	Ť													$\dagger$							$\dagger$							╽┠			
			l ii	-	2	η,	4 0	9	7	<b>ω</b> σ	70	11	12									+		+										
tarv			terminal																													L >		SWIICII DOUI'U
strip commentary	control panel 24VDC	-X5	cross connection	:A1./12.3	.A1./12.5	A1./12.3	A1 /17 2	=A1./17.2	=A1./22.1	=A1./22.1		1 :1	=A1./22.2																			ÌŲ	J	
1 .	confi			anel =	anel =	anel		anel	anel		_																					<		Ą
terminal				control panel	control panel	control panel	control panel	control panel	control panel	control panel	control panel	control panel	control panel																					superseded by
			ext. place	00	))	5	ט כ		5	5 3	5   5	Ü	5																		_		밁	
						_	_	_		_	_	_																				모	Vers	ded for
				c +P1	C +P1		† †	+ P 1	C +P1	+ P1		C +P1	- +P									4					-					aaf o	itolay	superseded
			et	+24VDC	+24VDC	+24VDC	+24VDC +24VDC	+24VDC	+24VDC	+24VDC	+24VDC	+24VDC	+24VDC																			Heinz Scho	⊼× T	90448-05 s
			ext. target																													project	Extruder	origin 9044
1				-XP	-XP	d X	-   A	- F	-XP	-X-	< -	-XP	-XP																			او		
			inal	П																												25.10.16 ine		Ы
			lerminal	<u></u>	: 7	Υ `	 4 r.	9		ω 0		: 1	: 12																			date		stand.
$\vdash$							_						듸					_		ı								_			<b> </b>	<u>□                                    </u>		name si
		!	E.SIW-	-   -	2	m \	4 \	9	7	ω σ	9 9	11	ge/gn		-							1		$\perp$			-			+	<b>∤</b>		.16 me	
ا کارا	<u> </u>			$\perp$		-	-					$\square$										+		+			-			+	┆┞		25.10.16	date
Aum aldur				$\perp$			-								-		$\perp$					+		-						+				variation
$\vdash$		⋖				m			Щ			Ц													<u> </u>						Ц	+		Var
			I															Z-0(	toejo OSE:	2/i4 SA <u>S</u> A	7	'E N		χικ	ш	noita	ote:		esq0	)"	$\neg$		000010	state

kabel-Nr.	the CAE33 Sy	stem			В							)							<u>a</u>					3				3					-	-
kab									<u> </u>																				<u> </u>				page	follow
		terminal	: T1	:T2	: T1	:T2		:   Z	SENO	:RTN0	EXC1	DTN1	: EXC2	: SENZ	:RTN2	: EXC3	: SEN3	CN LY	SFN4	: RTN4										-		+21		
		int. target	=A1-3F5	=A1-3F5	=A1-4F5	=A1-4F5	=A1-5F5	=A1-5F5 - A1-16A5	=A1-16A5	=A1-16A5	=A1-16A5	=A1-16A5 =A1-16A5	=A1-16A5	=A1-16A5	=A1-16A5	=A1-16A5	=A1-16A5 -A1-16A5	-A1-10A5	=A1-16A5 =A1-16A5	=A1-16A5	=A1-PE												drawing number	30448-06
		int. place	+S1	+S1	+S1	+S1	+81		+S1	+S1	+S1	+ \ + \ + \ + \	+S1	+S1	+S1	+81	101	- t	+ + \(\frac{1}{2}\)	+5.7											order number		e •	lle Lle
		јитрег		2	3	7	5 (	٦ ۵	8 /	ெ	0	1.1	4 W	7	15	1 0	/ a	0 0	202	) <del>-</del>	Е													
ıtary		terminal												1			-   -		-   ~	2	<u>a</u>											-XC	switch hound	) WILL 10 10 1
ıal strip commentary temperatur sensors	-X6	cross connection	=A1./3.6		=A1./4.5		`.	=A1./5.5	=A1./26.1		<b>\</b> I	=A1./26.2 =A1./26.2		_	<b>                                     </b>	./26.		`.	=A1./26.5 =A1./26.5													Ļ		
terminal tem		ext. place	temperatur sensors	sensors	temperatur sensors		_	temperatur sensors	_	sensors	-	temperatur sensors	Sensors	_	-	_	_		temperatur sensors	_	sensors										1		_	VI handradii N
		ext	+KKTH	+KKTH	+KKTH	+KKTH	+KKTH	+KK-H	+KKTH	+KKTH	+KKTH	+KK-H +KK-H	+ KKTH	+KKTH	+KKTH	+KKTH	+ + + + + + + + + + + + + + + + + + +	+ <del>-</del> + <del>-</del>	+KKTH +KKTH	+KKTH	+KKTH										Ų., 1	0HG	ituy vers./ u	sinerseded for
		ext. target	temperatur sensors	temperatur sensors		_		temperatur sensors				temperatur sensors		temperatur sensors	-				temperatur sensors												project	Felliz Schaal Offic Extendor 1006W Eritolay Vors 7 LID	באוותחפו וססאא בווור	nrinin 90448-05  sın
			TX-	-XT	-XT	TX-	LX-	-    -  -  -	- X	-XT	TX-	- X-	X-	-XT	-XT	X-	-  - ×  -	-	- X-	X-	-XT													_
		lerminal		: 5	۳.	7:	ű (	٠. ١.	. 8.	<u>ი</u>	. 10			: 14	: 15	10	_ a	0 5	S C		:PE											П		strind IPT
cable mark		S.EW-		2	Ж	7	N (	0 1	· 8	σ	10		13 5	14	15	16	_ a	0 (	2000	21	ge/gn											į	25.10.16 me	dute
cable	∢				В																-00;			ш			-	LL.	Jəsc				ightharpoonup	state variation

<u> </u>	\(\frac{1}{2}\)	e CAE33 Sy	stem	T		В		T	T			<u>_</u>			T			<u>a</u>			Н			<u>3</u>	T	П		<u> </u>	 T	<u> </u>		T		-  -	_  -
kabel-Nr.																																		page	TOLLOW
			erminal	:T1	: T2	:T1	:T2	. I N27	: 11		13 N28	 0.		OCIV I	C 7 1 1 :																		+S1	8.13	וחו
			int. target t	=A1-7F5	=A1-7F5	=A1-8F5	=A1-8F5	-X/ =A1-15A5	-X7		-X7 = 41-1545	6X-		=A1-0V1	747 - 14-		=A1-PE																	arawing number	0440-00
			int. place	.S1	.S1	S1	S1	701	+81		+81	+S1																				der number	-2	<del>S</del>	me U
			јитрег		2								210	2		(0	7															0	<u> </u>	<del>o</del> t	Ξ
tary			terminal				7			ω.	ص ( <del>-</del>	1			15	16	1.																_X_	switch board	
Strip commentary	שמקטוו כסווויטו	-X7	cross connection	=A1./7.5	41./7.5	41./8.5	41./8.5	=A1./25.4 =A1./25.4		•	=A1./25.5 =A1./25.5			•	=A1./25.6		•																L		_
terminal	lind		ext. place	= extruder =	= extruder =	extruder =	extruder =	extruder	_		extruder =			extruder =		extruder =																			Superseded by
			ext.	+EXTR	+EXTR	+EXTR	+EXTR	+EXIK +EXIR	+EXTR	+EXTR	+EXTR +FXTR	+EXTR	+EXTR	+EX-K	+EXTR	+EXTR	+EXTR																f oHG	idy vers./ O	Superseded for
			ext. target	plug box pump wagon	nolug box pump wagon	nogaw dmud xod guld	plug box pump wagon	plug box pump wagon	plug box pump wagon	plug box pump wagon	plug box pump wagon	nogow dmud xod guld	plug box pump wagon																project	Heinz Schaaf oHG	EXII	Origin 30448-05  Sub			
			erminal 6		Z-XIP			× × ×		-XIP			-XIP		-XIP																	25.10.16 pro	ıme I	e ine	<u>_</u>
					: 2					ω.			: 12		. 1									<u> </u>								date		e exam.	DOME STONE
cable mark			S'LM-	-   -	2	8	4 1	ω n		8	0 0	5	12	13	15	16	ge/gn																9	dr.07.c2	date
cat	⋖	(		<u> </u>		В							,						7_0	toejo OSE		171	C N	Щ.	y.ir		רווסע	alu:	u Jd a		5q0,,	+		00000	e variation

Created		ne CAE33 Sys	stem		{	3						)				а						3						F						_
kabel-Nr.																																$\prod$	-	
_																															Ц		삘	ΜO
		1	7	<b> </b>		1			_										1												$\Box$		page	follow
			ermina	: 34	Ü,	- 12	: 14	<u></u>	172	1	: 12	. 14																					_	
			_									$\top$						1				$\top$					$\top$					7	+	-
			int. target	2K5	2K5	1K4	1K4	1K5	7 7 7 7	1K6	1K6	1K6	_																				nber	
			int.	=A1-12K5	A1-1	-A1-2	:A1-2	A1-2	-A1-2	:41-2	-A1-2	-A1-2	-																				drawing number	48-06
				1"	<u> </u>	. 11	11	11	<u>n   11</u>	11	"	"						+	$\dagger$			+					+						draw	904
			int. place																													ا قار	7	ŀ
			ī.	S1	SZ SZ	2 (2	S1	S1	+ 5.1	S1	S1	S1																				order number	draw up	ا
			Jer	+	+ +	+ +	+	+	+   +	Ť	<del>+</del>	+						+	$\dagger$			+					+			-		16,5	ί €	Ĕ
			јитрег		2 0	7 <+	. 10	C	\r	) m	<u> </u>		7						1			+					1							
			iinal		, 1	.   7		العا	<u>~</u>   α	, , ,	~	11	-																					oara
ary			terminal																														×-	switch board
nent			ПO	+	+	+					H	+			+			+	+	$\parallel$		+					+		$\perp$				i	AS
commentary	ווסמוווול נסווומכוצ		cross connection	2.6	2.7	1 7	1.4	7.5	ر د   د	1.6	1.6	ر م آم	- -																					
Strip (	) h	-X8	SS COI	=A1./12.6	110	1/2	1./2	1.72	1.72	1./2	1./2	1./2	7 / 7																					
ial s	1100		CFO	¥=	¥ ×	¥   ¥	= A	= -	¥ =	= Y	= A	∀   <	-	-				+	+			+					+							
terminal																																		superseded by
te			αςe																														$\left  \cdot \right $	superse
			ext. plo																														Π	
			Ψ																														Extruder 100kW Fritolay Vers.7	d for
																																+	olay \	superseded for
																																2	V Frit	SUF
			<u> </u>																													Loio L	100K	3-05
			ext. target																														uder	90448-05
			ext.																													project	Extr	origin
			inal									$\dagger$						$\dagger$	t			$\dagger$					$\dagger$					25.10.16	:The	- 1
			erminal																												Ц	date	7	stand.
				+	_	<u> </u>			_			_	_	_				_	1			_		_			_				$\Box$			name s
				+	+	+						+			$\parallel$			+	+			+					+			-	H	H	9	
mark				+	+	+						+			H			+	+	$\parallel$		+					+				H	$\mathbb{H}$		
cable mark				+	+	+					H	+						+	+			+					+							variation
	<u> </u>	∢		1	<u> </u>	Δ						U						2051	<u> </u>	, .		ш		\1.15		10112	710	IT.	- -			+		
																	.oV C-(	ject JOSS	(07C	1	/Ł ۱	NIU	טרר	Jrk	ישי (	nit)	atnŋ	iu 9	VJG	sq0"			000010	state

	, ,	he CAE33 Sy:	stem	_		В	_		Ц			-				а		_	Ţ	_					Д			Ь						_
kabel-Nr.																																	-	
A day				+																													page	follow
		1	<u>la</u>	+			_		T_			3						_	1	Τ							Τ		_		$\dashv$		8	fo
			  ermina		 	7 (	. 0.	7	.S	: \$21	OCIN I	<u>-</u>																					- - -	
			int. target	5X-	6X-	-X4	5X-	6X-	=A1-12K5	=A1-12K5	=A1-24V1	=A1-PE																						90448-06
			int. place	+S1	+S1	+\$1	+S1	+S1	+S1	+S1	104	- 0																				order number		те
			јитрег																															
tary			terminal ji	<del> </del>	2	m ·	4 0			8	0 (																						6X-	switch board
Il strip commentary	external contacts	-X9	cross connection	=A1./12.	=A1./12.	=A1./12.	=A1./12.	-A1./12.	=A1./12.	=A1.	=A1./25.7	./25.																				  L	Ų	<i>S</i>
terminal	Ф		ext. place	switch board																														
_				acts +S1	acts +S1			acts +51	acts +S1	+S1	refilling +Extern																					thank out	riidai ond Fritolay Vers."	superseded for
-			ext. target	external contacts	ret	-																				rt Loiou	Extruder 100kW Fritolay Vers.7	90448-05						
ı			ex .	-X9	-X9	6X-	5X-	n SX-	6X-	-X9	=A1-K1	-																					ă T	origin
			erminal					7 8.			114																						worked ime exam. ime	Ы
	1																															date		9
ark				1							+																		+				25.10.16 me	date nai
cable mark				$\perp$		1	+	$\perp$			+			_				+		_				+			$\perp$		+		$\downarrow$			variation
F		∢				മ			<u> </u>				<u> </u>							<u> </u>		Ц			<u> </u>			ш				$oldsymbol{+}$	+	
					_	_	_	_	_	_				 	 		.oV S-(	ject 320C	010 \\	/ † <u>-</u>	7E	DIN	מככ <sup>.</sup> _	_ Jlk	ші	– roits:	– eton	u ə/	_ vJ9S	,OP			000010	state

	with the C	CAE33 Sys	tem		В				)		1	П			Т		Ξ	}					<u> </u>				
Z Z	•											Ī															- 1
kabel-Nr.																											
ω																											page follow
		ſ	inal																						7		
			termina	□ >	? ?	 B.																		4		+S1	
			<del></del>																								
			int. target		2 (2)	[]																					Dec
_			Ė.	=A1-3G1 =A1-3G1	1-3	(1-3																					arawing number 90448-06
		ŀ		4   V		4													+					4		-	arawin 3044
			Ce																								<u> </u>
┧		$\dashv$	int, place																						-	order number A23500-2	
			<u>:</u>	+S1	S S	S1																			-	der <sub>n</sub>	araw up Me
ا م		<b> </b>	ē	+ +	-   +	+	+	+	+			+			H		+	+	+	+	+				$\ \cdot\ $	ō <b>⋖</b>  -	<del>6</del> €
			јитрег																								
		[		- 0	7 M	4		$\prod$										$\prod$						7			٦
$\left  \begin{array}{c} \\ \\ \end{array} \right $			terminal																							0	switch board
commentary			ţei																							-X10	switch
Jen L		╽┟					+																	1			,
JE OFFI	5		cross connection			_																					
Strip com cutter motor		X10	COD 5	(m)		κ.																			<u> </u>		Н
Strip cutter n			CLOSS	=A1./3.1 =A1./3.1	= A1	=A1																				L,	
inal			_	extruder	extruder	extruder																				4	Ā
termina				exti	e K	exti																					superseded by
4			ıce																						-		r Supers
			ext. place																							9	
4																										7	را امر
				plug box cutter +EXTR	X	XIX																				oject Heinz Schaaf oHG Extrudor 100KM Eritolay, Vorc 7	superseded for
				+ +	- + 5 5	- H													+					4		aaf o	Supers
n				ox cutt	ox cutt	ox cutt																				Sch	-   <del>'</del>
			<del>_</del>	d gulq	plug b	plug b																				Heinz	3-05
4			ext. target																							7	90448-05
			ext.																						-	project Extra	origin
						ᅴ																			╽┠		- Jo
7					۲Ž	×	$\perp \downarrow \downarrow$	$\perp$		_		$\perp$					$\perp \perp$	$\downarrow \downarrow$	$\perp$			_		4			
			erminal			<u>ы</u>																				J.07.25	Ē ₽
		Ĺ	eri		 W	<u> </u>																			-      -	date worked	exam. stand.
<b>—</b>				-		딝ㅣ												<del>                                      </del>						1 1	┧┞		يو
			r.EW-	. N E	9 6	ge/gn	$\perp \downarrow$	$\perp$	$\perp \downarrow \downarrow$			$\perp$						$\downarrow \downarrow$	$\perp$		$\parallel$			$\perp \downarrow$	┧┠		ا ام
밀							$\perp \! \! \perp$					$\perp$						$\prod$	$\perp$		Ш			$\perp \perp$	<b>↓</b> L	1 6	25.70.75 date
cable mark																	Ш		$\perp$								
cab																											variation
	∢				В		Ī		ن				Z-(	3200	SA _	78	NIO	בככ.	ומנג	л noi	itecti	ong :	9V795 T		$\dashv$	9	ooorio state
													.oN	ject 320C	pro												state

	with the CAE33 Sy	stem	8		)		а				}	Щ						_
kabel-Nr.																		×.
		<del></del>															page	Tollow 8
		termina	□ ≥ ≥ <sup>[</sup>	H. H.												Į Į	5	
		int. target	=A1-461 =A1-461 =A1-461	=A1-4G1													drawing number	304442-00
		int. place	+ S+ + S+ + S+ + S+ + S+ + S+ + S+ + S+	+81												order number	draw up	ı
		јитрег	- Z E ,	.+														S
ıtary		terminal		7													-X11 switch board	-
Strip commentary	-X11	cross connection	=A1./4.1 =A1./4.1 =A1./4.1	=A1./4.1														
terminal s		ace	extruder =/ extruder =/ extruder =/	extruder =/												•	\ \{\bar{\chi}{\chi}\}	superseded by
		ext. plu	+ EXTR + EXTR + EXTR	+EXTR												of oHG	olay Vers.7 UD	superseded for
		arget	dosing 1 dosing 1	dosing 1												Heinz Scha	, ×   ×   ×	30448-U5   SU
7		ext. target	=A1-4M1 =A1-4M1 =A1-4M1	=A1-4M1													Extru	origin 3
		erminal														e 25.10.16	exam. :me	- 1
<u> </u>																date		ne stand.
- 돌		l.⊅M−	S S B D D D D D D D D D D D D D D D D D	ge/gn													19	date name
cable mark																		
cat	∢		<u> </u>		_ 			1 tosio -00252	 	E NIQ	< مدد. ۲	ח שמרו	oitsetc	7Q 9V	iesdo"			state variation

		3								П			- 1		3			1		Ⅎ				
																								- 1
																								follow
jna	1		ш																					
er.	=  = -	2 2 3	<u>₹</u>																				+S1	
int, target	יים שליי	=A1-561 =A1-561	=A1-561																					arawing number 90448-06
int, place	וווו. אותר ב	+ \ + \ + \ + \ + \ + \ + \ + \ + \ + \	-S+																					araw up
umber																								!
	-	-	7																				-X12	switch board
-X12	רו מאא רמווופרוומוו	=A1./5.1 =A1./5.1	=A1./5.1																				Щ	
tt. place	מרב	extruder	extruder																					
<u> </u>		2 + EXTR 2 + EXTR 3 + EXTR	2 +EXTR																				aaf oHG	superseded for
taraet		dosing	dosing																				Heinz Sch	90448-05
ext	ע אַ צ ע	11-5M1 11-5M1	11-5M1																				projec	9
lad														+									25.10.16 :me	E I
егші	=  - - -	2 2 3	 М																				Jate vorked	exam. stand.
	$\dashv$																<del>                                      </del>							يو
	SM-	N J J	ge/c		+									+										ا ام
	$\dashv$	+			+						-			+			+	+	-					25.70.76 date
					$\perp$						1		$\sqcup$	$\perp$			$\perp$		_					variation
	$\perp$									$\prod$														varic
	1	ď				<u> </u>						002È	SA	<b>7</b> Ε			שמנג	noit:	oroteo	<u>9</u> V1	əsqo"			state
	- X12 - X12 - Yangat to town to the town t	terminal ext. target ext. place cross connection terminal jumper int. place int. target the state of the sta	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   targe	erminal         ext. target         ext. place         cross connection         terminal         jumper         int. place         int. target         int. place           :U         =A1-5M1         dosing 2 +EXTR         extruder         =A1./5.1         1         +S1         =A1-5G1           :W         =A1-5M1         dosing 2 +EXTR         extruder         =A1./5.1         3         +S1         =A1-5G1           :PE         =A1-5M1         dosing 2 +EXTR         extruder         =A1./5.1         3         +S1         =A1-5G1           :PE         =A1-5M1         dosing 2 +EXTR         extruder         =A1./5.1         4         +S1         =A1-5G1	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   int. place   int. target   int. place   int. place   int. target   int. place   int. target   int. place   int. place	cerminal   ext. target   extruder   ext. place   cross connection   terminal   jumper   int. place   int. target   tar	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   int. place   int. place   int. target   int. place   int. place   int. target   int. target   int. target   int. place   int. target   int. target	Terminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   int. place   int. target   int. place   in	Ferminal   Ext. target   Ext. place   Cross connection   Terminal   Jumper   Int. place   Int. target   Int. target   Int. target   Int. place   Int. place   Int. place   Int. target   Int. place   Int. plac	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   target   target   extruder = A1.75.1   target   ta	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   targe	State   Cross connection   Terminal   Jumper   Int. place   Int. largel   Fartar   EAT-561   E	Serminal   ext. target   ext. place   cross connection   ferminal   jumper   int. place   int. target   int. place   int. target   int. place   int. target   int. place   int. place   int. place   int. place   int. target   int. place   int. place	System   S	Seminal   ext. target   ext. ptace   cross connection   terminal   jumper   int. ptace   int.	Common   Early   Ear	Ferminal   ext. target   ext. target   ext. target   ext. place   cross connection   terminal   jumper   int. place   in	Ferminal   ext. target   ext. place   cross connection   terminal   jumper   int. place   int. target   terminal   jumper   int. target   terminal   jumper   int. place   int. target   terminal   jumper   int. place   int. target   terminal   jumper   int. target   terminal   jumper   int. place   int. target   terminal   jumper   int. place   jumper   jump	Feminal   Earl target   Extra   Extr	Section   Sect	Ferning   Fern	Committed   Comm	Fig. 10   Fig. 10   Fig. 10   Fig. 11   Fig. 11   Fig. 12   Fig. 12   Fig. 12   Fig. 13   Fig. 14   Fig. 15   Fig.	Figure   F

created With 1	he CAE33 Sys	tem		8			<u> </u>		1		О					3									_
	•	<b> </b>					ĪT																	-	ٔ [
kabel-Nr.											Ħ														
0																								page	70110w 8
		nal				$\Box$					П														1
		ermina	<u> </u>	l																			Σ <sub>+</sub>	5	
1		+																							r
		int. target	<u></u>																					鱼	
_		Ę.	=A1-761 =A1-761	=A1-761 =A1-761																					5 4
			<b>4</b>   <b>4</b>	<b>4</b>   <b>4</b>		+++					$\perp$													drawing number	JQ44 4
		ie																							1
1		int. place																					order number A23500-2	1	F
		Ξ.	+S+	<u> </u>																			Jer n.	draw up	n.
		٩	+ +	+ +		+++	+	+	+		+	+		+	+	$\vdash$	+	+	+	$\vdash$	+	$\left\{ \ \right  \ \left  \ \right $	Or.	(  <del> </del>	
		јитрег																							آ
			7	M 4										$\parallel$			$\top$					1		т.	, [
1		terminal																						−×13 switch board	<u> </u>
tar)		tег																					;	× ii H	
commentary						+++	++	+	++		+			+		$\vdash$	+					$\frac{1}{2}$		ν	
		cross connection																							9
rfion	X13	CODI																							$\dashv$
Strip		:ross	=A1./7.1 =A1./7.1	=A1./7.1 =A1./7.1																				U	ŀ
terminal strip commer statorinjection 1 motor			extruder :	extruder							$\top$												<		a
			extr	extr																					superseded by
<sup>‡</sup>   †		ICe																					•	<del>)</del>   }	
		ext. place																							1
1																								.s.7 I	ے ا
			XTX	X X X																			밀	V Ver	- Dago
			다 + + - c	<u> </u>		$\perp \perp \perp$				+	+			$\perp$			+					-	lag.	itola	superseded for
			plug box pump wagon +EXTR plug box pump wagon +EXTR	р мадо																			Sch	Extruder 100kW Fritolay Vers.7 UD	٦
		_	und xo	und xo																			- Jeinz	9	Į.
_		ext. target	d guld plug b	d guld																			_	ider 1000	30448-05 1
		ext. 1																					project	Extr	origin
				مام																				1   3	ō
7			X- X-	<u>X</u> X		$\coprod$	$\perp \downarrow \downarrow$	$\perp \mid$			$\perp \downarrow$			$\perp \mid$			$\perp \downarrow$	$\perp$				<b>↓</b>	7.16		7
		erminal	N	σ O																			25.10.16	≝	<u>_</u>
		егп	18	: 19																			date	exam.	stand.
			<b> </b>	c	<del>                                      </del>									<del>     </del>			<del>     </del>						10 3		name s
		ι. ۲W-	N S L	gr ge/gn			$\perp \perp$	$\perp \downarrow$						$\perp \mid$			$\perp \downarrow$						$\mathbb{H}$	19 19 19 19	핕
-																								25.10.16	gate
cable mark																									
cabl														$\parallel$			$\parallel$								variation
	∢		• ' '	ω ·			U				7			d +	E VIII	т. П	וו.א מ	ош шо	יפכזונ	ong :	- - -	<u>'</u>	#		
L_											.0	N 13 -00	ejo1	d ′	- 1 VIC		. 15.		.,1			"		000010	state

A	CAE33 Sys	t em	В		)			0				=					<u> </u>			
			$\prod$																	- 1
kabel-Nr.																				
0										<u> </u>						1				page follow
	ſ	inal																		
		termina	□ ≥ ≥																+S1	
		int. target	=A1-8G1 =A1-8G1 =A1-8G1	=A1-861																drawing number 90448-06
		int. place																	nber -2	draw up dra me 90
		<u>ر</u>	+ + + × + × × × × × × × × × × × × × × ×	ν   Υ				+					+		+				orde A23	ala Te
		јитрег																		
ıtary		terminal	- Z m	7															-X1/.	switch board
inal strip commentary statorinjection 2 motor	-X14	cross connection	=A1./8.1 =A1./8.1 =A1./8.1	=41.78.1															Щ	<u></u>
terminal stato		ext. place	extruder extruder extruder	extruder																Superseded by
-			gon +EXTR gon +EXTR qon +EXTR	gon +EXTR														_	haaf oHG	rifolay Vers./ U superseded for
		ext. target	plug box pump wagon +EXTR plug box pump wagon +EXTR	aw dund pox band															project Heinz Schaaf oHG	extruder 100KW Fr
			<u>~</u> ~ ~	<u> </u>															I E	6
7	}			XX	+++	+		+	+	+	+		+						25.10.16 :me	
		erminal	:21	24															ed ine	in in
1	L	<del>Ψ</del>	1														1 1		date worked	exam.
		1.8W-	. NS LA LB	ge/gn																me name
-  <del>×</del>				6				$\dagger \dagger$		$\top$	$\dagger \dagger$		$\dagger \dagger$							25.10.16 date
cable mark				+++				$\dagger \dagger$			$\dagger$		$\dagger \dagger$		$\dagger \dagger$				H	
cable								+			$\dagger \dagger$		$\dagger \dagger$							variation
<			<u> </u>	)					7 001		-رر ر	- MC	, 325. , I	110111	HOUST	וטיק	T	10	1	
							 		M 15 003	9ĺ07c ⊒FC∆	7E 	. INIU	ע טני	שחח	anitae	HOAU	9VJ9S0	HU#		000010 state