Dokukmentacija

Web programiranje 1

Odsek Visoka skola za informacione i komunikacione tehnologije Akademija tehnicko-umetnickih strukovnih studija Beograd



Matija Čalić 244/20 Internet tehnologije

Contents

Uvod	3
Korisćeni alati	3
Funkcionalnost	3
Template:	3
Izgled Sajta	3
Organizacija sajta	9
RSS	9
Sitemap	9
Kod koriscen za ispis sajta	10
HTML	10
CSS	18
Responsive CSS	37
JavaScript	41
jQuery slajder	47

Uvod

Korisćeni alati: Sajt je urađen kao single-page, korišćenjem HTML, CSS, jQuery, JavaScript i XML (sitemap) korišćenjem editora Visual Studio Code.

Funkcionalnost


- Samostalno ispisan dinamički header
- -Pojava "hamburgera" ukoliko dodje do smanjivanja širine ekrana

koji prikazuje elemente navigacije

- -Dinamički ispis članova tima, pri hover-u moze se videti njihov posao
- -Slajder ispisan preko jQuery plugina, dodatno stilizovan
- -Galerija dinamički ispisana upotrebom JavaScripta i jQuery-a takodje dodatko modifikovana I stilizovana
- -Ispis svakog elementa forme
- -Regularni izrazi ispisanu u JavaScriptu
- Kratak tekst i slika o Autoru
- -Footer samostalno ispisan(sa mogucnosti vracanja na odrednjeni deo strane klikom)
- -Sajt je prilagodjen svakom uredjaju (responsive)

Template:

Nije korišćen ni jedan template, ceo kod je pisan samostalno



- -Prikaze header-a u kom se nalaze logo i meni
- -Video bez zvuka sa loop-om
- -Klikom na H1 tag prelazimo na deo stranice sa slajderom






-Dinamicki ispisani clanovi tima, hover efektom dobijamo njihov posao




-Slajder sa 5 razlicitih slika, sledecu sliku dobijamo klikom na jednu od strelica



Dinamicki ispisana galerija sa 6 slika I 3 gif-a nad kojom je upotrebljen jQuery plugin sa manuelnim modifikacijama, klikom na bilo koju sliku dobijamo njenu uvecanu verziju sa tekstom o njoj:







- -Forma sa odradjenom validacijom imena, prezimena, mejla, i usluge
- -Sa desne strane nalazi se "lokacija" radnje



-Kratak opis autora sa slikom sa desne strane



- -Ispisan futer koji sadrzi navigaciju, lokaciju, kratak opis radnje
- -Fa-fa ikonice rss,xml I dokumentacije
- -Autorska prava (copyright)



-Pri manjim rezolucijama dobijamo hamburger sa elementima navigacije.

Organizacija sajta

RSS

Sitemap

Kod koriscen za ispis sajta

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="8"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
        <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
        <link rel="stylesheet" type="text/css"</pre>
href="./assets/css/responisve.css"/>
        <link href="https://www.jqueryscript.net/css/jquerysctipttop.css"</pre>
rel="stylesheet" type="text/css">
        <link rel="stylesheet" href="https://netdna.bootstrapcdn.com/font-</pre>
awesome/4.3.0/css/font-awesome.min.css">
        <link rel="preconnect" href="https://fonts.googleapis.com">
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        link
href="https://fonts.googleapis.com/css2?family=Concert+One&display=swap"
rel="stylesheet">
        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"></script>
        <title>SneakerBeast</title>
        <link rel="icon" type="image/x-icon" href="./assets/img/logo.png">
    </head>
    <body onload="meni()">
       <header>
            <div id="logo">
                <a href="index.html"><img src="./assets/img/logo.png" alt="logo"
</pre>
image"></a>
            </div>
            <nav id="meniNav">
                </nav>
            <a href="javascript:void(0);" class="icon" onclick="myFunction()">
```

```
<i class="fa fa-bars"></i></i>
            </a>
        </header>
        <div id="myLinks">
            <div><a href="#home">Home</a></div>
            <div><a href="#about">About us</a></div>
            <div><a href="#work">Our work</a></div>
            <div><a href="#galery">Galery</a></div>
            <div><a href="#contact">Contact</a></div>
            <div><a href="#author">Author</a></div>
        </div>
        <div class="video-holder">
            <div id="video">
                <video autoplay muted loop id="video">
                      <source src="./assets/img/video.mp4" type="video/mp4"</pre>
alt="video">
                    </video>
              </div>
              <div id="space">
                  <div id="text">
                      <div>
                          <a href="#work"><h1>"Sneakers are a new era. Anyone can
feel new with a custom pair of shoes"</h1></a>
                      </div>
                      <br>
                      <div>
                          We are an exclusive footwear customisation brand,
creating unique designs
                      </div>
                  </div>
              </div>
        </div>
        <div id="section">
            <div class="scrollNav" id="about">
                <div class="scrollSpace" style="height: 70px;">
                </div>
                <div id="podnaslov">
                    <h2>About us</h2>
```

```
</div>
                <div id="opis">
                    Sneaker beast was established in May 2019. We are an
exclusive footwear customisation <br > brand,
                    creating unique designs and adding vibrant enhancements to
classic silhouettes
                    that<br/>that<br/>can't be purchased on the high street or anywhere
else.
                </div>
                <div id="slike">
                    <div id="slika1">
                        <img src="./assets/img/onama1.webp" alt="slika1"/>
                    </div>
                    <div id="slika2">
                        <img src="./assets/img/onama2.webp" alt="slika2"/>
                    </div>
                </div>
                <div id="tim">
                    It all started as a hobby, so Matt could have shoes that
were unique to him and that no one<br>
                        else had.
                    MattB Customs is now a team of 10, working from a studio
based in<br> Manchester, UK
                </div>
                <div id="podnaslov">
                    <h2>Meet the team</h4>
                </div>
                <div id="timjpg"></div>
            </div>
            <div class="scrollNav" id="work">
                <div class="scrollSpace" id="gradient" style="height:100px;">
                <div class="rotateslider-container" id="slider">
                    <h1>Most popular work</h1>
                    <div class="rotateslider-item"><img id="imgItem"</pre>
src="./assets/img/patika1.jpg" alt="Patika1"></div>
                    <div class="rotateslider-item"><img id="imgItem"</pre>
src="./assets/img/patika2.jpg" alt="Patika2"></div>
```

```
<div class="rotateslider-item"><img id="imgItem"</pre>
src="./assets/img/patika3.jpg" alt="Patika3"></div>
                     <div class="rotateslider-item"><img id="imgItem"</pre>
src="./assets/img/patika4.jpg" alt="Patika4"></div>
                     <div class="rotateslider-item"><img id="imgItem"</pre>
src="./assets/img/patika5.jpg "alt="Patika5"></div>
                     <span class="arrow right js-rotateslider-arrow" data-</pre>
action="next"><i class="fa fa-angle-right fa-3x"></i></span>
                     <span class="arrow left js-rotateslider-arrow" data-</pre>
action="prev"><i class="fa fa-angle-left fa-3x"></i></span>
                </div>
            </div>
            <div class="scrollNav" id="galery">
                <div style="height: 100px;">
                <div id="podnaslov">
                     <h2>Galery</h2>
                </div>
                <div id="grid-container">
                </div>
                <div id="myModal" class="modal">
                <div class="modal-content">
                     <div class="modal-header">
                     <span class="close">&times;</span>
                         <h2 id="modal-naslov"></h2>
                     </div>
                     <div class="modal-body">
                         <div id="modal-body">
                         </div>
                     </div>
                     <div class="modal-footer">
                         <h3 id="modal-text"></h3>
                     </div>
                </div>
                </div>
```

```
</div>
            <div class="scrollNav" id="contact">
                <div class="scrollSpace" style="height: 100px;">
                <div id="formMap" style="display: flex;">
                    <div id="container">
                        <h1 class="hMenu">&bull; Contact us &bull;</h1>
                        <div class="underline">
                        </div>
                        <div class="icon wrapper">
                           <img src="./assets/img/sneaker-svgrepo-com.svg"</pre>
alt="Sneaker icon">
                        </div>
                        <form action="#" method="post" id="contact form">
                           <div id="nameDiv" class="name">
                             <label for="name"></label>
                             <input type="text" placeholder="Name" name="name"</pre>
id="name_input" required>
                          </div>
                           <div id="emailDiv" class="email">
                             <label for="email"></label>
                             <input type="email" placeholder="E-mail" name="email"</pre>
id="email input" required>
                           </div>
                           <div id="phoneDiv" class="telephone">
                             <label for="name"></label>
                             <input type="text" placeholder="Number"</pre>
name="telephone" id="telephone_input" required>
                           </div>
                          <div id="messageDiv" class="message">
                             <label for="message"></label>
                             <textarea name="message" placeholder="Share your
thoughts with us " id="message_input" cols="30" rows="5" required></textarea>
                           </div>
                           <div>
                             <div include="form-input-select()">
                                 <select required>
                                   <option value=""hidden>Choose your
service</option>
```

```
<option value="1">Painting</option>
                                  <option value="2">Cleaning</option>
                                  <option value="3">Sole repair</option>
                                  <option value="4">Mid sole painting</option>
                                  <option value="5">All of the above</option>
                                </select>
                              </div>
                          </div>
                          <div class="submit">
                            <input type="submit" value="Send Message"</pre>
onclick="formSubmit()" id="form_button" />
                          </div>
                        </form>
                    </div>
                    <div id="map">
                        <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3304.439704714437!2d-
118.35709488478408!3d34.08387458059731!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m
3!1m2!1s0x80c2bed3ab6b19fd%3A0xc3020812fc919b7d!2sCoolKicks!5e0!3m2!
                        1ssr!2srs!4v1670521744903!5m2!1ssr!2srs" style="border:0
;" allowfullscreen="" loading="lazy" referrerpolicy="no-referrer-when-
downgrade"></iframe></iframe>
                    </div>
                </div>
            </div>
            </div>
            <div id="autor">
                <div id="opisAutor">
                    <div id="autorNaslov">
                            Author
                    </div>
                    My name is Matija Čalić, I am 22 years old. At the age of
5,
                        I got my first computer and since then I have become
interested in everything that goes with it.
                         I was the most active student in computer science
classes, and a professor at my high school recommended ICT to me.
                         I am currently a third year student.
                         I strive to one day be successfully employed in an IT
company
```

```
</div>
              <div id ="autorSlika">
                 <img src="./assets/img/author.jpg" alt="slika autora"/>
              </div>
          </div>
      </div>
      </div>
<footer class="footer-distributed">
     <div class="footer-left">
      <h3>Sneaker<span>Beast</span></h3>
      <a href="#" class="link-1">Home</a>
        <a href="#about">About us</a>
        <a href="#work">Our work</a>
        <a href="#galery">Galery</a>
        <a href="#contact">Contact</a>
        <a href="#autor">Author</a>
      Matija Calic @ 2022
     </div>
     <div class="footer-center">
      <div>
        <i class="fa fa-map-marker"></i></i>
        <span>7565 Melrose Ave,Los Angeles,CA</span>90046,USA
      </div>
```

```
<i class="fa fa-phone"></i></i>
         (555) 555-1234.
       </div>
       <div>
         <i class="fa fa-envelope"></i></i>
         <a href="mailto:support@company.com">support@company.com</a>
       </div>
     </div>
     <div class="footer-right">
       <span>About the company</span>
         What do we do? We customise sneakers of all kinds! That means taking
         a blank pair of shoes like the iconic
         Nike Air Force 1 and adding our own touch to them. You can see check
out what we have worked with in the past on our Instagram account here.
       <div class="footer-icons">
         <a href="rss.xml"><i class="fa fa-rss"></i></a>
         <a href="sitemap.xml"><i class="fa fa-sitemap"></i></a>
         <a href="#"><i class="fa fa-file"></i></a>
       </div>
     </div>
    </footer>
       </div>
       <script src="assets/js/main.js" type="text/javascript"></script>
       <script src="https://code.jquery.com/jquery-1.11.2.min.js"></script>
       <script src="assets/js/jquery.rotateslider.js"></script>
    </body>
</html>
```

```
margin: 0px;
  padding: 0px;
  box-sizing: border-box;
html {
    font-family: 'Concert One', cursive;
    scroll-behavior: smooth;
    min-height: 100vh;
    width: 100vw;
    overflow-x: hidden;
body {
  overflow-x: hidden;
header{
    width: 100%;
    display: flex;
    background-color: #555555;
    position: fixed;
    top: 0;
    z-index: 100;
nav{
    width: 80%;
    height: 100px;
    padding:40px;
    display: inline;
    padding-left: 0px;
}
ul{
display: flex;
justify-content: space-around;
ul li{
```

```
list-style-type: none;
}
ul li a{
    color: #F9D064;
    text-decoration: none;
    font-size: 20px;
nav ul li a:hover
    font-size: 30px;
    transform:scale(1.5);
    transition: 0.5s;
    color: #05C4E5;
#logo{
    width: 20%;
    text-align: center;
img{
width: 100px;
height: 100px;
#about{
    background: linear-gradient(90deg, #555555,#6e5b2b);
    background-size:400% 400%;
    animation: anim 3s infinite ease-in-out;
@keyframes anim{
    0%{
        background-position: 0 50%;
    50%{
        background-position:100% 50%;
    100% {
        background-position: 0 50%;
.video-holder {
  position: relative;
```

```
width: 100%;
  height: 100%;
#video {
  width: 100%;
#video video {
  width: 100%;
#space {
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  background: #79777796;
  width: 100%;
  min-height: 200px;
  display: flex;
  align-items: center;
  justify-content: center;
#about{
    background-color: #555555;
    height: 1200px;
    width: 100%;
    justify-content: center;
#podnaslov{
    width: 100%;
    height: 100px;
    align-items: center;
    display: flex;
    justify-content: center;
#about h2{
    color: #F9D064;
    font-size: 40px;
    text-decoration:2px underline #F9D064;
#opis{
    width: 100%;
    height: 100px;
    text-align: center;
```

```
#opis p{
    color: #F9D064;
    font-size: 18px;
#slike{
    width: 100%;
    height: auto;
    display: flex;
    justify-content: center;
#slika1{
    width:30%;
#slike img{
    width: 500px;
    height: 300px;
#tim{
    width: 100%;
    display: flex;
    justify-content: center;
    padding: 20px;
#tim p{
    text-align: center;
    color: #F9D064;
    font-size: 18px;
#text{
    width: 100%;
    justify-content: center;
    align-items: center;
    display: flex;
    color: #F9D064;
    flex-direction: column;
#text h1:hover{
    font-size: 23px;
    transform:scale(1.5);
    transition: 0.5s;
```

```
#text a{
    text-decoration: none;
    color: #F9D064;
#text h1{
    font-size: 30px;
#imgItem{
    width: 300px;
    height: 300px;
    border-radius: 0.375em;
#timjpg{
    display: flex;
    margin: 10px;
    padding-top: 50px;
    width: 100%;
    gap: 20px;
    padding-right: 2%;
.slikeTima{
    padding-top: 10px;
    width: 100%;
    height: 100%;
#gradient{
    background: linear-gradient(90deg, #555555,#6e5b2b);
    background-size:400% 400%;
    animation: anim 3s infinite ease-in-out;
#galery{
  height: 1400px;
  background-color:rgba(40, 38, 38, 0.711)
#galery h2 {
  color: #F9D064;
  font-size: 40px;
  text-decoration: 2px underline #F9D064;
#grid-container img{
 width: 300px;
```

```
height: 300px;
 border-radius: 5%;
.rotateslider-container {
   position: relative;
   width: 100%;
   height: 500px;
   margin-left: auto;
   margin-right: auto;
   background-color: #555555;
 .rotateslider-container .rotateslider-item {
   position: absolute;
   left: 50%;
   border-radius: 0%;
   top: 50%;
   -webkit-transform: translateY(-50%) translateX(-50%) scale(0.6);
   -ms-transform: translateY(-50%) translateX(-50%) scale(0.6);
   transform: translateY(-50%) translateX(-50%) scale(0.6);
   opacity: 0;
   -webkit-filter: blur(5px);
   filter: blur(5px);
   -webkit-transition: all 0.3s ease;
   transition: all 0.3s ease;
 .rotateslider-container .rotateslider-item.next {
   left: 80%;
   opacity: 0.5;
 .rotateslider-container .rotateslider-item.prev {
   left: 20%;
   opacity: 0.5;
 .rotateslider-container .rotateslider-item.now {
   opacity: 1;
   -webkit-filter: blur(0px);
   filter: blur(0px);
   top: 50%;
   left: 50%;
```

```
-webkit-transform: translateY(-50%) translateX(-50%) scale(1);
    -ms-transform: translateY(-50%) translateX(-50%) scale(1);
    transform: translateY(-50%) translateX(-50%) scale(1);
  .rotateslider-container .arrow {
    display: inline-block;
   width: 50px;
   height: 50px;
    background-color: #F9D064;
    position: absolute;
   top: 50%;
   margin-top: -25px;
    cursor: pointer;
   color: #fff;
    text-align: center;
  .rotateslider-container .arrow.left {
    margin-left: 50px;
    left: 0;
  .rotateslider-container .arrow.right {
    right: 0;
   margin-right: 50px;
#slider h1 {
   color: #F9D064;
    text-decoration: none;
    text-align: center;
    padding-top: 60px;
.featured-item{
   position: relative;
   width: 100%;
   overflow: hidden;
    -webkit-transition: var(--trans);
    -o-transition: var(--trans);
    transition: var(--trans);
.featured-item::after{
```

```
content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 1;
.featured-item-content{
    position: absolute;
    bottom: 0;
    left: 0;
    z-index: 2;
    color: #fff;
    width: 100%;
    padding: 1rem;
    -webkit-transform: translateY(68%);
        -ms-transform: translateY(68%);
            transform: translateY(68%);
    -webkit-transition: var(--trans);
    -o-transition: var(--trans);
    transition: var(--trans);
.featured-item-content span{
    font-size: 1.2rem;
    display: block;
    margin-bottom: 1.2rem;
    text-transform: capitalize;
.featured-item-content .text{
    color: #fff;
    -webkit-transition: var(--trans);
    -o-transition: var(--trans);
    transition: var(--trans);
.featured-item:hover .featured-item-content{
    -webkit-transform: translateY(0);
        -ms-transform: translateY(0);
            transform: translateY(0);
#map{
  width: 800px;
  height: 800px;
iframe{
```

```
height: 700px;
 width: 800px;
form {
   padding: 37px;
   margin: 50px 0;
  .icon_wrapper {
   margin: 50px auto 0;
   width: 100%;
   text-align: center;
  .icon {
   display: block;
   fill: #474544;
   height: 50px;
   margin: 0 auto;
   width: 50px;
  .email {
     float: right;
     width: 45%;
 input[type='text'], [type='email'], textarea {
    background: none;
    border: none;
    border-bottom: solid 2px rgba(228, 204, 96, 0.8);;
    color: #474544;
    font-size: 19px;
    font-weight: 400;
    letter-spacing: 1px;
    width: 100%;
    box-sizing: border-box;
     padding: 10px;
 input[type='text']:focus, [type='email']:focus, textarea:focus {
```

```
outline: none;
    padding:13px;
.message {
    float: none;
.name {
   float: left;
   width: 45%;
.telephone {
 width: 100%;
textarea {
   line-height: 150%;
    height: 150px;
    resize: none;
   width: 100%;
#form_button {
 background: none;
 border: solid 2px #474544;
  color: #474544;
  cursor: pointer;
  display: inline-block;
  font-family: 'Helvetica', Arial, sans-serif;
  font-size: 15px;
  font-weight: bold;
  outline: none;
  padding: 20px 35px;
  border-radius: 3px;
  text-transform: uppercase;
 transition: all 0.3s;
#form_button:hover {
 background: #F9D064;
  color: #474544;
```

```
#container {
    border: solid 3px rgba(228, 204, 96, 0.8);;
    max-width: 768px;
    margin: 60px auto;
    position: relative;
    border-radius: 3px;
  .hMenu
    text-align: center;
    text-transform: uppercase;
    padding: 20px;
    text-decoration: underline;
text-decoration-color:rgba(228, 204, 96, 0.8);
#map {
    height: 706px;
    margin-top: 60px;
    width: 50%;
    margin-right: 60px;
    position: relative;
.map-iframe {
    display: block;
    filter: grayscale(100);
    width: 100%;
    height: 100%;
#nizSlika{
    display: flex;
    margin: 10px;
    padding-top: 50px;
    width: 100%;
#nizSlika img{
    border-radius: 10%;
    height: 400px;
    width: 400px;
```

```
#opisSlika{
    display: flex;
   margin: 10px;
    padding-top: 50px;
   width: 100%;
   text-align: center;
 #autorNaslov{
 width:100%;
 height: 70px;
 background-color: #F9D064;
  text-align: center;
#autorNaslov p{
   width: 100%;
   height: 100px;
    color: #474544;
   font-size: 40px;
    text-decoration:3px underline #474544;
    justify-content: center;
#autor{
   width: 100%;
   background-color: #F9D064;
    display: flex;
    align-items: center;
    justify-content: center;
    padding: 20px 0;
#autorSlika{
   width:55%;
    text-align: center;
#autorSlika img{
   width: 400px;
   height: 500px;
   border-radius: 5%;
#opisAutor{
   width:35%;
```

```
text-align: center;
    height: 300px;
section {
   width: 100%;
   display: inline-block;
    background: #333;
   text-align: center;
   font-size: 22px;
   font-weight: 700;
   text-decoration: underline;
  .footer-distributed{
   background: #666;
   box-shadow: 0 1px 1px 0 rgba(0, 0, 0, 0.12);
   box-sizing: border-box;
   width: 100%;
   text-align: left;
   font: bold 16px sans-serif;
    padding: 55px 50px;
  .footer-distributed .footer-left,
  .footer-distributed .footer-center,
  .footer-distributed .footer-right{
   display: inline-block;
    vertical-align: top;
  .footer-distributed .footer-left{
   width: 40%;
  .footer-distributed h3{
   color: #ffffff;
   font: normal 36px 'Open Sans', cursive;
   margin: 0;
```

```
.footer-distributed h3 span{
 color: #05C4E5;
.footer-distributed .footer-links{
 color: #ffffff;
 margin: 20px 0 12px;
 padding: 0;
.footer-distributed .footer-links a{
 display:inline-block;
 line-height: 1.8;
 font-weight:400;
 text-decoration: none;
 color: inherit;
.footer-distributed .footer-company-name{
 color: #222;
 font-size: 14px;
 font-weight: normal;
 margin: 0;
.footer-distributed .footer-center{
 width: 35%;
.footer-distributed .footer-center i{
 background-color: #33383b;
 color: #ffffff;
 font-size: 25px;
 width: 38px;
 height: 38px;
 border-radius: 50%;
 text-align: center;
 line-height: 42px;
 margin: 10px 15px;
 vertical-align: middle;
```

```
.footer-distributed .footer-center i.fa-envelope{
 font-size: 17px;
 line-height: 38px;
.footer-distributed .footer-center p{
 display: inline-block;
 color: #ffffff;
 font-weight:400;
 vertical-align: middle;
 margin:0;
.footer-distributed .footer-center p span{
 display:block;
 font-weight: normal;
 font-size:14px;
 line-height:2;
.footer-distributed .footer-center p a{
 color: #05C4E5;
 text-decoration: none;
.footer-distributed .footer-links a:before {
 content: "|";
 font-weight:300;
 font-size: 20px;
 left: 0;
 color: #fff;
 display: inline-block;
 padding-right: 5px;
.footer-distributed .footer-links .link-1:before {
 content: none;
.footer-distributed .footer-right{
 width: 20%;
```

```
.footer-distributed .footer-company-about{
 line-height: 20px;
 color: #92999f;
 font-size: 13px;
 font-weight: normal;
 margin: 0;
.footer-distributed .footer-company-about span{
 display: block;
 color: #ffffff;
 font-size: 14px;
 font-weight: bold;
 margin-bottom: 20px;
.footer-distributed .footer-icons{
 margin-top: 25px;
.footer-distributed .footer-icons a{
 display: inline-block;
 width: 35px;
 height: 35px;
 cursor: pointer;
 background-color: #33383b;
 border-radius: 2px;
 font-size: 20px;
 color: #ffffff;
 text-align: center;
 line-height: 35px;
 margin-right: 3px;
 margin-bottom: 5px;
#grid-container{
 display: grid;
 grid-template-columns: auto auto;
 background-color: #F9D064;
.grid-item {
 background-color: #555555;
```

```
border: 2px solid #F9D064;
   padding: 20px;
   font-size: 30px;
   text-align: center;
.modal {
 display: none;
 position: fixed;
 z-index: 1;
 left: 0;
 top: 0;
 width: 100%;
 height: 100%;
 overflow: auto;
 background-color: rgb(0,0,0);
 background-color: rgba(0,0,0,0.4);
.modal-content {
 background-color: #fefefe;
 margin: 15% auto;
 padding: 20px;
 border: 1px solid #888;
 width: 80%;
.close {
 color: #aaa;
 float: right;
 font-size: 28px;
 font-weight: bold;
.close:hover,
.close:focus {
 color: black;
 text-decoration: none;
 cursor: pointer;
.modal-header {
 padding: 2px 16px;
 background-color: #555555;
```

```
color: white;
.modal-body {padding: 2px 16px;}
#modal-body{
 text-align: center;
#modal-body img{
 width: 30%;
 height: 30%;
#modal-naslov{
  text-align: center;
#modal-text{
 text-align: center;
 color: #F9D064;
.modal-footer {
 padding: 2px 16px;
 background-color: #555555;
  color: white;
.modal-content {
 position: relative;
 background-color: #fefefe;
 margin: 15% auto;
  padding: 20px;
  border: 1px solid #888;
 width: 80%;
  box-shadow: 0 4px 8px 0 rgba(0,0,0,0.2),0 6px 20px 0 rgba(0,0,0,0.19);
  animation-name: animatetop;
  animation-duration: 0.4s
@keyframes animatetop {
 from {top: -300px; opacity: 0}
 to {top: 0; opacity: 1}
.submit {
```

```
margin-top: 10px;
}
.message {
  margin-bottom: 10px;
}
#formMap {
  align-items: center;
  gap: 10px;
}
select{
  border: 2px solid #474544;
  cursor: pointer;
  font-size: 14px;
  padding: 15px;
  background: none;
  font-family: 'Helvetica', Arial, sans-serif;
  font-weight: bold;
  color: #474544;
}
```

Responsive CSS

```
@media (max-width: 962px) {
    #autor {
        flex-wrap: wrap;
        row-gap: 20px;
    #autorSlika {
        width: 100%;
        order: 2;
    #opisAutor {
        width: 100%;
        text-align: center;
        order: 1;
    #grid-container img{
        width: 150px;
        height: 150px;
        border-radius: 5%;
@media (max-width: 866px) {
    .headerModal, .textModal {
        font-size: 20px;
@media (max-width: 795px) {
    #grid-container {
        grid-template-columns: auto auto;
    .scrollSpace {
        height: 200px !important;
    #formMap {
        flex-wrap: wrap;
    #map {
        height: 100%;
        width: 100%;
```

```
@media only screen and (max-width: 600px) {
   html,body{
       max-width: 100%;
        overflow-x: hidden;
    *{
       margin: 0px;
       padding: 0px;
        box-sizing: border-box;
    .icon{
        display: block !important;
    #meniNav{
        display: none;
    #formMap{
        display: block !important;
    #slika1 img{
       margin-top: 100px;
       width: 350px;
    #slika1{
       margin-top: auto;
    #slika2{
        display: block;
    #slika2 img{
       width: 350px;
   #slike{
        display: block;
        text-align: center;
    #timjpg{
       display: block;
```

```
margin-bottom: 0;
    #section{
        display: block;
    #about{
        height: auto;
        padding-right: 9%;
        padding-left: 3%;
    .video-holder{
        top:104px;
    #container{
       margin-top:150px;
    iframe{
        width: 400px;
        height: 600px;
    #grid-container img{
        width: 150px;
        height: 150px;
        border-radius: 5%;
    #autor img{
        width: 350px;
    .modal-content{
        padding-top: 100px;
.icon{
    margin-right: 0;
    margin-top: 10%;
    text-align: center;
    display:none;
#myLinks{
    display:none;
```

```
background-color: #555555;
    position: absolute;
    z-index: 10;
    text-align: center;
    width: 100%;
    border-top:2px solid #F9D064;
    border-bottom: 2px solid #F9D064;
    top:100px;
#myLinks div{
   margin: 10px;
#myLinks div a{
   text-decoration: none;
    color: #F9D064;
#text{
   text-align: center;
@media (max-width: 880px) {
    .footer-distributed{
      font: bold 14px sans-serif;
    .footer-distributed .footer-left,
    .footer-distributed .footer-center,
    .footer-distributed .footer-right{
      display: block;
     width: 100%;
     margin-bottom: 40px;
     text-align: center;
    .footer-distributed .footer-center i{
      margin-left: 0;
```

```
function meni(){
    var items={"Home":"#","About us":"#about","Our
work":"#work", "Galery": "#galery", "Contact": "#contact", "Author": "#autor"}
    for (var item in items){
        document.getElementById("meniItems").innerHTML += '<a href="'+</pre>
items[item]+'">'+item+'</a>';
$(function() {
    $('#slider').rotateSlider({
    });
});
var nizSlika =[
    {naslov : "Matt",
      slika : "./assets/img/matt.webp",
      tekst : "Founder / Director"},
    {naslov : "Kelvin",
      slika : "./assets/img/kelvin.webp",
      tekst : "Videographer / Creative"},
    {naslov : "Lowlz",
      slika : "./assets/img/lowlz.webp",
      tekst : "Artist "},
    {naslov : "Em",
      slika : "./assets/img/em.webp",
      tekst : "Junior Content Producer "},
var mestoImg = document.getElementById("timjpg") ;
 for (let tim of nizSlika){
    console.log(tim.naslov);
```

```
mestoImg.innerHTML+=`<div class="featured-item"</pre>
style="position:relative;text-align:center" > <h2> ${tim.naslov} </h2>
    <img class="slikeTima" alt="Slike Tima" src="${tim.slika}"/>
    <div style=" width:100%;position:absolute;bottom:0;color:#F9D064; font-</pre>
size:20px;" class="featured-item-content">
    <div> ${tim.tekst} </div>
    </div>
   </div>`
function initMap() {
 // The location of Uluru
  const uluru = { lat: -25.344, lng: 131.031 };
 // The map, centered at Uluru
  const map = new google.maps.Map(document.getElementById("map"), {
    zoom: 4,
   center: uluru,
  });
 // The marker, positioned at Uluru
  const marker = new google.maps.Marker({
   position: uluru,
   map: map,
  });
window.initMap = initMap;
function myFunction() {
 var x = document.getElementById("myLinks");
 if (x.style.display === "block") {
   x.style.display = "none";
 } else {
   x.style.display = "block";
function formSubmit(){
  event.preventDefault();
  var name = document.getElementById('name input');
  var email = document.getElementById('email input');
  var number = document.getElementById('telephone_input');
 var name div = $('#nameDiv');
```

```
var email_div = $('#emailDiv');
 var number div = $('#phoneDiv');
 $('.error').remove();
 var valid = true;
 if(name.value == ""){
   valid = false;
   name_div.append(`Please enter your
name`);
 if(email.value == ""){
   valid = false;
   email_div.append(`Please enter your
email`);
 }else{
   if(!ValidateEmail(email)){
    valid = false;
    email_div.append(`Please enter correct
email`);
 if(number.value == ""){
   valid = false;
   number_div.append(`Please enter your
number`);
 if(valid){
   alert("You successfully sent your message!")
 }else{
function ValidateEmail(input) {
 var validRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-
9-]+)*$/;
```

```
if (input.value.match(validRegex)) {
   return true;
 } else {
   return false;
var nizSlikaGalerija =[
 {naslov : "Nike",
   slika : "./assets/img/gal1.jpg",
   tekst : "Air Force 1"
 },
 {naslov : "Adidas",
   slika : "./assets/img/gal3.jpg",
   tekst : "Yeezy 350"},
 {naslov : "Air Jordan 3",
    slika : "./assets/img/jordan.jpg",
   tekst : "Tiffany"},
  {naslov : "Nike",
   slika : "./assets/img/giphy2.gif",
   tekst : "Just do it"},
  {naslov : "Adidas",
   slika : "./assets/img/adidas2.gif",
   tekst : "Impossible Is Nothing"},
  {naslov : "Air Jordan",
   slika : "./assets/img/jordan.gif",
   tekst : "The key to success is failure"},
  {naslov : "Air Jordan 1",
   slika : "./assets/img/gal2.jpg",
   tekst : "'AIR'"},
 {naslov : "Adidas",
   slika : "./assets/img/kaws.jpg",
```

```
tekst : "Yeezy 350 x KAWS"},
  {naslov : "Air Jordan 1 ",
    slika : "./assets/img/jordan3.webp",
   tekst : "What the dunks"},
let gridGalerija = document.getElementById('grid-container')
for (let slika of nizSlikaGalerija){
 gridGalerija.innerHTML += `<div onclick='itemClicked(this,"`+slika.slika+`")'</pre>
class='grid-item'><img src='`+ slika.slika +`'>`+
slika.naslov +``+ slika.tekst +`</div>`
 // Get the modal
  var modal = document.getElementById("myModal");
  // Get the button that opens the modal
  var btn = document.querySelector(".grid-item");
  // Get the <span> element that closes the modal
  var span = document.getElementsByClassName("close")[0];
  function itemClicked(item,src){
   modal.style.display = "block";
   let children = item.children;
   $('#modal-naslov').html(children[1].innerHTML);
   $('#modal-body').html(`<img src='` + src + `' />`);
   $('#modal-text').html(children[3].innerHTML);
  // When the user clicks on <span> (x), close the modal
  span.onclick = function() {
  modal.style.display = "none";
```

```
// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
  }
}
```

```
(function($) {
    $.fn.rotateSlider = function(opt) {
      var $this = this,
          itemClass = opt.itemClass || 'rotateslider-item',
          arrowClass = opt.arrowClass || 'js-rotateslider-arrow',
          $item = $this.find('.' + itemClass),
          $arrow = $this.find('.' + arrowClass),
          itemCount = $item.length;
      var defaultIndex = 0;
      changeIndex(defaultIndex);
      $arrow.on('click', function() {
        var action = $(this).data('action'),
            nowIndex = $item.index($this.find('.now'));
        if(action == 'next') {
          if(nowIndex == itemCount - 1) {
            changeIndex(0);
          } else {
            changeIndex(nowIndex + 1);
        } else if (action == 'prev') {
          if(nowIndex == 0) {
            changeIndex(itemCount - 1);
          } else {
            changeIndex(nowIndex - 1);
      });
      function changeIndex (nowIndex) {
        $this.find('.now').removeClass('now');
        $this.find('.next').removeClass('next');
        $this.find('.prev').removeClass('prev');
        if(nowIndex == itemCount -1){
          $item.eq(0).addClass('next');
```

```
if(nowIndex == 0) {
    $item.eq(itemCount -1).addClass('prev');
}

$item.each(function(index) {
    if(index == nowIndex) {
        $item.eq(index).addClass('now');
    }
    if(index == nowIndex + 1 ) {
        $item.eq(index).addClass('next');
    }
    if(index == nowIndex - 1 ) {
        $item.eq(index).addClass('prev');
    }
    });
}
}(jQuery);
```