

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for event_page.txt

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** Element `img` is missing required attribute `src`.

[From line 108, column 9; to line 108, column 86](#)

```
>↵      <img style="height: 75px; width: 75px; margin-top: 0.5rem;
margin-left: 5px;"></i>↵
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

2. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 108, column 9; to line 108, column 86](#)

[From line 275, column 13; to line 275, column 44](#)

```
<button id="close-modal-button"></butt
```

13. **Warning** The first occurrence of ID `close-modal-button` was here.

[From line 96, column 17; to line 96, column 69](#)

```
<button id="close-modal-button" data-dismiss="modal"></butt
```

14. **Error** Duplicate ID `close-modal-button`.

[From line 280, column 13; to line 280, column 57](#)

```
<button class="skrr" id="close-modal-button"></butt
```

15. **Warning** The first occurrence of ID `close-modal-button` was here.

[From line 96, column 17; to line 96, column 69](#)

```
<button id="close-modal-button" data-dismiss="modal"></butt
```

16. **Error** Stray end tag `input`.

[From line 282, column 89; to line 282, column 96](#)

```
e="email"></input><␣
```

17. **Error** Attribute `href` not allowed on element `button` at this point.

[From line 283, column 17; to line 283, column 122](#)

```
<button href="#" class="btn btn-success btn-sm btn-edit-event"
type="submit" onClick="createInvite('18')">Send I
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

18. **Error** Element `script` must not have attribute `defer` unless attribute `src` is also specified.

[From line 371, column 1; to line 371, column 37](#)

```
></div><script type="text/javascript" defer> /
```

19. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 371, column 1; to line 371, column 37](#)

```
></div><<script type="text/javascript" defer> /
```

20. **Error** Duplicate ID `eventid`.

[From line 409, column 125; to line 409, column 184](#)

```
<input type="hidden" name="eventid" id="eventid" value="18">
```

21. **Warning** The first occurrence of ID `eventid` was here.

[From line 122, column 9; to line 122, column 53](#)

```
><input type="hidden" id="eventid" value="18">
```

22. **Error** Duplicate ID `confirm-del-btn`.

[From line 410, column 21; to line 410, column 86](#)

```
<button type="submit" class="btn btn-danger" id="confirm-del-  
btn">Delete
```

23. **Warning** The first occurrence of ID `confirm-del-btn` was here.

[From line 316, column 17; to line 316, column 103](#)

```
<button type="button" class="btn btn-danger" id="confirm-del-btn"  
data-dismiss="modal">Delete
```

24. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 419, column 1; to line 419, column 31](#)

```
></div><<script type="text/javascript"> /
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html>
3. <html lang="en">
4. <
5. <head>
6.   <meta charset="utf-8">
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">
8.   <meta name="viewport" content="width=device-width, initial-scale=1">
9. <
10.  <!-- CSRF Token -->
11.  <meta name="csrf-token"
    content="Wute0x0uwHnjTA2mSJcBQWjRe04wc9JdqK95ABTS">
12. <
13. <title>Re-Event</title>
14. <
15. <!-- Styles -->
16. <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
17. <link href="http://127.0.0.1:8000/css/pages/event.css" rel="stylesheet">
```

```

18. ↵
19. <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css
    /bootstrap.min.css" rel="stylesheet" integrity="sha384-
    Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
    crossorigin="anonymous">↵
20. <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.12.0-2/css/fontawesome.min.css">↵
21. <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
    awesome/5.12.0-2/css/all.min.css">↵
22. ↵
23. <!-- SCRIPTS -->↵
24. ↵
25. <script src="http://127.0.0.1:8000/js/event_page.js" defer> </script>↵
26. ↵
27. ↵
28. ↵
29. <script src="http://127.0.0.1:8000/js/app.js" defer> </script>↵
30. <script src="http://127.0.0.1:8000/js/ajax_requests.js" defer> </script>↵
31. <!-- <script src="http://127.0.0.1:8000/js/pagination.js" defer> </script>
    -->↵
32. <script src="http://127.0.0.1:8000/js/input_val.js" defer> </script>↵
33. <!-- <script src="http://127.0.0.1:8000/js/event_page.js" defer> </script>
    -->↵
34. ↵
35. <script src="//cdn.jsdelivr.net/npm/sweetalert2@11"></script>↵
36. <!-- This is used for bootstrap only -->↵
37. <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0
    /jquery.min.js"></script>↵
38. ↵
39. </head>↵
40. ↵
41. <body>↵
42. ↵
43. <header>↵
44. <nav class="navbar navbar-expand-xxl">↵
45. <div class="container">↵
46. ↵
47. <a class="navbar-brand text-white " href="http://127.0.0.1:8000
    /home"><i class="fa fa-solid fa-camera-retro fa-lg mr-2"></i> RE-EVENT </a>↵
48. <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target="#nvbCollapse" aria-controls="nvbCollapse">↵
49. <span class="navbar-toggler-icon"></span>↵
50. </button>↵
51. <div class="collapse navbar-collapse" id="nvbCollapse">↵
52. <ul class="navbar-nav ml-auto">↵
53. <li class="nav-item pl-1 justify-content-end">↵
54. <a class="nav-link" href="http://127.0.0.1:8000
    /home"><i class="fa fa-home fa-fw mr-1"></i> Home </a>↵
55. </li>↵
56. <li class="nav-item pl-1">↵
57. <a class="nav-link" href="http://127.0.0.1:8000
    /faq"><i class="fa fa-info-circle fa-fw mr-1"></i> FAQ </a>↵
58. </li>↵
59. <li class="nav-item pl-1">↵
60. <a class="nav-link" href="http://127.0.0.1:8000
    /aboutUs"><i class="fa fa-phone fa-fw fa-rotate-180 mr-1"></i> About Us
    </a>↵
61. </li>↵
62. <!-- Button trigger modal -->↵
63. <li class="nav-item pl-1" data-toggle="modal" data-
    target="#basicModal">↵
64. <a class="nav-link"><i class="fa fa-fw fa-search
    mr-1"></i> Search </a>↵
65. </li>↵
66. <li class="nav-item">↵
67. <a class="nav-link" id="__nav-bar-login"
    href="http://127.0.0.1:8000/login"><i class="fa fa-user fa-fw mr-1"></i>
    Login </a>↵
68. </li>↵
69. ↵
70. ↵
71. </ul>↵
72. </div>↵
73. </div>↵

```

```

74.     </nav>↵
75. ↵
76.     <!-- Modal -->↵
77. ↵
78.     <!-- Full screen modal -->↵
79.     <div class="modal fade" id="basicModal" tabindex="-1" role="dialog" aria-
labelledby="basicModal" data-backdrop="false" aria-hidden="true">↵
80.         <div class="modal-dialog">↵
81.             <div class="modal-content" id="modal-content-box" style="height:
18rem;">↵
82. ↵
83.                 <div class="form-group">↵
84.                     <input type="text" class="form-controller"
id="searchInput" name="search">↵
85.                 </div>↵
86.                 <table class="table table-bordered table-hover"
style="margin-top:1rem;">↵
87.                     <thead>↵
88.                         <tr>↵
89.                             <th>Name</th>↵
90.                             <th>City</th>↵
91.                         </tr>↵
92.                     </thead>↵
93.                     <tbody id="table-res">↵
94.                     </tbody>↵
95.                 </table>↵
96.                 <button id="close-modal-button" data-dismiss="modal">
</button>↵
97. ↵
98.             </div>↵
99.         </div>↵
100.     </div>↵
101. ↵
102. </header>↵
103.     <main>↵
104.         <section id="content">↵
105.             ↵
106.             <div id="myAlert">↵
107.                 <div class="myAlert-text-icon">↵
108.                     <img style="height: 75px; width: 75px; margin-top: 0.5rem; margin-
left: 5px;"></i>↵
109.                     <div class="myAlert-message">↵
110.                         You sucessfully left the Event!↵
111.                     </div>↵
112.                     <button class="close" onclick="hideAlert()">↵
113.                         <i class='bx bx-x'></i>↵
114.                     </button>↵
115.                 </div>↵
116.                 <div id="myAlertProgress">↵
117.                     <div id="myAlertBar"></div>↵
118.                 </div>↵
119.             </div>↵
120.             <div class="container-event-page">↵
121.                 <div class="container" id="event-content">↵
122.                     <input type="hidden" id="eventid" value="18">↵
123.                     ↵
124.                     <div class="wrapper-res">↵
125.                         <div id="event-name"> Cruzeiro Rio Douro </div>↵
126.                         <div id="event-date"> 2023-05-03 </div>↵
127.                     </div>↵
128. ↵
129. ↵
130.                     <div class="countdown-event">↵
131.                         <div>↵
132.                             <span class="number months"></span>↵
133.                             <span>Months</span>↵
134.                         </div>↵
135.                         <div>↵
136.                             <span class="number days"></span>↵
137.                             <span>Days</span>↵
138.                         </div>↵
139.                         <div>↵
140.                             <span class="number hours"></span>↵

```

```

141.         <span>Hours</span><br>
142.     </div><br>
143. </div><br>
144.         <span class="number minutes"></span><br>
145.         <span>Minutes</span><br>
146.     </div><br>
147. </div><br>
148.         <span class="number seconds"></span><br>
149.         <span>Seconds</span><br>
150.     </div><br>
151. </div><br>
152. <nav><br>
153.     <ul id="menu-info"><br>
154.         <li class="menu-info-item text-center"><br>
155.             <div> Location </div><br>
156.             <p> Portugal, Porto </p><br>
157.         </li><br>
158.         <li class="menu-info-item text-center"><br>
159.             <div> Capacity </div><br>
160.             <p> 300 places </p><br>
161.         </li><br>
162.         <li class="menu-info-item text-center"><br>
163.             <div> Address </div><br>
164.             <p> Porto, Vila Nova de Gaia </p><br>
165.         </li><br>
166.     </ul><br>
167. </nav><br>
168.     <script type="module" src="https://unpkg.com/ionicons@5.5.2
/dist/ionicons/ionicons.esm.js"></script><br>
169.     <script nomodule src="https://unpkg.com/ionicons@5.5.2/dist/ionicons
/ionicons.js"></script><br>
170. </div><br>
171. <br>
172.     <div id="transferOwnershipModal" class="modal fade"><br>
173.         <div class="modal-dialog modal-confirm"><br>
174.             <div class="modal-content" style="width: 50rem; left: -10rem;"><br>
175.                 <div class="modal-header flex-column"><br>
176.                     <div class="icon-box"><br>
177.                         <i class="fa fa-user"></i><br>
178.                     </div><br>
179.                     <h4 class="modal-title w-100"> Transfer Ownership </h4><br>
180.                 </div><br>
181.                 <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button><br>
182.             </div><br>
183.             <div class="modal-body"><br>
184.                 <br>
185.                 <form method='post' id="tranferOwnershipForm"
action="http://127.0.0.1:8000/transferOwnership" enctype="multipart/form-
data"><br>
186.                     <input type="hidden" name="_token"
value="Wute0x0uwHnjTA2mSJcBQWjRe04wc9JdqK95ABTS"><br>
187.                     <div class="single-post-content"><br>
188.                         <input type="text" class="form-controller"
id="search-attendees-teste" name="search" placeholder="Search for the
user.."></input><br>
189.                     <table class="events-list" style="margin-top:
2rem;"><br>
190.                         <br>
191.                             <thead><br>
192.                                 <tr><br>
193.                                     <th>UserID</th><br>
194.                                     <th>Username</th><br>
195.                                     <th>Email</th><br>
196.                                     <th></th><br>
197.                                 </tr><br>
198.                             </thead><br>
199.                             <tbody id="search-attendees-response"><br>
200.                                 </tbody><br>
201.                         </table><br>
202.                 <br>
203.                 <br>
204.                 <input id="currentChosen" type="hidden"
name="newuserid" class="input-group form-control" value="0"><br>

```

```

205.         <input id="eventid" type="hidden" name="eventid"
class="input-group form-control" value="18">↵
206. ↵
207. ↵
208.         <button type="submit" id="submitTOwn" type="button"
class="btn btn-success btn-block"> Confirm </button>↵
209. ↵
210.         </div>↵
211. ↵
212.     </form>↵
213. ↵
214. </div>↵
215. </div>↵
216. </div>↵
217. </div>↵
218. ↵
219.     <div class="navigation">↵
220.         <ul>↵
221.             <li class="list active">↵
222.                 <a href="#" onclick="showUserDiv()">↵
223.                     <span class="icon">↵
224.                         <ion-icon name="logo-steam"></ion-icon>↵
225.                     </span>↵
226.                     <span class="title">Event Host</span>↵
227.                 </a>↵
228.             </li>↵
229.             <li class="list">↵
230.                 <a href="#">↵
231.                     <span class="icon">↵
232.                         <ion-icon name="call-outline"></ion-icon>↵
233.                     </span>↵
234.                     <span class="title">Contact</span>↵
235.                 </a>↵
236.             </li>↵
237. ↵
238.             <!-- -->↵
239. ↵
240.         ↵
241.         </ul>↵
242.     </div>↵
243. ↵
244.     <div id="info-navbar-container">↵
245. ↵
246.         <div id="userDiv" style="display:none; text-align:center;"
class="answer list">↵
247.             <button id="close-modal-button"></button>↵
248.             <div class="svg-background"></div>↵
249.             <div class="svg-background2"></div>↵
250.             <div class="circle"></div>↵
251. ↵
252.             ↵
253.             <div class="text-container">↵
254.                 <p class="title-text"> AfonsoFarr</p>↵
255.                 <p class="info-text">Event Host</p>↵
256.                 <p class="desc-text"> 11 events hosted </p>↵
257.             </div>↵
258. ↵
259.         </div>↵
260. ↵
261.         ↵
262.         <div id="attendeesDiv" data-mdb-animation="slide-in-right"
style="display:none;" class="answer_list">↵
263. ↵
264.             <input type="text" class="form-controller" id="search-attendees"
name="search"></input>↵
265.             <table class="table table-bordered table-hover" style="margin-
top:1rem;">↵
266.                 <thead>↵
267.                     <tr>↵
268.                         <th>UserName</th>↵
269.                         <th>Email</th>↵
270.                     </tr>↵
271.                 </thead>↵

```



```
272.         <tbody id="table-attendees-res">↵
273.         </tbody>↵
274.     </table>↵
275.     <button id="close-modal-button"></button>↵
276. </div>↵
277. ↵
278.     <div id="inviteDiv" data-mdb-animation="slide-in-right"
style="display:none;" class="answer_list">↵
279.         Please enter the email of the user you wish to invite↵
280.         <button class="skrr" id="close-modal-button"></button>↵
281.         <div id="emailInvite">↵
282.             <input type="text" class="form-controller" id="sendInvite"
name="email"></input>↵
283.             <button href="#" class="btn btn-success btn-sm btn-edit-
event" type="submit" onClick="createInvite('18')">Send Invite</button>↵
284.         </div>↵
285.     ↵
286.     </div>↵
287. </div>↵
288. ↵
289. ↵
290.     <div class="mx-auto col-lg-8" id="comment-section-container">↵
291.         <div class="shadow-sm p-4" id="comments-section">↵
292.             <h4 class="mb-4"> 0 Comments</h4>↵
293.             <div class="">↵
294.                 <!-- Comment //-->↵
295.                 <div class="py-3" id="new-comments-container">↵
296.                     ↵
297.                 </div>↵
298.             </div>↵
299.     ↵
300.     </div>↵
301.         <div id="myModal" class="modal fade">↵
302.     <div class="modal-dialog modal-confirm">↵
303.         <div class="modal-content">↵
304.             <div class="modal-header flex-column">↵
305.                 <div class="icon-box">↵
306.                     <i class="fa fa-exclamation"></i>↵
307.                 </div>↵
308.                 <h4 class="modal-title w-100">Are you sure?</h4>↵
309.                 <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>↵
310.             </div>↵
311.             <div class="modal-body">↵
312.                 <p>Do you really want to delete this comment? <br> This
process cannot be undone.</p>↵
313.             </div>↵
314.             <div class="modal-footer justify-content-center">↵
315.                 <button type="button" class="btn btn-secondary" data-
dismiss="modal">Cancel</button>↵
316.                 <button type="button" class="btn btn-danger" id="confirm-del-
btn" data-dismiss="modal">Delete</button>↵
317.             </div>↵
318.         </div>↵
319.     </div>↵
320. </div>     <div id="reportModal" class="modal fade">↵
321.     <div class="modal-dialog modal-confirm">↵
322.         <div class="modal-content">↵
323.             <div class="modal-header flex-column">↵
324.                 <div class="icon-box">↵
325.                     <i class="fa fa-user-slash"></i>↵
326.                 </div>↵
327.                 <h4 class="modal-title w-100"> Report Comment </h4>↵
328.                 <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>↵
329.             </div>↵
330.             <div class="modal-body">↵
331.     ↵
332.         <form class="row g-3 needs-validation" id="report-form"
novalidate action="storeReport" method="post">↵
333.             <input type="hidden" name=" token"
value="Wute0x0uwhNjTA2mSJcBQWjRe04wc9JdqK95ABTS">             <input
type="hidden" name="comment_id" id="comment_id" value="">↵
334.             <input type="hidden" name="event_id" id="event_id"
```

```

335. value="">↵
336. value="">↵
337. ↵
338. <div>↵
339. Reason</label>↵
340. <select class="form-select" name="reason"
341. id="validationCustom01" required>↵
342. <option selected disabled value="">Choose...
343. <option> Dangerous/Illegal </option>↵
344. <option> Discriminatory </option>↵
345. <option> Misinformation </option>↵
346. <option> Disrespectful </option>↵
347. <option> Other </option>↵
348. </select>↵
349. <div class="valid-feedback">↵
350. Looks good!↵
351. </div>↵
352. </div>↵
353. <label for="validationCustom02" class="form-
354. label">Explanation </label>↵
355. <textarea name="explanation" style="max-
356. height:10rem;" class="form-control" id="validationCustom02"
357. placeholder="Comment" required></textarea>↵
358. <div class="valid-feedback">↵
359. Looks good!↵
360. </div>↵
361. </div>↵
362. <div class="modal-footer justify-content-center">↵
363. <button type="button" class="btn btn-secondary" data-
364. dismiss="modal">Cancel</button>↵
365. <button type="submit" class="btn btn-danger"
366. id="confirm-report-btn">Submit</button>↵
367. </div>↵
368. </form>↵
369. </div>↵
370. </div>↵
371. <script type="text/javascript" defer>↵
372. // Example starter JavaScript for disabling form submissions if there are
373. invalid fields↵
374. (function() {↵
375. 'use strict'↵
376. // Fetch all the forms we want to apply custom Bootstrap validation
377. styles to↵
378. var forms = document.querySelectorAll('.needs-validation')↵
379. // Loop over them and prevent submission↵
380. Array.prototype.slice.call(forms)↵
381. .forEach(function(form) {↵
382. form.addEventListener('submit', function(event) {↵
383. if (!form.checkValidity()) {↵
384. event.preventDefault()↵
385. event.stopPropagation()↵
386. }↵
387. form.classList.add('was-validated')↵
388. }, false)↵
389. })↵
390. })()↵
391. </script>↵
392. <div id="del_Event_Modal" class="modal fade">↵
393. <div class="modal-dialog modal-confirm">↵
394. <div class="modal-content">↵
395. <div class="modal-header flex-column">↵
396. <div class="icon-box">↵

```

```

397.         <i class="fa fa-exclamation"></i>↵
398.     </div>↵
399.     <h4 class="modal-title w-100">Are you sure?</h4>↵
400.     <button type="button" class="close" data-dismiss="modal"
aria-hidden="true">&times;</button>↵
401. </div>↵
402.     <div class="modal-body">↵
403.         <p>Do you really want to delete this event? <br> This process
cannot be undone.</p>↵
404.     </div>↵
405.     <div class="modal-footer justify-content-center">↵
406.         <button type="button" class="btn btn-secondary" data-
dismiss="modal">Cancel</button>↵
407.     ↵
408.         <form action="http://127.0.0.1:8000/deleteEvent"
method="POST">↵
409.             <input type="hidden" name="_token"
value="Wute0x0uwHnjTA2mSJcBQWjRe04wc9JdqK95ABTS">↵
type="hidden" name="eventid" id="eventid" value="18">↵             <input
410.                 <button type="submit" class="btn btn-danger" id="confirm-
del-btn">Delete</button>↵
411.             </form>↵
412.         </div>↵
413.     </div>↵
414. </div>↵
415. </div>↵
416. </div>↵
417. ↵
418. </div>↵
419. <script type="text/javascript">↵
420.     // Polling for the Event Page Countdown display↵
421.     setTimeout(function() {↵
422.         displayCountdownEvent('2023-05-03 00:00:00');↵
423.     }, 1000);↵
424. </script>↵
425. ↵
426. </section>↵
427. </main>↵
428. ↵
429.     <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js
/bootstrap.bundle.min.js " integrity="sha384-
ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7ZeZDyx"
crossorigin="anonymous"></script>↵
430. </body>↵
431. ↵
432. </html>

```

Used the HTML parser.

Total execution time 46 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5