



1. Deploy core



2. Deploy Spotter

Chain link oracle ETH/BTC price feed:

0xAc559F25B1619171CbC396a50854A3240b6A4e99




File

Update the mat in spotter contracts by file(what, data) function

Mat is collateralisation ratio I set it 150%

what: 0x6d617400

data: 1500000000000000000000000000000000




Poke


Call poke() to update the price

3. Deploy Dog

Pass your address as liquidator




4. Deploy sBTC



5. Deploy sBTCJoin

Pass the sBTC

Authorize the sBtcJoin to mint sBTC . sBTC.rely(sBtcJoin)




6. Deploy ETHJoin

market_ :

0x45544800(ETH)


gem_ : 0xC02aaA39b223FE8D0A0e5C4F27eAD9083C756Cc2 (WETH)



7. Authorize


Now authorize all contracts , call rely() function and pass the contract addresses

Call rely(usr) , pass contracts dog , spotter, ethJoin, sBTCJoin




8. Join WETH

In Tools Dashboard get WETH faucet
Approve WETH to ETHJoin
Join (GemJoin.join())




9. Frob

core.frob()
Create your safe vault
Pass your address as v , w, u




Now you can see your vault in core




10. Exit sBTC

First let the SBTCJoin access your vault . core.hope(sBtcJoin)
SBTCJoin.exit()





Now you have Synthetic Bitcoin



11. Wipe

First approve sBTC to SBTcJoin
sBTCJoin.join
core.frob
gemJoin.exit





Now you have your WET backed to your wallet