

Department of Physics, Chemistry and Biology

Master's Thesis

Optical properties of cubic silicon carbide

Mattias Jansson

Linköping, January 1, 2015

LiTH-IFM-EX--YY/NNNN--SE



Linköping University
INSTITUTE OF TECHNOLOGY

Department of Physics, Chemistry and Biology
Linköping University
SE-581 83 Linköping, Sweden

Optical properties of cubic silicon carbide

Mattias Jansson

Linköping, January 1, 2015

Supervisor: **Jianwu Sun**
 IFM, Linköping University

Examiner: **Mikael Syvajarvi**
 IFM, Linköping University



Avdelning, Institution
Division, Department

Semiconductor physics
Department of Physics, Chemistry and Biology
SE-581 83 Linköping

Datum
Date

2015-01-01

Språk

Language

- Svenska/Swedish
 Engelska/English

Rapporttyp

Report category

- Licentiatavhandling
 Examensarbete
 C-uppsats
 D-uppsats
 Övrig rapport

ISBN

ISRN

LiTH-IFM-EX-YY/NNNN--SE

Serietitel och serienummer

Title of series, numbering

ISSN

URL för elektronisk version

<http://urn.kb.se/resolve?urn=urn:nbn:se:liu:diva-XXXXXX>

Titel Optiska egenskaper för kubisk kiselkarbid
Title Optical properties of cubic silicon carbide

Författare Mattias Jansson
Author

Sammanfattning

Abstract

If your thesis is written in English, the primary abstract would go here while the Swedish abstract would be optional.

Nyckelord

Keywords problem, lösning

Abstract

If your thesis is written in English, the primary abstract would go here while the Swedish abstract would be optional.

Acknowledgments

Acknowledgements are pointless. Everyone was terrific, good on you!

*Linköping, Januari 2015
Mattias Jansson*

Contents

1	Introduction	1
2	An introduction to silicon carbide	3
2.1	Crystal structure	3
2.2	Band structure	4
2.3	Doping in 3C	4
3	Growth techniques	5
4	Characterization techniques	7
4.1	Absorption measurements	7
5	Experimental setup	9
6	Results	11
7	Discussion	13
8	Conclusion	15
9	Future work	17
	Bibliography	19

1

Introduction

This thesis describes the growth and optical characterization of cubic silicon carbide (*SiC*). SiC is a semiconductor which has attracted academic interest since the 19:th century, when it was first fabricated and used as an abrasive [1]. SiC has been found to be a very stable material. It exhibits a high chemical inertness [2], and is currently commonly used in high power and high temperature applications due to its ability to survive in such environments [Citation?].

SiC is a material which exists in a large number of different polytypes, the most common of which are hexagonal, cubic and rhombohedral. The work described in this thesis deals with the only cubic polytype, denoted 3C. This is one of the structurally most simple polytypes. Compared to the hexagonal counterparts 4H and 6H, the 3C polytype has for a long time been difficult to fabricate in good quality single crystal form, and is therefore less studied than the hexagonal types [Citation needed]. Recently a method of fabricating good quality material has been reported, using sublimation epitaxy [3]. The method, called fast sublimation growth process (*FSGP*), has been used to grow the samples used in the work described in this thesis.

Cubic SiC has many interesting material properties, which have given rise to several proposals of applications for 3C. Some of these proposed applications are not possible to create with the hexagonal polytypes, but are unique for the cubic polytype. One such application is the use of boron doped 3C in an impurity photovoltaic solar cell (*IPV*). This is suitable for 3C due to its band gap size together with the binding energy of boron as an acceptor in the material, which is almost ideal for photovoltaic cell material. This would give a significant increase in photovoltaic cell efficiency compared to the currently commercially available alternatives [4][Current efficiencies citation needed]. Another proposed application of 3C is as a photo-electrode in a photoelectrochemical cell used for water splitting [5, 6], where solar energy is used in the decomposition of water into hydrogen and oxygen gas.

This thesis deals with characterization of the optical properties of boron doped

3C-SiC. This is done using absorption spectroscopy, photoluminescence spectroscopy, Chapter 2.3 gives an introduction to silicon carbide, its structure and properties. Chapter 3 describes the process of growing the material. Both growth of undoped and boron doped material is described here. In chapter 4 a description of the different characterization methods is given, together with a theoretical description of what the measurements can tell about material properties. Chapter 5 describes how the experiments were done and chapter 6 describes the results obtained from the experiments. The results are discussed in chapter 7. Chapters 8 and 9 discuss what has been learned about the material and how the work should be continued in the future.

2

An introduction to silicon carbide

This chapter describes the relevant properties of SiC. Section 2.1 describes the atomic arrangement in the material, and some different arrangements are discussed. Section 2.2 discusses the energy band structure of 3C-SiC. Finally section 2.3 describes the mechanism and some effects of doping in 3C-SiC.

2.1 Crystal structure

Silicon carbide is a crystalline material consisting of silicon and carbon atoms. The crystalline nature of the material means that the atoms are arranged in a periodically repeating structure called a *lattice*. For given chemical elements there may be several different ways to arrange the atoms in a lattice, i.e. different chemical compounds of the same types of atoms. This is called *polytypism*, where the different lattice structures are called *polytypes* of the material. SiC has a large number of different polytypes. There are more than 250 known polytypes of SiC [7]. The different polytypes can be described as different stacking orders of hexagonal layers of atoms [8].

Some text




Figure 2.1: Hexagonal layer structure

2.2 Band structure

2.3 Doping in 3C

3

Growth techniques

This chapter describes the growth technique.

4

Characterization techniques

This chapter will describe the different characterization techniques.

4.1 Absorption measurements

Here will follow a description of how the absorption measurements were done.

5

Experimental setup

Here the setups for the various experiments will be described.

6

Results

This chapter describes the results obtained from the experiments.

7

Discussion

In this chapter I will discuss the results of the work.

8

Conclusion

The conclusions drawn from this work are described here.

9

Future work

In this chapter I will write some of my thought of what is to be done in the future concerning these topics.

Bibliography

- [1] E.G. Acheson. Carborundum: Its history, manufacture and uses. *Journal of the Franklin Institute*, 136:279–289, 1893.
- [2] D N Hume and I M Kolthoff. The Silicon Carbide Electrode. *Journal of the American Chemical Society*, 63:2805–2806, 1941.
- [3] Valdas Jokubavicius, G Reza Yazdi, Rickard Liljedahl, Ivan G Ivanov, and Rositsa Yakimova. Lateral Enlargement Growth Mechanism of 3C-SiC on Off-Oriented 4H-SiC Substrates. *Crystal growth and design*, 2014.
- [4] B.S. Richards, a. Lambertz, R.P. Corkish, C.a. Zorman, M. Mehregany, M. Ionescu, and M.a. Green. 3C-SiC as a future photovoltaic material. *3rd World Conference on Photovoltaic Energy Conversion, 2003. Proceedings of*, 3:2738–2741, 2003.
- [5] Masashi Kato, Tomonari Yasuda, Keiko Miyake, Masaya Ichimura, and Tomoaki Hatayama. Epitaxial p-type SiC as a self-driven photocathode for water splitting. *International Journal of Hydrogen Energy*, 39(10):4845–4849, March 2014.
- [6] Tomonari Yasuda, Masashi Kato, and Masaya Ichimura. Characterization of Photoelectrochemical Properties of SiC as a Water Splitting Material. *Materials Science Forum*, 717-720:585–588, May 2012.
- [7] Rebecca Cheung. *Silicon Carbide Microelectromechanical Systems Systems for Harsh Environments*. Number February. London, GBR: Imperial College Press, 2006.
- [8] a. P. Mirgorodsky, M. B. Smirnov, E. Abdelmounîm, T. Merle, and P. E. Quintard. Molecular approach to the modeling of elasticity and piezoelectricity of SiC polytypes. *Physical Review B*, 52(6):3993–4000, 1995.

Upphovsrätt

Detta dokument hålls tillgängligt på Internet — eller dess framtida ersättare — under 25 år från publiceringsdatum under förutsättning att inga extraordinära omständigheter uppstår.

Tillgång till dokumentet innebär tillstånd för var och en att läsa, ladda ner, skriva ut enstaka kopior för enskilt bruk och att använda det oförändrat för ickekommersiell forskning och för undervisning. Överföring av upphovsrätten vid en senare tidpunkt kan inte upphäva detta tillstånd. All annan användning av dokumentet kräver upphovsmannens medgivande. För att garantera äktheten, säkerheten och tillgängligheten finns det lösningar av teknisk och administrativ art.

Upphovsmannens ideella rätt innehåller rätt att bli nämnd som upphovsman i den omfattning som god sed kräver vid användning av dokumentet på ovan beskrivna sätt samt skydd mot att dokumentet ändras eller presenteras i sådan form eller i sådant sammanhang som är kränkande för upphovsmannens litterära eller konstnärliga anseende eller egenart.

För ytterligare information om Linköping University Electronic Press se förlagets hemsida <http://www.ep.liu.se/>

Copyright

The publishers will keep this document online on the Internet — or its possible replacement — for a period of 25 years from the date of publication barring exceptional circumstances.

The online availability of the document implies a permanent permission for anyone to read, to download, to print out single copies for his/her own use and to use it unchanged for any non-commercial research and educational purpose. Subsequent transfers of copyright cannot revoke this permission. All other uses of the document are conditional on the consent of the copyright owner. The publisher has taken technical and administrative measures to assure authenticity, security and accessibility.

According to intellectual property law the author has the right to be mentioned when his/her work is accessed as described above and to be protected against infringement.

For additional information about the Linköping University Electronic Press and its procedures for publication and for assurance of document integrity, please refer to its www home page: <http://www.ep.liu.se/>