

How the report page is built

The stack, the GitHub setup, the skills in our Claude Code system, and the design system itself. Everything here is read out of the live repo, not written from memory.

What it is

matviykorsunskiy.me/dialbridge-report is the free Lost Job Report. A contractor types their business name, answers four questions, and watches a live seven step scan build a scored audit of their Google presence. Two scores are free; the rest unlocks behind a phone verification.

What is in here

02 The stack

Seven files, no framework, no build step, and why that is deliberate.

03 GitHub and deploy

Pages, the Actions workflow, how secrets stay out of the repo, cache-busting.

04 Skills in our system

What is installed, and which one to reach for on a given job.

05 The build loop

How work actually gets verified here, which is the part most setups skip.

06- The design system

10 Colour, type, components, interaction rules, and the six things that broke.

The stack

Seven files. No React, no Tailwind, no bundler, no npm install. The whole page is static assets plus fetch calls.

index.html	256 lines. Markup and nothing else.
styles.css	1,693 lines. Every token and component.
app.js	372. Search, autocomplete, picking the business.
questions.js	172. The four question popup.
scan.js	1,033. The seven step scan and all Google calls.
engine.js	1,134. Scoring, the money maths, the heat map.
report.js	1,359. Rendering, the gate, the blueprint form.

Why no framework

The reader is a contractor on a phone, often on bad signal, and the page has to paint before they lose interest. A framework adds a few hundred kilobytes and a build step to a page that renders a handful of components.

What runs where

1 Browser

Google Places API for the business, the competitors and the nine point ranking grid. Google Static Maps for the heat map image. All the scoring maths.

2 n8n

Anything needing a secret or a server: OTP send and verify, the LLM keyword picker, fetching the contractor page source which a browser cannot read cross-origin, Brave search for a missing website, and every write to GHL.

3 GoHighLevel

CRM, contact records, tags, and the outbound text and email.

Rule of thumb: if it needs a key the user must not see, it is an n8n webhook. If it only needs the public Maps key, it stays in the browser and costs nothing to run.

GitHub and deploy

repo	github.com/matkors/dialbridge-report
visibility	Public. Pages cannot host a private repo on the free plan.
host	GitHub Pages, served at the /dialbridge-report/ subpath.
trigger	Push to main, or run the workflow by hand.

Four things the workflow does

01 Writes config.js from repository secrets

The Maps key and all eight n8n webhook URLs are GitHub secrets, printed into a config.js at build time. `config.js` is gitignored and `config.example.js` is the committed template, so no key has ever been in a commit.

02 Copies the site and the PDF

The seven source files plus the blueprint folder, so the lead magnet PDF has a real public URL to email.

03 Touches .nojekyll

Without it Pages runs Jekyll and silently drops anything starting with an underscore.

04 Cache-busts every asset

Appends the commit SHA and run number to every script and stylesheet, so nobody is ever running yesterday JavaScript against today HTML.

Set or change a secret

```
gh secret set GOOGLE_MAPS_API_KEY --repo matkors/dialbridge-report
```

Skills in our system

What is installed, and which one to reach for. Type the slash name in Claude Code.

Design and UI

/design	Open Design studio Local studio, 129 built-in design systems. Landing pages, dashboards, apps, decks. The one for generating a page from scratch.
artifact-design	Loads on its own Palette, typography, layout, dark mode, CDN allowlist, mobile rules. Why the report page looks coherent instead of default.
artifact-diagramming	Diagrams worth drawing For when a picture earns its place. Inline SVG that stays legible in both themes.
dataviz	Charts, with a validator Chart-type heuristics plus a runnable colourblind-safety validator. Load before any chart, graph or stat tile.
/miro	Read and build Miro boards Added 2026-09-22. Reads boards, builds frames and diagrams, and pulls board specs into local files.

Code quality, used on this repo

/code-review	Find real bugs in the diff Low to ultra. Ultra runs a multi-agent review in the cloud against the branch or a PR.
/simplify	Reuse and cleanup Quality only, no bug hunting. Worth running before a push.
/security-review	Security pass on the branch Run it on anything that touches keys or webhooks.

Also installed: openseo (eleven skills, keyword research and local SEO), /ads, /gtm, /blog-writer, /retell. Full list is in the Claude Code skill menu.

The build loop

This is the part most setups skip, and it is the reason the page works. Nothing ships on the strength of looking right in the editor.

01 Drive the real page in a real browser

Playwright loads the actual files, runs the actual flow and screenshots at 390px and 1280px. Every layout claim in this document was checked that way.

02 Measure, do not eyeball

Read `getBoundingClientRect` and compare against the budget. That is how the overflowing cards, the clipped dialog and the wrapped headings were all caught before anyone saw them.

03 Run the whole funnel against production

Search, pick, answer, scan, gate, unlock, email. End to end on the live site, watching every webhook response.

04 Spoof the user agent when testing live


Our n8n webhooks have `ignoreBots` on, and headless Chromium announces itself as `HeadlessChrome`. Without a normal user agent every call returns 403 and it looks exactly like an outage. This cost a full debugging cycle.

The rule behind all four


If a claim can be checked, check it. The report tells contractors things about their own business, so anything we cannot verify does not go on the page, and anything we cannot verify about the page does not get pushed.

Colour

Surface and ink



Judgement, and the soft fill each one sits on



The one colour rule

Orange is **action**. Green, amber and red are **verdicts about the business**. Never let a verdict colour a button, and never let orange imply something is good or bad. The moment those mix, a red card reads as a thing to click.


```
:root {
  --ink: #0f1b2d;    --ink-2: #44526a;    --ink-3: #7b879a;
  --paper: #f6f7f4;  --surface: #ffffff;  --rule: #dde2e8;
  --accent: #e8702a; --accent-ink: #b9531a; --focus: #2f6fdf;
  --good: #1f7a4d;   --warn: #b8860b;    --bad: #a33a22;
  --radius: 14px;
  --shadow: 0 1px 2px rgba(15,27,45,.06), 0 12px 32px rgba(15,27,45,.08);
}
```

Type, shape and components

Plus Jakarta Sans, 400 to 800. Headings clamp so they fit a phone without a breakpoint.

hero	clamp(2.1rem, 6vw, 3.6rem)
section h2	clamp(1.35rem, 3.4vw, 1.9rem)
card h3	clamp(1.15rem, 2.8vw, 1.45rem)
body	0.95rem on a 16px root, line-height 1.55
label / eyebrow	0.66REM MONO, 0.16EM TRACKING, UPPERCASE

Components



The score ring is a conic-gradient on a circle with a surface-coloured hole punched by `::after`. No SVG, no library.

```
.card { background: var(--surface); border: 1px solid var(--rule);
  border-radius: var(--radius); padding: 22px 24px; }

.cta { border: 0; border-radius: 10px; padding: 12px 18px;
  background: var(--accent); color: #fff; font-weight: 700; }

.ring { --tone: var(--warn);
  background: conic-gradient(var(--tone) calc(var(--pct) * 1%), var(--rule) 0);
  border-radius: 50%; display: grid; place-items: center; }
.ring::after { content: ""; position: absolute; inset: 9px;
  border-radius: 50%; background: var(--surface); }
.ring.tone-good { --tone: var(--good); }
.ring.tone-bad { --tone: var(--bad); }
```

Interaction rules

These are the decisions that made the scanner work, and they transfer to the new site more usefully than any hex value.

01 One question per screen

Four questions, four taps, one idea each, no scrolling and no form. A contractor answers it at a red light. A single page with four fields would not get finished.

02 Earn the wait, do not hide it

The scan shows seven named steps completing in real time, because it really is calling Google seven ways. Showing the work is what makes the result feel measured rather than generated. A spinner would have wasted the same thirty seconds and bought nothing.

03 Give the proof away, gate the explanation

The two scores are free and visible. Everything under them is blurred, not hidden. The blur is the point: it proves there is something there, which is what makes a phone number feel worth giving.

04 Never show a number you cannot defend

When Google cannot return a service-area business, the page explains why instead of drawing nine "not found" pins. A confident wrong answer costs more trust than an honest gap.

05 Their words, not ours

"Your Google Maps position when someone searched plumber", not "SERP grid ranking". And money is always a monthly figure. Never ask the reader to do arithmetic to feel the point.

06 The logo goes home

Small thing, constantly got wrong. The brand mark is a real button that resets the scan, with a visible back control beside it for anyone who does not think to try the logo.

Focus is visible, always

Every interactive element gets `outline: 3px solid var(--focus); outline-offset: 3px` on `:focus-visible`. Never remove an outline without replacing it with something equally obvious.

Six things that broke

Each of these cost real debugging time on the report. None are obvious.

1. [hidden] loses to any display rule

A element marked `hidden` stayed on screen because a class set `display: grid`. Put `[hidden]{display: none !important;}` in the reset and never think about it again.

2. minmax(430px, 1fr) does not shrink

A card grid using `minmax(430px, 1fr)` pushed the whole report off every phone, because minmax will not go below its floor. Use `minmax(min(430px, 100%), 1fr)`.

3. text-wrap: balance leaves short lines

Balance evens line lengths, which looks deliberate on a big centred headline and looks like wasted space on a left-aligned heading in a card. Those were using 58 to 69 percent of the width. `text-wrap: pretty` fills the line and only prevents a one-word last line.

4. A custom property set once never changes

The score rings never changed colour. `.ring{--tone: var(--warn)}` was set, and the `.tone-good` and `.tone-bad` classes existed but nothing ever redefined the variable. Declaring a token is not the same as reading it.

5. A centred modal covers the thing it is selling

The unlock dialog sat over the two scores on a 1366 by 768 laptop, which left nothing to unlock for. It became a bottom sheet under 820px of height, with no dark scrim, so the scores stay readable behind it.

6. Safari and Firefox trim the referrer

Both send only the origin on cross-origin requests, so a Google Maps key restricted to a subpath returns 403 on every iPhone. `meta.referrer` and `referrerPolicy` are both ignored. The key restriction has to include the bare origin with a wildcard.

Checklist

-
- ☐ Copy the **token block** from page two verbatim. Do not re-pick the orange.
 - ☐ Load **Plus Jakarta Sans** 400 to 800 with a real fallback stack, and use it for everything.
 - ☐ **One card style, one radius, one shadow.** If a second card style appears, one of them is wrong.
 - ☐ Headings on **clamp**, body on rem. No fixed pixel type outside labels.
 - ☐ **Orange only on actions.** Green, amber and red only on verdicts.
 - ☐ Design at **390px first**, then check 1280. Not the other way round.
 - ☐ Visible **:focus-visible** outline on every interactive element.
 - ☐ Every grid minmax uses **min(px, 100%)** as its floor.
 - ☐ Put **[hidden] { display: none !important }** in the reset.
 - ☐ The **logo goes home**, and there is a second visible way back.
 - ☐ Any Google Maps key is restricted to the **bare origin with a wildcard**, or half your mobile traffic gets a 403.
-

If in doubt

The report works because it shows its working and refuses to claim anything it has not measured. Carry that across and the visual details matter much less than they look like they do.