Instructor: Matthias Nagel due in class 9:30, October 27

## Homework 3

**Exercise 3.1.** Let X be a topological space and  $e \in X$  a point. Let  $\mu: X \times X \to X$  be a map with  $\mu(e,x) = \mu(x,e) = e$  for every point  $x \in X$ . Prove that  $\pi_1(X,e)$  is abelian.


**Exercise 3.2.** Let Z be a path-connected space, and  $p: Y \to X$  a cover. Let  $z_0 \in Z$  be a point and  $f: Z \to X$  a map. Let  $y_0 \in Y$  be a point with  $p(y_0) = x_0 = f(z_0)$ . Let  $z \in Z$  be another point, and  $\gamma, \gamma' \in \Omega(Z, z_0, z)$  paths from  $z_0$  to z. Let  $\widetilde{\gamma}, \widetilde{\gamma}' \colon I \to Y$  be lifts of these paths that start at  $y_0 \in Y$ . Show that if the image of  $\pi_1(f) \colon \pi_1(Z, z) \to \pi_1(X, f(z))$  is contained in the image of  $\pi_1(p) \colon \pi_1(Y, y) \to \pi_1(X, f(z))$ , then  $\widetilde{\gamma}(1) = \widetilde{\gamma}'(1)$ .

**Exercise 3.3.** (1) Let X be the following graph:



Find all covers of degree 3 up to homeomorphism over X.

(2) Compute the group of deck transformations G(Y) of the cover  $p: Y \to X$ :



**Exercise 3.4.** Let X be path-connected and  $x \in X$ . Show that  $\pi_1(X, x)$  is trivial if and only if every map  $S^1 \to X$  extends to a map  $D^2 \to X$ .