DDE Database Technical Documentation📜

1 Preface🗝️
2 What is the problem? 🤔💭
3 What are the possible solutions?🦾😄
4 The solution implementation requirements🔩
4.1 OEM Negotiations📅
4.2 Generic Deal Creation👩‍💻
4.3 Deal Maintenance🚧
4.4 Ad-Hoc Deal Creation 🕺
5 The deal creation process📚
5.1 Tradelist upload📝
5.2 Enrichment of Tradelist ✨
5.3 Start Deal Cycle and Deal Cycle Configuration 🚀
5.4 Headline Deal Generation 🎨
5.5 Headline Deals Approval Process
5.6 Channel Deals Generation 🏗️
6 Glossary 📖
7 Reference Documents

Preface🗝️

This documentation serves as a comprehensive guide for database developers, and backend engineers into DDE's database logic and architecture. Whether you are responsible for maintaining and optimizing the database, or developing backend services that integrate with DDE, this guide will provide the necessary details to help you work efficiently and effectively.

For database developers, it offers deep insights into the structure, schema design, indexing strategies, and performance optimization techniques. You'll also find best practices for maintaining the integrity of the data, troubleshooting potential issues, and extending the database to meet new requirements.

For backend engineers, this guide will detail how DDE's database integrates with other systems and services. It also highlights key architectural decisions and how they impact overall system performance, scalability, and reliability.

Ultimately, this document is intended to ensure that every stakeholder can make the most out of DDE by leveraging its database in a way that is both efficient and aligned with Vodacom’s organizational goals.

What is the problem? 🤔💭

The Vodacom Trade Marketing team used to create and captured deals manually on approximately 100 Microsoft excel spreadsheets using formulas and applying business rules. The manually created deals used to be distributed via email and the information shared, is used to load deals onto down-stream systems such as Eppix and Siebel.

There were about 30 000 odd deals created manually on average per month. The deal creation process would take up to 20 days to generate 100 generic deal sheets monthly, and hundreds of ad-hoc deals daily.

The purpose of the Dynamic Deal's Engine is to automate the process of capturing and generating deals on systems. The Trade Marketing team benefits from using this secure and automated system.

DDE also has an objective of being one central point of data and is designed to require minimal manual intervention by integrating to different systems. The generates deals seamlessly with lesser time based on data available with regards to the deals construct (devices, tariffs, VAS, accessories, and other).

The different departments that supply and consume deal information could be Terminals, Products and Services, OEM's (Original Equipment Manufacturers), Commercial Sales and Channels.

What are the possible solutions?🦾😄

The solution is digitizing and automating the entire deal creation process from creation to loading of deals to downstream systems. This was done through the Dynamic Deals Engine web application. It has been designed to streamline the process, and to securely allow for deals to be created. The application allows Trade Marketing to create and obtain approval for deals using an automated approval process. It also provides automatic escalations, deal publishing and have role-based access control.

The solution implementation requirements🔩

DDE has been designed and built to accommodate the Deal Creation, Deal Approval, Deal Management, & Deal Loading. In this section we explain the deal creation from start to finish at a high level.

OEM Negotiations📅

Prior to the commencement of a deal cycle the Terminals and Trade Marketing (both CBU and VB) departments go into commercial negotiations with various OEMs.

During these discussions Conditional Trade Discounts (CTDs) for devices and accessories and optimal deal pricing is finalised for the next deal cycle. The output of these discussions is a finalized Device Trade Price list which contains all devices/accessories and associated pricing and discounts (CTDs).

The OEM negotiations workflow will enable both Terminals and Trade Marketing to have a view of device and deal pricing, and calculated deal metrics as per the previous deal cycle. They will be able to capture changes to pricing/discounts as discussed in order to assess the overall financial impact and to agree on pricing.

Thereafter, an updated Device Trade Price List (Contract and Prepaid) containing all existing and new devices will be generated and loaded into DDE. Users will then be notified that the system is ready for the generic deal generation process.

Generic Deal Creation👩‍💻

The generic deals creation process is initiated by Trade Marketing (CBU and VB) and requires the updated Device Trade Price List for the current deal cycle, updated standard VAS and tariffs and other SME inputs as defined by Trade Marketing to generate deals by considering all tariff/device deal combinations.

The process kicks off with deal cycle preparation when Trade Marketing (CBU) will have the ability to make changes to SME input data, such as headline tariffs, standard VASs, deal margins etc., based on agreed business decisions.

Once these changes are approved, headline deals are generated, i.e. the headline tariff is determined based on the cost of a device, for each device/tariff combination. Within the headline deal view the Trade Marketing specialist will have the ability to change deal pricing (not related to trade discounts already negotiated) which will automatically be saved to DDE. Once headline deals are created the automatic approvals process is initiated based on predefined deal efficiency thresholds and the overview dashboard will be available for discussion at Deal Review.

Any rejected deals will be isolated for any changes by Trade Marketing (CBU) and will undergo a manual approval process. Final rejections will be excluded from the deal cycle. Once the approval process is completed, Trade marketing (CBU) initiates the creation of overall generic deals (Channel Deals), the output of which is the required ODBC input format for each deal which is saved in DDE for the current deal cycle. The RPA initiator will read directly from DDE

and perform a bulk load of deals into Eppix/Siebel. The generated channel deals are of different deal types. The deal types are shown in the table below, each following a predetermined set of business rules provided by Trade Marketing (CBU).

Deal Type	Description
Standard	A standard deal is a combination of base components, ie device + tariff, where the deal price determined combines the effect of monthly tariff subscription and device price over the term selected for the deal.
Handset Cash	A Cash deal is a variant of the standard finance deal where the customer has the option of paying the finance portion of the device upfront, hereby saving on the deal markup over the term. A standard deal is deemed a 'Finance' deal when the deal price is greater than the tariff subscription at point of negotiation or calculation and the finance portion of the device will be paid over the term.
Gift Card/Vouchers	This is a variant of a standard reduce sub deal where the total device basket is subtracted from a portion (specified by Trade Marketing) of the Tariff Subscription over the term and added as a giftcard on a reduced subscription deal. A standard deal is deemed a 'Reduced Sub' deal when the deal price is less than the tariff subscription at point of negotiation or calculation, which effectively

	discounts the deal subscription over the period.
SIM-Only	A SIM-only deal contains no device, and the deal prices are predetermined by Trade Marketing and maintained in the tariff master list.

The deals are then loaded into downstream systems and distributed to various channels and dealers. A mapping between the different channels and dealer id's is maintained in DDE. The different channels applicable to CBU are:

Channel
Direct
Dealers & Francise
National Chains
Online
Onyx

Vodacom Business uses CBU devices to generate their headline and subsequently their channel deals. After CBU concludes the approval process, VBU commences with the generation of Headline deals and bases their pricing off CBU approved headline deal pricing. That is why VBU has to wait for CBU to finalise their approval process before they can kickstart their generic deal generation process. We illustrate this process in the following diagram.



High-level view of the Generic Deal Generation Process

The deals are then loaded into downstream systems and distributed to various channels and dealers. A mapping between the different channels and dealer id's is maintained in DDE. The different channels applicable to VBU are:

Channel
Vodacom Business
Vodacom Business Online

Deal Maintenance🚧

Deal maintenance encapsulates changes that need to be made by a user during a deal cycle. SME input is required to change field values (e.g. CTD) to specifically requested values that have already been produced in the current deal cycle.

These changes must go through manual approval, and if the deal is approved a new deal will be created within the DDE application and added internally to the DDE database. This new deal will be converted into an ODBC input file and sent via RPA into Eppix.

Ad-Hoc Deal Creation🕺

Ad-Hoc deals are all deals that require additional SME Input for when a customer or channel requests a specific deal that currently does not exist within the generic deals set.

The user will have the ability to either create the deal off any existing generic deal by making changes to the deal or create it from scratch by selecting desired values (device, accessory, tariff, VAS) and inputting desired deal price values.

The deal created by the user will be tested against business rules (efficiency bounds e.g.) and will either be automatically approved or sent for approval. If approved, an ODBC input file is generated and saved within DDE which will be loaded into Eppix/Siebel via RPA.

The deal creation process📚

In this section we explain the deal creation from start to finish at a high in a little bit more detail.

Tradelist upload📝

The trade list containing all devices and accessories are uploaded into DDE by Terminals prior to the start of each cycle. This data is in the form of an excel spreadsheet. Following the upload of

a tradelist, the DDE application performs Uniqueness/Duplication validation at CID level. What this means, the DDE application ensures that no CID has conflicting information in terms of pricing as well as other attributes necessary to uniquely identify a device. After the uniqueness validation an email notification of load status and errors is sent to users via email. The following table lists the database objects and the stored procedures involved in the process.

Database Object	Object Type	Description
`raw_tradelist`	Base Table	This table is used to ingest the tradelist data into DDE. Each cycle this table is truncated before being loaded with data. It has no indexes nor uniqueness constraints and is purely used to ingest the source data as is.
`br_load_src_tradelist`	Stored Procedure	This procedure is used to ingest the source data into DDE. The initial uniqueness constraints are performed by this procedure. This procedure performs Uniqueness/Duplication validation at CID level. In order to ensure this a set of 24 columns are used to for validation. Commercial IDs with conflicting information are then inserted into the `err_tradelist` as erroneous records.

		This procedure inserts the data into the `src_tradelist` table from the `raw_tradelist` table.

Enrichment of Tradelist ✨

Following the uniqueness validation the tradelist data is enriched with fields that identify the device/object type and tariff type which is are used in the deal calculation procs as well as reduction in the number of columns from 52 to 20. The reduction in the number of columns is done to "discard" unnecessary fields which are not used in the deal calculations. The following table lists the database objects, and the stored procedures involved in the process.

Database Object	Object Type	Description
`br_load_enr_tradelist`	Stored Procedure	This procedure is called after data has been successfully inserted into `src_tradelist`. This procedure inserts data into the `enr_tradelist` table. This table essentially contains data from `src_tradelist` used in deal creation and has been enriched with other columns as well. The procedure also makes a call to the following procs `br_load_device_baskets`,

		`br_load_enr_cycle_lists`, `br_load_cfg_channel_devices`, `br_load_cfg_cycle_router_tariffs`, and `br_load_enr_cycle_device_baskets`.
`enr_tradelist`	Base Table	The enriched source data lives in this table. It contain mostly pricing information for CIDs as well as columns used to identify the type of device as well as tariffs types for said CIDs which informs the deal creation process.
`br_load_device_baskets`	Stored Procedure	The purpose of this procedure is to create baskets for new `cid`s. It does so by inserting data into `hsh_device_basket` and `enr_device_basket` if there is a new device in the tradelist. Calls to `br_add_device_`

		`hash` and `br_add_device_basket` are made to do so. This is done because in DDE database deals are created against device baskets. `br_add_device_hash` - This procedure is used to create a unique hash for each device before inserting the data into `hsh_device_basket`. This helps in ensuring that each device basket is unique. `br_add_device_basket` - This procedure inserts device basket into `enr_device_basket` table to keep track of the quantity of each device (`cid`) in a basket.
`br_load_enr_cycle_lists`	Stored Procedure	This procedure is responsible for splitting the data in `enr_tradelist` into routers and other devices (handsets,

		laptops, tablets and accessories). Routers are inserted into `enr_cycle_routers` and devices in `enr_cycle_tradelist`.
`br_load_cfg_channel_devices`	Stored Procedure	This procedure is responsible for inserting data into `cfg_channle_devices` table. The `cfg_channel_devices` table is used to keep track of which devices are active for which channel. If a device was on the pricelist for the previous cycle the active state that trade marketing set for it in a particular channel will be used for the current cycle. If the device is new, then its active state is determined by what it is in the `enr_cycle_tradelist` table which has been set to 'Y'.

`br_load_cfg_cycle_router_tariffs`	Stored Procedure	This procedure loads data into the `cfg_cycle_router_tariffs` table for the current cycle. The data is a cross product of routers active in the current cycle and data tariffs. This list will be reviewed as part of deal configuration per cycle on the application where Trade Marketing will toggle on router-tariff combination they want to create deals on. By default, the router tariffs combinations are not active to allow Trade Marketing to choose which deals they want to create.
`br_load_enr_cycle_device_baskets`	Stored Procedure	This procedure is used to load data into the `enr_cycle_device_baskets` table. This table is cyclic and contains information about device baskets. This data is used in the creation of deals.

Start Deal Cycle and Deal Cycle Configuration 🚀

Within the DDE application the start of a deal cycle is initiated by trademarketing (CBU). After the tradelist has been uploaded, CBU can commence with configuring the deal cycle parameters. Trademarketing needs to set configurations and needs to ensure that the full Tradelist is uploaded, that the tariffs, standard & active vases are correct, and that the `router-tariff`, `channel-device`, `channel-dealtype`, and `tariff-multline_code` mappings are all correct. The following table lists the database objects and the stored procedures involved in the process.

Database Object	Object Type	Description
`br_start_deal_cycle_new_v2`	Stored Procedure	At the start of the deal cycle this stored procedure is called with the sole purpose calling other stored procedures used to load config tables with data for the cycle.
`cfg_deal_config`	Base Table	Inside the stored procedure `br_start_deal_cycle_new_v2` deal config data is inserted into the `cfg_deal_config_hist` from the `cfg_deal_config` table. This data is used by business on the frontend of the application to configure deal cycle parameters for that particular cycle.

`br_load_cfg_channel_deal_types`	Stored Procedure	This procedure loads the `cfg_channel_deal_types` with data on the kinds of deal types can be generated for a particular channel. On the frontend Trademarketing have the ability toggle whether a particular deal type is active or not for a particular channel.
`br_load_enr_tariffs`	Stored Procedure	This procedure loads the `enr_tariffs` table with data for the current cycle. This table contains the master list of tariffs against which deal are created.
`br_load_enr_cycle_tariffs`	Stored Procedures	This procedure loads data into the `enr_cycle_tariffs` table for the current cycle. This data is stored in the `enr_tariffs` table. The `enr_cycle_tariffs` table is reviewed/updated as

		part of deal configuration per cycle in the application.
`br_load_enr_cycle_standard_vases`	Stored Procedure	This procedure loads data into the `enr_cycle_standard_vases` table for the current cycle. This data is stored in the `enr_standard_vases`. The `enr_standard_vases` table is not cyclic and acts more like a ‘default’/'master' data table. The `enr_cycle_standard_vases` / `enr_standard_vases` table determines the standard VAS to be added to each deal based on the tariff plan. It is used as part of deal cycle configuration in the application.
`br_load_enr_cycle_active_vases`	Stored Procedure	This procedure loads data into the `enr_cycle_active_vases` table for the current cycle. This

		data is stored in the `enr_active_vases` table. The `enr_active_vases` table is not cyclic and acts more like a ‘default’/'master' data table. The `enr_cycle_active_vases` table is a list of all VASes currently being used for deal creation. This list will be reviewed as part of deal configuration per cycle on the application. A maximum of 5 vases can be added to a deal. The mix of VASes per deal should be unique, i.e. no duplicates.
`br_load_cfg_cycle_router_tariffs`	Stored Procedures	This procedure loads data into the `cfg_cycle_router_tariffs` table for the current cycle. The data is a cross product of routers active in the current cycle and data tariffs. This list will be reviewed as part of deal configuration per cycle on the application

		where Trade Marketing will toggle on router-tariff combination they want to create deals on. By default, the router tariffs combinations are not active to allow Trade Marketing to choose which deals they want to create.

Headline Deal Generation 🎨

Headline deals are deals generated using starting/headline tariff based on the device basket cost and term of the deal. At the start of the deal cycle proto headline deals are generated. Currently OEM Negotiations are the first step behind getting the Headline Deals together for the cycle, after the configs. Trademarking meets with OEMs to negotiate CTD values per device basket. The following table lists the database objects, and the stored procedures involved in the process.

Database Object	Object Type	Description
`br_phd_generate_proto_headlines`	Stored Procedure	This procedure is called in the application to generate proto headline deals. This procedure calls other procedures to load tables and execute necessary calculations for generating deals.
`br_load_enr_cycle_tariff_baskets`	Stored Procedure	This procedure loads the `enr_cycle_tariff_baskets` table with data of all the active tariff baskets. A

		tariff basket is active if all its tariffs for the cycle are active. It is the `tariff_basket_id` from this table used in deal creation.
`br_load_enr_cycle_simo_deal_price`	Stored Procedure	This procedure loads the `enr_cycle_simo_deal_price` table with SIM-ONLY only deal subscription prices for the current cycle.
`br_load_cycle_router_baskets`	Stored Procedure	This procedure loads the `hsh_device_basket` and `enr_device_basket` tables with a combination of active sim-enabled routers (DS `tariff_type`) and active data devices which are not sim-enabled (DN `tariff_type`). If the tablet/laptop is not SIM-ENABLED, then router is primary device and laptop/tablet an accessory. Deals are

		created automatically for MBB. Trade Marketing will select which laptops/tablets they want to create deals for FWA tariffs.
`br_load_enr_cycle_promo_multiline`	Stored Procedure	This procedure loads the `enr_cycle_promo_multiline` table with data. The data is stored in `src_promo_multiline`. This data provides the reference code based on the tariff(s) selected for the secondary line(s) in a promo/multiline deal based on term and channel type. This data is automatically referenced during deal creation. These multi-tariff deals are called Promolines when generating deals for the Online channel and Multiline when generating deals for all other channels, except Onyx which only has single line deals.
`br_load_enr_cycle_device_bas`	Stored Procedures	This procedure loads the

`kets`		`enr_cycle_device_baskets` table with active device basket data. These device baskets will be used to generate headline deals against starting tariff packages. A device basket is active if all devices in baskets are active.
`br_phd_gen_cbu_data`	Stored Procedure	This procedure is used to generate CBU data headline deals. This procedure takes in two parameters, the `in_cycle_id` and `in_term` parameter. The `in_cycle_id` parameter specifies the cycle to generate the CBU data headline deals for while the `in_term` parameter specifies the contractual term in months of the deals. The `in_term` parameter is obtained from the table `cfg_terms`, it is this table that stores the allowable terms to automatically generate

		headline deals and channel deals from. The starting/headline tariff for a deal based on the device basket cost and term of the deal. A headline tariff is assigned based on device basket cost, i.e. device cost+accessory cost - CTD and deal term. There is a reference table for this called `ref_tariff_ranges`.
`br_phd_gen_cbu_voice`	Stored Procedure	This procedure works in a similar manner to the `br_phd_gen_cbu_data` proc but instead of generating data deals it generates voice deals. This procedure takes in two parameters, the `in_cycle_id` and `in_term` parameter. The `in_cycle_id` parameter specifies the cycle to generate the CBU voice headline deals for while the `in_term` parameter

			specifies the contractual term in months of the deals. The `in_term` parameter is obtained from the table `cfg_terms`, it is this table that stores the allowable terms to automatically generate headline deals and channel deals from. The starting/headline tariff for a deal based on the device basket cost and term of the deal. A headline tariff is assigned based on device basket cost, i.e. device cost+accessory cost - CTD and deal term. There is a reference table for this called `ref_tariff_ranges`. A proc for actually doing the calculations `br_phd_gen_calc` is called after which the voice deals data gets inserted into the `dsh_proto_headlines` table. When a voice deal has a

		`deal_sub_type` of ‘ `reduced_sub'` and a 36-month contractual term it won’t get inserted into the `dsh_proto_headlines` table. A headline deals is a standard deal. A standard deal is a combination of base components, i.e. device + tariff, where the deal price determined combines the effect of monthly tariff subscription and device price over the term selected for the deal. A standard deal is deemed a 'Reduced Sub' deal when the deal price is less than the tariff subscription at point of negotiation or calculation, which effectively discounts the deal subscription over the period.
`br_phd_gen_cbu_simo`	Stored Procedure	This procedure works in a similar manner to `br_phd_gen_cbu_voice` and `br_phd_gen_cbu`

		`_data` however instead it computes and inserts into `dsh_proto_headlines` SIM-ONLY headline deals. SIM-ONLY voice deals are generated only for the 24-month term while SIM-ONLY data deals are generated for the 24 and 36-month terms.
`br_phd_gen_vb_data`	Stored Procedure	This procedure is responsible for generation of VB headline data deals. The VB headlines are generated after CBU has concluded its deal cycle, the reason being VB uses CBU devices, data tariffs and deal prices to generate deals. In the procedure there is a temp table called `vbu_data_tariffs` used for generating VB data tariffs from CBU data tariffs. Since the data tariffs are further categorized into **MBB** and **FWA**, VB considers all tariffs with a data

		tariff type of FWA for headline generation while for those with data tariff type of MBB they want data tariffs more than 5G. The tariffs are ordered by tariff subscription in ascending order, the reason being tariffs with cheapest tariff subscription per data tariff subcategory will be used for generating headline deals for VB. Just like the `br_phd_gen_cbu_data`, `br_phd_gen_cbu_voice` and `br_phd_gen_cbu_simo` this proc makes a call to `br_phd_gen_calc` for calculating other metrics in headline deal generation but for VB data deals.

After proto headlines have been generated headline deals get generated. Headline deals are used to generate channel deals. Channel deals are what gets sold to customers. The following table lists the database objects and the stored procedures involved in the process.

Database Object	Object Type	Description

`br_hd_generate_headlines`	Stored Procedure	This procedure is used to generate the actual headline deals. The headline deals from `dsh_proto_headline` deals table will get inserted into `dsh_headlines` table. Only deals in the draft status gets passed through.

Headline Deals Approval Process

Headlines deals after being created need to go through an approval process. The deals can go over a maximum 3 approval levels depending on the efficiency of the deal and configured efficiency threshold. The following table lists the database objects and the stored procedures involved in the process.

Database Object	Object Type	Description
`br_hd_submit_headlines_for_approval`	Stored Procedure	This procedure is used to initiate the headline deal's approval process. All Headlines begin by being in a draft status. On submission of headlines for approval, deals which do not exceed the configured efficiency threshold are automatically approved while those which breach the thresholds undergo the approval process. It’s worth pointing out as well

		that VB deals in draft status are automatically approved regardless of their efficiency.

Channel Deals Generation 🏗️

Following the headline deal's approval process, Trade Marketing commences with channel deals generation. Channel deals are generated on per channel basis. The following table lists the database objects, and the stored procedures involved in the process.

Database Object	Object Type	Description
`br_chd_generate_channel_deals`	Stored Procedure	When a channel hits the generate button, this calls the main stored procedure which then, per term that are configured to participate (currently 24, 36), per deal type as per the channel-deal-type configs, and using the channel-device configs, the Headlines are picked up and turned into channel headlines according to the following rules: 1. All approved Headlines that are specific to the respective channel are picked up. 2. Any approved generic Headlines are

		picked up unless they are otherwise copies of the channel-specific Headlines. 3. The channel headlines then under the differentiation process, which essentially multiplies the headlines out into all higher-ranked tariff baskets: Given a Headline with a main-tariff with rank Rx and belonging to a tariff family (there are three tariff families - Voice, Data-MBB, and Data-FWA), it will propagate into children deals obtained from swopping out the HD's main tariff with all other tariffs Ty such that Ty belongs to the same TF and the rank of Ty is Ry > Rx. The headlines along with their children are now given their standard vases (as per configs), calculated (as per the channel, deal type calculation rules), and finally inserted into `dsh_channel_deals`. The calculations variations

		are fairly complex, see `br_chd_channel_calculations`.
`br_load_enr_cycle_tariff_baskets`	Stored Procedure	This procedure loads the `enr_cycle_tariff_baskets` table with data of all the active tariff baskets. A tariff basket is active if all its tariffs for the cycle are active. It is the `tariff_basket_id` from this table used in deal creation.
`br_chd_load_differentiation`	Stored Procedure	This procedure ensures that baskets alternative baskets needed for the differentiation process exist in the database.
`br_chd_generate_channel_deals_per_term`	Stored Procedure	This procedure is designed to modularise the channel deal's generation process on a per term level.
`br_chd_gen_channel_propagation`	Stored Procedure	This procedure is responsible for carrying out the differentiation for both single and multiline baskets.
`br_chd_insert_channel_deal_t`	Stored Procedure	This procedure is designed to modularise the actual calculation

`ypes`		and bulk insert of channel deals for a particular term and channel.
`br_chd_gen_insert_standard`	Stored Procedure	Applicable to CBU. This procedure picks up the derived tables created in the `br_chd_gen_channel_propagation`. The derived table prepares the data for the `br_chd_channel_calculations` deals procedure which actually performs the calculation for standard deals.
`br_chd_channel_calculations`	Stored Procedure	The centralised proc responsible for the calculation of actual channel deals per deal type. All the calculation logic for all channel deals are performed by this procedure.
`br_chd_insert_channel_deals`	Stored Procedure	Modularised proc for bulk insert of created channel deals.
`br_chd_gen_insert_handset_cash`	Stored Procedure	Applicable to CBU. This procedure picks up the derived tables created in the

		`br_chd_gen_channel_propagation`. The derived table prepares the data for the `br_chd_channel_calculations` deals procedure which actually performs the calculation for handset cash deals.
`br_chd_gen_insert_gift_card`	Stored Procedure	Applicable to CBU. This procedure picks up the derived tables created in the `br_chd_gen_channel_propagation`. The derived table prepares the data for the `br_chd_channel_calculations` deals procedure which actually performs the calculation for gift card deals.
`br_chd_gen_insert_simo`	Stored Procedure	Applicable to CBU. This procedure picks up the derived tables created in the `br_chd_gen_channel_propagation`. The derived table prepares the data for

		the `br_chd_channel_calculations` deals procedure which actually performs the calculation for sim-only deals.
`br_chd_gen_insert_upgrade`	Stored Procedure	Applicable to VBU. This procedure picks up the derived tables created in the `br_chd_gen_channel_propagation`. The derived table prepares the data for the `br_chd_channel_calculations` deals procedure which actually performs the calculation for upgrades.
`br_chd_gen_insert_newline`	Stored Procedure	Applicable to VBU. This procedure picks up the derived tables created in the `br_chd_gen_channel_propagation`. The derived table prepares the data for the `br_chd_channel_calculations` deals procedure which

		actually performs the calculation for newlines.

Glossary 📖

Term	Definition
VAS	Value Added Service
CBU	Consumer Business Unit
VB	Vodacom Business
SME	Subject Matter Expert
CID	Commercial ID
OEM	Original Equipment Manufacturer
CTD	Conditional Trade Discount
MBB	Mobile Broadband
FWA	Fixed Wireless Access

Reference Documents

1. Generic Deals Business Rules Consolidated v1.xlsb.xlsx
2.