

A PCA plot showing the first two principal components, PC1 (x-axis) and PC2 (y-axis). The x-axis ranges from -4 to 8, and the y-axis ranges from -4 to 4. The plot displays a large number of data points colored by group, including blue, orange, green, red, yellow, light blue, pink, light green, dark blue, purple, brown, grey, and dark green. A yellow star is located near the center of the plot, around PC1 = 0.5 and PC2 = -1.5. Dashed lines represent the PC1 and PC2 axes.

A PCA plot showing the first two principal components, PC1 (x-axis) and PC2 (y-axis). The x-axis ranges from -4 to 8, and the y-axis ranges from -4 to 4. The plot displays a large number of small, semi-transparent colored points representing individual samples. A yellow star with a black outline is positioned at approximately (0.5, -1.5), highlighting a specific point of interest. The points are distributed across the plot, with a dense cluster of points near the origin and a more dispersed distribution towards the right side of the plot.

A PCA plot showing the first two principal components, PC1 (x-axis) and PC2 (y-axis). The x-axis ranges from -4 to 8, and the y-axis ranges from -4 to 4. The plot displays a large number of data points colored by group, including blue, orange, green, red, yellow, light blue, pink, light green, dark blue, purple, brown, grey, and dark green. A yellow star is located near the center of the plot, around PC1 = 0.5 and PC2 = -1.5. Dashed lines represent the PC1 and PC2 axes.