

Hong Kong Market Data Exploration User Manual

Table of Contents

1. System Overview
 2. Login, Register, and Logout
 3. Main Interface Instructions
 4. Initiate a natural language query
 5. View the query results
 6. Chart Configuration
 7. Knowledge Base
 8. Table Management
 9. Notes
-

1. System Overview


Hong Kong Market Data Exploration is a set of AI analysis tools tailored for Hong Kong market data. Users can pose questions in natural language, and the system automatically understands the questions, generates SQL, queries data, and returns text answers, charts, and table results.

- Supports data exploration of stocks, indices, industries, market capitalization, news announcements, financial statements, etc. in the Hong Kong market.
- Supports switching between Chinese and English interfaces, and query issues can be directly described using natural Chinese language.
- Supports query scope limitation by data table, suitable for demonstration, verification, and business analysis scenarios.

2. Login, Register, and Logout

When using the system for the first time, you need to register an account first. If you already have an account, you can log in directly. After logging in, the system will display the current username and you can log out via the top button.

1. Open the system address and enter the login page.
2. If you already have an account, enter your username and password, then click "Login".
3. If you need a new account, switch to "Register", enter your username, password, and confirm password, then submit.
4. After logging in, enter the main interface; after use, click "Exit" at the top.

The image shows a login and registration interface for 'HK Market Data Explorer'. At the top is a logo with 'HK' in white on a dark blue square. Below the logo is the title 'HK Market Data Explorer'. There are two tabs: 'Login' (active) and 'Register'. Under the 'Login' tab, there are two input fields: 'Username' with a hint '3-32 characters, letters, numbers or underscore' and 'Password' with a hint 'At least 6 characters'. Below these fields is a dark blue 'Login' button.


Login and Registration Page

3. Main Interface Instructions

The main interface consists of a top navigation bar, a left-side conversation list, and a middle conversation workspace. The top is used to access system-level functions; the left side is used to manage historical conversations; and the middle area is used for asking questions and viewing results.

- Top Navigation: Displays system name, data table management, Knowledge Base, current user, and language switch.
- Left-side conversation: You can create a new conversation, select a historical conversation, and delete conversations that are no longer needed.

- **Middle Workspace:** Displays the welcome page, sample questions, query input box, and query results.




Main Interface and Welcome Page

4. Initiate a natural language query

Users can directly describe their analysis requirements in the input box, such as querying the closing price of an index, changes in industry market capitalization, stock trends, or indicators related to news announcements within a certain period of time.

1. Enter your question in the bottom input box.
2. If you need to limit the data scope, you can select one or more data tables in the "Query Scope"; if no selection is made, all available tables will be queried by default.
3. Click "Send", or press Enter in the input box to submit the question.
4. After the system starts analyzing, it will display the status of various stages such as understanding the problem, generating solutions, querying data, and generating answers.

Example Question: What was the total trading volume of the entire market on trading days when the daily decline of the market index exceeded 2% in the first half of 2025?




Natural Language Query

5. View the query results

After the query is completed, the system will return natural language answers in the conversation and display charts and detailed tables based on the result data. For results involving data processing, the system will provide explanations of the processing criteria.

- Text Response: Summarize the query results and key conclusions.
- Chart Area: Suitable for visual display of trend, comparison, and distribution results.
- Data Table: Displays query details and supports pagination for viewing. (Click "Hide" to switch from the chart to the data table)
- Calculation Chain(s): When data processing or pre-calculation is used, it can be expanded to view the calculation logic and core code.



Query Results - Chart

Top 10 20 stocks whose trading volume exceeded three times their 30-day average prior to major news announcements in 2025, sorted by volume multiplier (descending), are as follows:

stock_code	stock_name	trade_date	daily_volume	avg_vol_30d	volume_multiplier
08112	CORNERSTONE FIN	2025-03-26	170400	4.666666667	36514.285714
00768	UBA INVESTMENTS	2025-04-24	10517000	3326.666666667	3053.268413
01870	ACME INTL HLDGS	2025-03-05	346467500	377583.333333333	912.772055
00137	JINHU HOLDINGS	2025-02-28	27200000000	27200000000	852.94176
01163	ADTIGER CORP	2025-04-25	8942500	21083.333333333	424.15
00078	SOUNDWILL HOLD	2025-03-10	5161240	21083.333333333	260.223
01183	ZHENGYE INTL	2025-03-18	1152000	466.67	235.71
01180	CHI KINGSTONE	2025-04-07	212.487200	925215.333333333	229.67
01532	CHINA PARTYTIME	2025-02-24	26.379000	130.10000	202.76
00061	GREEN LEADER	2025-03-14	33.484500	171.76477	194.94
01008	LITU HOLDINGS	2025-03-11	19.172000	109.000000	175.89
00209	WINHINE SCI	2025-03-03	136.7200	885.33	154.43
00249	SIACON	2025-02-10	2002.000	13.20500	151.09
00662	ASIA FINANCIAL	2025-03-06	20.000	133.333333333	150.00
01943	KING'S STONE	2025-04-03	42.746000	303.833.33	140.67
00193	CAPITAL ESTATE	2025-02-07	2.298325	9.651.39	134.52
02360	BEST MART 360	2025-03-26	16.074000	124.133.33	129.49
00022	MEXAN	2025-02-10	54.240000	421.794.25	128.59
00420	ZIBUJU	2025-03-28	148.500	1200.000	127.31
01418	SINOMAX GROUP	2025-02-14	11.988300	94.196.43	127.27

Chart	Line	Bar	H-Bar	Pie	Candle	Heatmap	Candle	Waterfall

stock_code	stock_name	trade_date	daily_volume	avg_vol_30d	volume_multiplier
08112	CORNERSTONE FIN	2025-03-26	170400	4.666666667	36514.285714
00768	UBA INVESTMENTS	2025-04-24	10517000	3326.666666667	3053.268413
01870	ACME INTL HLDGS	2025-03-05	346467500	377583.333333333	912.772055
00137	JINHU HOLDINGS	2025-02-28	27200000000	27200000000	852.94176
01163	ADTIGER CORP	2025-04-25	8942500	21083.333333333	424.15098
00078	SOUNDWILL HOLD	2025-03-10	5161240	19831.600000000	260.227089
01183	ZHENGYE INTL	2025-03-18	1152000	466.666666667	235.714286
01180	CHI KINGSTONE	2025-04-07	212487200	925215.333333334	229.671042
01532	CHINA PARTYTIME	2025-02-24	26379000	130100.000000000	202.759416
00061	GREEN LEADER	2025-03-14	33484500	171764.766666667	194.943938
01008	LITU HOLDINGS	2025-03-11	19172000	109000.000000000	175.889608
00209	WINHINE SCI	2025-03-03	136720	885.333333333	154.427711
00249	SIACON	2025-02-10	2002000	13260.000000000	151.094840
00662	ASIA FINANCIAL	2025-03-06	200000	133.333333333	150.000000
01943	KING'S STONE	2025-04-03	42746000	303833.333333333	140.660227
00193	CAPITAL ESTATE	2025-02-07	2298325	9651.3913048478	134.520256
02360	BEST MART 360	2025-03-26	16074000	124133.333333333	129.488996
00022	MEXAN	2025-02-10	54240000	421794.250000000	128.593503
00420	ZIBUJU	2025-03-28	148500	1300.000000000	127.307692
01418	SINOMAX GROUP	2025-02-14	11988300	94196.4293174286	127.281916

This question involves 2 calculation chains?

Query Results – Data Table

This question involves 2 calculation chain(s)

Stock trading calculation

Announcement date calculation

Result query

Stock trading calculationw_t_vtk_vtk_sql

SCRIPT

HideCopy allDownload

1. Data preparation

sql script

python script

2. Key calculation notes

30-Day Average Trading Volume

Stock Trading Date

```
trade_date 交易日期
w_t_vtk_vtk_trade_date
-- Input: w_t_vtk_vtk_sql_trade_date, e.g. 02/04/2025 00:00:00
-- Output: volume w_t_vtk_vtk_trade_date

UPDATE w_t_vtk_vtk
SET trade_date = CASE(CASE(
    SUBSTR(SUBSTR(STR, 5, 4), '-'),
    CASE SUBSTR(SUBSTR(STR, 5, 3)
        WHEN 'JAN' THEN '01' WHEN 'FEB' THEN '02' WHEN 'MAR' THEN '03'
        WHEN 'APR' THEN '04' WHEN 'MAY' THEN '05' WHEN 'JUN' THEN '06'
        WHEN 'JUL' THEN '07' WHEN 'AUG' THEN '08' WHEN 'SEP' THEN '09'
        WHEN 'OCT' THEN '10' WHEN 'NOV' THEN '11' WHEN 'DEC' THEN '12'
    END), '-'),
    SUBSTR(SUBSTR(STR, 5, 2)
) AS (day))
WHERE trade_date IS NULL;
```

```
from collections import deque

class RollingAvg:
    def __init__(self, window):
        self.window = window
        self.buf = deque()
        self.sum = 0.0
        self.count = 0

    def add(self, value):
        if len(self.buf) == self.window:
            old = self.buf.popleft()
            if old is not None:
                self.sum -= old
                self.count -= 1
            self.buf.append(value)
            if value is not None:
                self.sum += value
                self.count += 1

    def avg(self):
        if len(self.buf) == self.window and self.count:
            return self.sum / self.count
        return None

    def reset(self):
        self.buf.clear()
        self.sum = 0.0
        self.count = 0

def compute_vtk_features(rows):
    r1, r20, r30, r100 = RollingAvg(1), RollingAvg(20), RollingAvg(30), RollingAvg(100)
    streaks = streaks = streaks = 0
    start1 = start20 = start30 = None
    vol_buf = deque()
    vol_sum = 0.0
    vol_count = 0
    prev = None

    for row in rows: # Input by SQL, rebuild trade_date
        code = row["stock"]
        trade_date = row["trade_date"]
        close = row["close"]
        vol = row["vol"]

        if code is prev:
            r1.reset(); r20.reset(); r30.reset(); r100.reset()
            streaks = streaks = streaks = 0
            start1 = start20 = start30 = None
            vol_buf = deque()
            vol_sum = 0.0
            vol_count = 0
            prev = code

            r1.add(close); r20.add(close); r30.add(close); r100.add(close)
            vol = round(vol, 4); 2) if r1.avg() is not None else None
            vol20 = round(r20.avg(), 4) if r20.avg() is not None else None
            vol30 = round(r30.avg(), 4) if r30.avg() is not None else None
            vol100 = round(r100.avg(), 4) if r100.avg() is not None else None

            if vol is not None and close is not None and close > vol:
                if streaks == 0:
                    start1 = trade_date
                streaks += 1
            else:
                streaks = 0
                start1 = None

            if vol20 is not None and close is not None and close > vol20:
                if streaks20 == 0:
                    start20 = trade_date
                streaks20 += 1
            else:
                streaks20 = 0
                start20 = None

            if vol30 is not None and close is not None and close > vol30:
                if streaks30 == 0:
                    start30 = trade_date
                streaks30 += 1
            else:
                streaks30 = 0
                start30 = None

            # Avg vol, 10 days shift(1), rolling window 10, 20, 30 days, 100 days
            avg_vol_100 = vol_sum / vol_count if vol_count >= 10 else None
            avg_vol_buf = deque()
            if vol is not None:
                vol_sum = vol
                vol_count += 1
            if len(vol_buf) == 10:
                old = vol_buf.popleft()
                if old is not None:
                    vol_sum -= old
                    vol_count -= 1
            else:
                vol_sum = vol
                vol_count = 1

        yield {
            "stock": code,
            "trade_date": trade_date,
            "w_t": vol,
            "w_20": vol20,
            "w_30": vol30,
            "w_100": vol100,
            "consecutive_above_vol": streaks,
            "consecutive_above_vol_start": start1,
            "consecutive_above_vol20": streaks20,
            "consecutive_above_vol20_start": start20,
            "consecutive_above_vol30": streaks30,
            "consecutive_above_vol30_start": start30,
            "avg_vol_100": avg_vol_100,
        }
```

```
30-Day Average Trading Volume
-- calculate avg vol from the existing buffer first, excluding the current day
if vol_count >= 10:
    avg_vol = vol_sum / vol_count
else:
    avg_vol = None

# Push the current day's volume after calculation to preserve shift(1) semantics
vol_buf.append(vol)
if vol is not None:
    vol_sum += vol; vol_count += 1
if len(vol_buf) >= 10:
    old = vol_buf.popleft()
    if old is not None:
        vol_sum -= old; vol_count -= 1
```

```
Stock Trading Date
The date is stored as text, for example 02/04/2025 00:00:00. It cannot be compared or filtered as a date directly. During import, it is parsed into a standard date and stored in this column. Use this column for date filters, joins, and sorting.

stock_trading_date
-- Not a date, does not support SQL date functions, rebuild the date with function
UPDATE w_t_vtk_vtk SET trade_date = CASE(CASE(
    SUBSTR(SUBSTR(STR, 5, 4), '-'),
    CASE SUBSTR(SUBSTR(STR, 5, 3)
        WHEN 'JAN' THEN '01' WHEN 'FEB' THEN '02' WHEN 'MAR' THEN '03'
        WHEN 'APR' THEN '04' WHEN 'MAY' THEN '05' WHEN 'JUN' THEN '06'
        WHEN 'JUL' THEN '07' WHEN 'AUG' THEN '08' WHEN 'SEP' THEN '09'
        WHEN 'OCT' THEN '10' WHEN 'NOV' THEN '11' WHEN 'DEC' THEN '12'
    END), '-'),
    SUBSTR(SUBSTR(STR, 5, 2)
) AS (day))
WHERE trade_date IS NULL;
```


Details

6. Chart Configuration

The system supports two ways to set up charts: one is to only specify the data to be queried when asking a question, and the system will automatically recommend a chart after querying the data; the other is [to specify the chart to be generated when querying](#) or [to continue asking follow-up questions based on existing query results](#), such as "change to a bar chart", "only show the top 10", "show data labels", and the system will preferentially reuse the previous round's results to redraw the chart.

- **Chart Type:** Supports line, column, bar, pie, Combo, heatmap, and candlestick charts. You can also click "Hide Chart" to switch to a data table.
- **Dimensions and Metrics:** Select the horizontal axis dimension, numerical metric, and optional legend field.
- **Combo Chart:** Can switch between bar or line for different indicators and set the primary/secondary Y-axis.
- **Sorting and Top N:** Can sort in ascending or descending order by a specified field and limit the display to the top N entries.
- **Display Options:** Line and Combo charts can display marker points, and all charts can display data labels as needed.

6.1 Automatic Chart Recommendation




Automatically Recommended Chart

6.1 Request image generation using natural language

When asking questions, it is recommended to specify the analysis object, time range, indicator, grouping dimension, and chart type simultaneously. The more complete the information, the easier it is for the system to return results that can be directly plotted.

Chart Type	Applicable Scenarios	Recommended Questioning Method
Line	Displays time series trends, such as the change of indicators over dates.	What was the Closing Price of CKH HOLDINGS on each trading day in January 2025? Please use a line chart to show the trend.
Bar	Compare the numerical values of the indicator under different dimensional values.	In the first half of 2025, calculate the change in total market capitalization by industry and present it using a bar chart.
H-Bar	Category names that are long or ranking results are more clearly presented horizontally.	List the top 10 stocks with the highest increase in the first quarter of 2025 and display them using a bar chart.
Pie	Show the composition proportion (the number of categories should not be too large).	Use a pie chart to show the top 3 industries with the highest proportion in June 2025.
Combo	Displays more than two indicators simultaneously, each with its own measurement axis.	Display the daily Hang Seng Index and daily percentage change for each day in March 2025 using a Combo chart, with the index represented by columns and the daily percentage change by a line.
Heatmap	Cross-analysis of an indicator across two dimensions.	The monthly maximum closing prices of CKH HOLDINGS in 2025 and 2026 are presented using a heatmap.
Candlestick	Displays four price fields:	What were the opening

	Opening Price, Closing Price, High Price, and Low Price.	price, closing price, highest price, and lowest price of XXXX stock on XX/XX/XXXX? Show it using a candlestick chart.
--	--	---




Specify Chart Type

6.2 Naturally inquire about image modification based on existing results using natural language

Within the same conversation, the system will retain the most recent response with query results. When the user subsequently enters short phrases such as "change to a bar chart", "switch to a pie chart", "only show the top 10", "add data labels", etc., the system will recognize them as follow-up questions to the previous round of results and prioritize reusing the existing results to regenerate the chart.

1. First initiate a complete query and have the system return data tables and charts.
2. Continue to input requirements for modifying the chart in the same conversation, for example, "change to a bar chart".
3. The system returns a new response and chart configuration, usually without re-executing the SQL query.
4. If the natural language image modification does not fully meet expectations, you can manually adjust it using the chart toolbar.





Natural language follow-up, change to a bar chart, then switch to a data table

Examples of common follow-up questions:

- "Change to bar chart"
- "Change to bar chart, sorted in descending order by value"
- "Only look at Top 10"
- "Use a pie chart to show the proportion"
- "Place the trading volume on the right axis and display it using a Combo chart"
- "Hide the chart and only view the table"

6.3 Manually Switch Chart




Clicking the chart type button can switch between line, column, bar, pie, Combo, heatmap, and candlestick charts, and clicking "Hide" switches to the data table. If a chart type button is grayed out, it indicates that the number of columns in the current query result is insufficient. For example, a Combo chart requires at least one dimension and two metrics, a heatmap requires at least two dimensions and one metric, and a candlestick chart requires five types of fields: time, open, close, high, and low.





Manually switch the bar chart to a column chart

6.4 Manually Configure Chart

Based on the current chart, after clicking "More Configurations", you can manually configure fields and adjust display rules.





Configuration Combo Diagram


- Dimension: Usually serves as the horizontal axis or categorical field, such as date, industry, stock code.
- Indicators: Used to plot numerical values, such as Closing Price, Trading Volume, Market Capitalization, and Growth Rate.
- Legend: Used to split the same indicator into multiple lines or groups of columns based on another field.
- Sorting: After selecting the sorting field, you can switch between ascending or descending order.
- Top N: Limit display to all, top 5, top 10, top 20, or top 50 items.
- Show Markers: Applies to the lines in line charts or Combo charts.
- Show Data Labels: Display values directly on the chart.

7. Knowledge Base

The Knowledge Base is used to maintain semantic knowledge related to SQL generation, including business logic, glossaries, case libraries, and display rules. The maintained knowledge will help the system understand data models and business specifications more accurately.

[Do not edit or modify the existing Knowledge Base configuration in the current environment]

1. Click on "Knowledge Base" at the top to enter the Knowledge Base panel.
2. Filter by the top labels for All, Business Logic, Glossary, Case Library, or Display Rules.
3. Click "Add Knowledge" and fill in the type, identifier, name, content, and associated table.
4. Existing entries can be modified by clicking "Edit" or removed by clicking "Delete".



Knowledge Base Management


8. Table Management

8.1 Table Management

Data table management is used to maintain data tables uploaded by users. The system supports uploading Excel or CSV files, creates tables after parsing fields, and allows editing the metadata of tables and columns.

1. Click "Data Table Management" at the top to open the sidebar panel.
2. View existing user tables, including table name, table comment, number of rows, and creation time.
3. Click "Preview" to view sample data in the table.
4. Click "Edit Metadata" to maintain table and column comments.

5. Click "Delete" to delete the user table, and the system will prompt for confirmation before deletion.




Data Table Management

8.2 Upload Excel and Analyze Data

1. Click "Upload Excel" in the data table management panel.
2. Drag a .xlsx, .xls, or .csv file into the upload area, or click the area to select a local file.
3. After the system uploads and parses the file, it will display the table name, table comment, field type, and preview data.
4. Confirm or modify the table name, field type, and column comment.
5. Click "Confirm Table Creation" and wait for the import to complete.

Table names only allow lowercase letters, numbers, and underscores. It is recommended to fill in clear comments for tables and fields so that they can be more easily understood by the system during subsequent natural language queries.



HK Market Data Explorer

AI-Powered Financial Data Analysis

Table Management

Manage user-uploaded data tables

New Chat

Use a pie chart to show the to...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

New Chat

New Chat

列出2025年一季度的涨幅最高的1...

按行业统计2025年6月底总市值...

2025年上半年，按行业统计总...

2025年1月恒生指数每个交易日...

Upload Excel

Table Name

candlestick

Only lowercase letters, numbers, and underscores

Table Description

Column

Column	Type	Comment
日期	DATE	
股票代码	BIGINT	
公司名称	VARCHAR(256)	
开盘价	DECIMAL(18,6)	
收盘价	DECIMAL(18,6)	
最高价	DECIMAL(18,6)	
最低价	DECIMAL(18,6)	

Preview Data (21 Rows)

日期	股票代码	公司名称	开盘价	收盘价	最高价	最低价
2025-01-01	001	新华电源	30.50	30.80	31.00	30.40
2025-01-02	001	新华电源	30.80	31.30	31.90	30.75
2025-01-03	001	新华电源	31.20	31.70	31.60	30.90
2025-01-04	001	新华电源	31.10	30.95	31.25	30.90
2025-01-05	001	新华电源	30.95	31.30	31.45	30.90
2025-01-06	001	新华电源	31.30	31.60	31.80	31.20
2025-01-07	001	新华电源	31.60	31.40	31.70	31.30

Cancel

Create Table

Table Management

Manage user-uploaded data tables

Upload Excel

candlestick

21 Rows · 2025-05-21 06:18:58

Edit Metadata

Preview

Delete

HK Market Data Explorer

AI-Powered Financial Data Analysis

Table Management

Manage user-uploaded data tables

New Chat

Use a pie chart to show the to...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

New Chat

New Chat

列出2025年一季度的涨幅最高的1...

按行业统计2025年6月底总市值...

2025年上半年，按行业统计总...

2025年1月恒生指数每个交易日...

Hong Kong Market Data Explorer

Ask questions about stock prices, market indices, industry classifications, news, and financial statements in natural language.

In H1 2025, on days when HSI dropped over 2%, what was the total market trading volume?

In H1 2025, list the 3 industries with the lowest aggregate market cap change.

List stocks that closed above their 50-day moving average for 10 consecutive days in Q1 2025

Detect stocks with volume exceeding 3x Avg_Vol_30_Pri on material news event trading days in Q1 2025

QUERY SCOPE

All

HSI Daily

Stock Trading

Market Cap

Industry Classification

News

Financial Statements

CCASS Holdings

candlestick

New Chat

Ask a question about Hong Kong market data...

Table Management

Manage user-uploaded data tables

Upload Excel

candlestick

21 Rows · 2025-05-21 06:18:58

Edit Metadata

Preview

Delete

HK Market Data Explorer

AI-Powered Financial Data Analysis

Table Management

Analysis Center

Knowledge Base

oivia

Login

中文

New Chat

Use a pie chart to show the to...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

In H1 2025, on days when HSI ...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

What was the daily Hang Seng...

New Chat

New Chat

列出2025年一季度的涨幅最高的1...

按行业统计2025年6月底总市值...

2025年上半年，按行业统计总...

2025年1月恒生指数每个交易日...

Hong Kong Market Data Explorer

Ask questions about stock prices, market indices, industry classifications, news, and financial statements in natural language.

In H1 2025, on days when HSI dropped over 2%, what was the total market trading volume?

In H1 2025, list the 3 industries with the lowest aggregate market cap change.

List stocks that closed above their 50-day moving average for 10 consecutive days in Q1 2025

Detect stocks with volume exceeding 3x Avg_Vol_30_Pri on material news event trading days in Q1 2025

QUERY SCOPE

All

HSI Daily

Stock Trading

Market Cap

Industry Classification

News

Financial Statements

CCASS Holdings

candlestick

New Chat

What were the closing prices of the Hang Seng Index for each trading day in January 2025? Please show the trend using a line chart.

Send ...

Table Management

Analysis Center

Knowledge Base

oivia

Login

中文

Upload the table file and analyze the data

9. Notes

- The problem description should include time range, indicator name, sorting method, and quantity limit as much as possible.
- If the problem only involves certain tables, it is recommended to first select the relevant tables in the query scope to reduce system understanding bias.
- When the query result is empty, you can check whether the time range, company name, stock code, or industry name is consistent with the data coverage scope.
- When the chart fields do not match, you can reselect dimensions and metrics in the chart toolbar.
- After uploading the data table, it is recommended to promptly complete the table and column comments to improve the effectiveness of subsequent queries.